



## Section 5, Appendix A: Fruit Fly Host Material Lists

Common Name	Scientific Name	Page
<b>Carambola Fruit Fly</b>	<i>Bactrocera carambolae</i>	<b>5A.2</b>
<b>Caribbean Fruit Fly</b>	<i>Anastrepha suspensa</i>	<b>5A.3</b>
<b>Guava Fruit Fly</b>	<i>Bactrocera correcta</i>	<b>5A.5</b>
<b>Mediterranean Fruit Fly</b>	<i>Ceratitis capitata</i>	<b>5A.7</b>
<b>Melon Fruit Fly</b>	<i>Bactrocera cucurbitae</i>	<b>5A.9</b>
<b>Mexican Fruit Fly</b>	<i>Anastrepha ludens</i>	<b>5A.11</b>
<b>Oriental Fruit Fly</b>	<i>Bactrocera dorsalis</i>	<b>5A.12</b>
<b>Peach Fruit Fly</b>	<i>Bactrocera zonata</i>	<b>5A.15</b>
<b>West Indian Fruit Fly</b>	<i>Anastrepha obliqua</i>	<b>5A.16</b>

**\*NOTE: The following fruit fly host lists reflect common and typical hosts and are therefore not comprehensive.**



<b>CARAMBOLA Fruit Fly (<i>Bactrocera carambolae</i>) Host List*</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Bilimbi</b>	<i>Averrhoa bilimbi</i>	
<b>Breadfruit</b>	<i>Artocarpus altilis</i>	Arbol de Pan
<b>Carambola</b>	<i>Averrhoa carambola</i>	Carambola
<b>Cashew</b>	<i>Anacardium occidentale</i>	Anacardo
<b>Chili Pepper</b>	<i>Capsicum annum</i>	Chile
<b>Common Guava</b>	<i>Psidium guajava</i>	Guava
<b>Common Jujube</b>	<i>Ziziphus jujube</i>	Yuyubi
<b>Cotton</b>	<i>Gossypium</i> spp.	Algodon
<b>Grapefruit</b>	<i>Citrus x paradisi</i>	Toronja, Pomelo
<b>Jackfruit</b>	<i>Artocarpus heterophyllus</i>	
<b>Loofah</b>	<i>Luffa aegyptiaca</i>	
<b>Luna Nut</b>	<i>Lepisanthes fruticosa</i>	
<b>Malay Apple</b>	<i>Syzygium malaccense</i>	
<b>Mango</b>	<i>Mangifera indica</i>	Mango
<b>Papaya</b>	<i>Carica papaya</i>	Lechosa
<b>Potato Tree</b>	<i>Solanum verbascifolium</i>	Arbol de Papa
<b>Rambai</b>	<i>Baccaurea motleyana</i>	
<b>Rambutan</b>	<i>Nephelium lappaceum</i>	Rambutan
<b>Rose-Apple</b>	<i>Syzygium jambos</i>	Pomarrosa
<b>Sapodilla</b>	<i>Manilkara zapote</i>	Sapodilla
<b>Star Apple</b>	<i>Chrysophyllum cainito</i>	Cainito
<b>Sugar Plum</b>	<i>Arenga pinnata</i>	Confite Frutado
<b>Surinam Cherry</b>	<i>Eugenia uniflora</i>	Cereza de Cayena
<b>Sweet Lime</b>	<i>Citrus limettioides</i>	Lima Dulce
<b>Sweet Orange</b>	<i>Citrus sinensis</i>	Naranja
<b>Tangerine</b>	<i>Citrus reticulata</i>	Mandarina, Anaranjado, Rojizo
<b>Tomato</b>	<i>Lycopersicon esculentum</i>	Tomate
<b>Tropical Almond</b>	<i>Terminalia catappa</i>	Almendra Tropical
<b>Water Apple</b>	<i>Syzygium samarangense</i>	Manzana de Aqua
<b>Watery Rose-Apple</b>	<i>Syzygium aqueum</i>	Pomarosa Jugosa
<b>West Indian Cherry</b>	<i>Malpighia puniceifolia</i>	Cereza India
	<i>Artocarpus elasticus</i>	
	<i>Eugenia aquea</i>	
	<i>Malpighia glabra</i>	Huesito
	<i>Solanum ferox</i>	
	Wild species of: Clusiaceae, Meliaceae, Myrtaceae, Rhizophoraceae, Symplocaceae, Euphorbiaceae, Moraceae, Olacaceae, Rutaceae	

**\*NOTE: This host list reflects common and typical hosts and is not comprehensive.**



<b>CARIBBEAN Fruit Fly (<i>Anastrepha suspensa</i>) Host List*</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Akee</b>	<i>Blighia sapida</i>	
<b>Allspice</b>	<i>Pimenta dioica</i>	
<b>Apple</b>	<i>Malus sylvestris</i>	Manzana
<b>Avocado (except commercial fruit)</b>	<i>Persea americana</i>	Aguacate
<b>Barbados Cherry</b>	<i>Malpighia glabra</i>	Cereza de Barbado
<b>Bell Pepper ( except commercial fruit)</b>	<i>Capsicum frutescens</i>	Ají, Pimiento
<b>Blackberry</b>	<i>Rubus hybrid</i>	Cereza Negra
<b>Box Orange</b>	<i>Severinia buxifolia</i>	Naranja
<b>Calabur</b>	<i>Muntingia calabura</i>	
<b>Calamondin</b>	<i>X Citrofortunella mitis</i>	Mandarinita
<b>Carambola</b>	<i>Averrhoa carambola</i>	Carambola
<b>Ceylon Gooseberry</b>	<i>Dovyalis hebecarpa</i>	
<b>Cherry of the Rio Grande</b>	<i>Eugenia aggregata</i>	Cereza del Rio Grande
<b>Cocoplum</b>	<i>Chrysolbananus icaco</i>	
<b>Egg Fruit</b>	<i>Pouteria campechiana</i>	
<b>Fig</b>	<i>Ficus carica</i>	Higo
<b>Governor's Plum</b>	<i>Flacourtia indica</i>	
<b>Grapefruit</b>	<i>Citrus paradisi</i>	Toronja
<b>Grumichama</b>	<i>Eugenia brasiliensis</i>	Cereza Espanola
<b>Guava (all)</b>	<i>Psidium spp</i>	Guayaba
<b>Guiana Plum</b>	<i>Drypetes lateriflora</i>	
<b>Imbe</b>	<i>Garcinia livingstonei</i>	
<b>Jaboticaba</b>	<i>Myrciaria cauliflora</i>	
<b>Jack Orangequat</b>	<i>Citrus nobilis 'unshu' x Fortunella sp.</i>	
<b>Jambolan Plum</b>	<i>Syzygium cumini</i>	
<b>Japanese Pear</b>	<i>Pyrus pyrifolia</i>	Pera Asiatica
<b>Japanese Persimmon</b>	<i>Diospyros khaki</i>	Persimo Japonese
<b>Java Apple</b>	<i>Syzygium samarangense</i>	
<b>Kei Apple</b>	<i>Dovyalis caffra</i>	
<b>Kieffer Pear</b>	<i>Pyrus pyrifolia x Pyrus communis</i>	
<b>Kiwi</b>	<i>Actinidia chinensis</i>	Kiwi
<b>Kumquat</b>	<i>Fortunella crassifolia</i>	Naranja
<b>Kumquat (oval)</b>	<i>Fortunella margarita</i>	
<b>Lime</b>	<i>Citrus aurantiifolia</i>	Lima
<b>Limeberry</b>	<i>Triphasia trifolia</i>	
<b>Limequat</b>	<i>X Citrofortunella floridana</i>	
<b>Longan, except commercial fruit</b>	<i>Dimocarpus longan</i>	Longan
<b>Loquat</b>	<i>Eriobotrya japonica</i>	
<b>Lychee, except commercial fruit</b>	<i>Litchi chinensis</i>	Lichi
<b>Mango</b>	<i>Mangifera indica</i>	Mango
<b>Miracle Fruit</b>	<i>Synsepalum dulcificum</i>	Fruta Milagrosa



<b>CARIBBEAN Fruit Fly (<i>Anastrepha suspensa</i>) Host List* continued</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Natal Plum</b>	<i>Carissa grandiflora</i>	Cariza
<b>Nectarine</b>	<i>Prunus persica</i>	
<b>Orange Jasmine</b>	<i>Murraya paniculata</i>	
<b>Otaheite Apple</b>	<i>Spondias cytherea</i>	
<b>Papaya</b>	<i>Carica papaya</i>	Papaya
<b>Peach</b>	<i>Prunus persica</i>	Durazno
<b>Pear</b>	<i>Pyrus communis</i>	Pera
<b>Pitomba</b>	<i>Eugenia luschnathiana</i>	
<b>Pomegranate</b>	<i>Punica granatum</i>	Granada
<b>Pond Apple</b>	<i>Annona glabra</i>	
<b>Rangpur Lime</b>	<i>Citrus limonia</i>	
<b>Rose Apple</b>	<i>Syzygium jambos</i>	Pomarosa
<b>Sapodilla</b>	<i>Manilkara zapota</i>	
<b>Sour Orange</b>	<i>Citrus aurantium</i>	Naranja Agria
<b>Sugar Apple</b>	<i>Annona squamosa</i>	Manzana, Azucarada
<b>Surinam Cherry</b>	<i>Eugenia uniflora</i>	Cereza de Cayena
<b>Sweet Lemon</b>	<i>Citrus limetta</i>	Limon Dulce
<b>Sweet Orange</b>	<i>Citrus sinensis</i>	Naranja Dulce
<b>Tangelo</b>	<i>Citrus paradisi X Citrus reticulata</i>	Cidra, Pomelo
<b>Tangerine</b>	<i>Citrus reticulata Blanco</i>	Mandarina
<b>Temple Orange</b>	<i>Citrus sinensis X Citrus reticulata</i>	
<b>Tomato, except commercial fruit</b>	<i>Lycopersicon esculentum (L. lycopersicum)</i>	Tomate
<b>Tropical Almond</b>	<i>Terminalia catappa</i>	Almendra Tropical
<b>Velvet Apple or Velvet Persimmon</b>	<i>Diospyros blancoi</i>	
<b>Wampi</b>	<i>Clausena lansium</i>	
<b>White Sapote</b>	<i>Casimiroa edulis</i>	Sapote Blanco
<b>Wild Balsam Apple</b>	<i>Momordica charantia</i>	
<b>Wild Cinnamon</b>	<i>Canella winteriana</i>	Canella Silvestre
<b>Wild Dilly</b>	<i>Manilkara jaimiqui ssp. emarginata</i>	
	<i>Annona hybrid</i>	
	<i>Atalantia citriodes</i>	
	<i>Eugenia coronata</i>	
	<i>Eugenia ligustrina</i>	
	<i>Ficus altissima</i>	
	<i>Garcinia xanthochymus</i>	
	<i>Manilkara roxburghiana</i>	
	<i>Myrcianthes fragrans</i>	
	<i>Myrciaria glomerata</i>	
	<i>Pseudanmomis umbellulifera</i>	
	<i>Rheedia aristata</i>	
	<i>Terminalia muelleri</i>	
	<i>Trevisia palmata</i>	

**\*NOTE: This host list reflects common and typical hosts and is not comprehensive.**



<b>GUAVA Fruit Fly (<i>Bactrocera correcta</i>) Host List*</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Almond, Tropical</b>	<i>Terminalia catappa</i>	Almendra tropical
<b>Apple, Common</b>	<i>Malus sylvestris</i>	Manzana
<b>Apple, Custard</b>	<i>Annona reticulata</i>	Manzana
<b>Apple, Golden</b>	<i>Spondias cytherea</i>	Manzana
<b>Apple, Malay</b>	<i>Eugenia malaccensis</i>	Manzana
<b>Apple, Velvet</b>	<i>Diospyros discolor</i>	Manzana
<b>Apricot</b>	<i>Prunus armeniaca</i>	Albaricoque, Chabacano, Chabacin
<b>Banana, Common</b>	<i>Musa paradisiaca</i>	Platano
<b>Breadfruit</b>	<i>Artocarpus altilis</i>	Fruta de Pan
<b>Calamondin</b>	<i>Citrus mitis</i>	Mandarinita
<b>Canistel</b>	<i>Lucuma nervosa</i>	
<b>Carambola, Country Gooseberry</b>	<i>Averrhoa carambola</i>	Carambola
<b>Cashew</b>	<i>Anacardium occidentale</i>	Muegano
<b>Cherimoya</b>	<i>Annona cherimola</i>	Chirimoya
<b>Cherry, Barbados</b>	<i>Malpighia puniceifolia</i>	Cereza de Barbados
<b>Cherry, Catalina</b>	<i>Prunus ilicifolia</i>	Cereza Catalina
<b>Cherry, Jerusalem</b>	<i>Solanum pseudocapsicum</i>	Cereza de Jerusalem
<b>Cherry, Spanish</b>	<i>Mimusops elengi</i>	Cereza Espanola
<b>Cherry, Surinam</b>	<i>Eugenia uniflora</i>	Cereza de Surinam
<b>Chili</b>	<i>Capsicum frutescens longum</i>	Chile
<b>Dragon Tree</b>	<i>Dracaena draco</i>	
<b>Fig</b>	<i>Ficus carica</i>	Higo
<b>Grape</b>	<i>Vitis</i> spp.	Uva
<b>Grapefruit</b>	<i>Citrus paradisi</i>	Toronja
<b>Guava, Common</b>	<i>Psidium guajava</i>	Guayaba
<b>Guava, Red Strawberry</b>	<i>Psidium cattleianum littorale</i>	Guayaba-Fresa (Roja)
<b>Guava, Yellow Strawberry</b>	<i>Psidium cattleianum lucidum</i>	Guayaba-Fresa (Amarilla)
<b>Imbu</b>	<i>Spondias tuberosa</i>	
<b>Kumquat, Round</b>	<i>Fortunella japonica</i>	
<b>Lime, Sour</b>	<i>Citrus aurantiifolia</i>	Lima Agria
<b>Limeberry, Chinese Box</b>	<i>Murraya paniculata/exotica</i>	
<b>Loquat</b>	<i>Eriobotrya japonica</i>	Mispero Japones
<b>Mango</b>	<i>Mangifera indica</i>	Mango
<b>Myrobalan</b>	<i>Terminalia chebula</i>	
<b>Nectarine</b>	<i>Prunus persica</i> var. <i>nucipersica</i>	Nectarino, Pelon
<b>Oleander, Yellow</b>	<i>Thevetia peruviana</i>	Laurel Amarillo
<b>Orange, Chinese</b>	<i>Citrus japonica hazara</i>	Naranja Japonesa
<b>Orange, King</b>	<i>Citrus nobilis</i>	Naranja Rey
<b>Orange, Mandarin</b>	<i>Citrus reticulata</i>	Mandarina



<b>GUAVA Fruit Fly (<i>Bactrocera correcta</i>) Host List* continued</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Orange, Sweet</b>	<i>Citrus sinensis</i>	Naranja Dulce
<b>Palm, Syrup</b>	<i>Jubaea spectabilis</i>	
<b>Papaya</b>	<i>Carica papaya</i>	Papaya
<b>Peach</b>	<i>Prunus persica</i>	Durazno
<b>Pear</b>	<i>Pyrus communis</i>	Pera
<b>Persimmon, Japanese</b>	<i>Diospyros kaki</i>	Persimo
<b>Persimmon, Mabolo</b>	<i>Diospyros discolor</i>	Persimo
<b>Plum, American</b>	<i>Prunus americana</i>	Ciruela Silvestre
<b>Plum, Damson</b>	<i>Chrysophyllum oliviforme</i>	Ciruela
<b>Plum, Malabar</b>	<i>Eugenia jambos</i>	Ciruela
<b>Plum, Natal</b>	<i>Carissa grandiflora</i>	Cariza
<b>Santol</b>	<i>Sandoricum koetjape</i>	
<b>Sapodilla</b>	<i>Manilkara zapota</i>	
<b>Sapote, White</b>	<i>Casimiroa edulis</i>	Sapote Blanco
<b>Soursop</b>	<i>Annona muricata</i>	
<b>Star-Apple</b>	<i>Chrysophyllum cainito</i>	
<b>Unshu Orange</b>	<i>Citrus unshu</i>	
<b>Ylang-Ylang</b>	<i>Cananga odorata</i>	

**\*NOTE: This host list reflects common and typical hosts and is not comprehensive.**



<b>MEDITERRANEAN Fruit Fly (<i>Ceratitis capitata</i>) Host List*</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Almond with husk</b>	<i>Prunus amygdalus, P. dulcis</i>	Almendra con Cascara
<b>Apple</b>	<i>Malus sylvestris</i>	Manzana
<b>Apricot</b>	<i>Prunus armeniaca</i>	Albaricoque / Chabacin / Chavacances / Damasco
<b>Avocado</b>	<i>Persea americana</i>	Aguacate
<b>Black Myrobalan</b>	<i>Terminalia cherbula</i>	Almendra Tropical
<b>Calamondin Orange</b>	<i>Citrus reticulata X Fortunella</i>	Naranja
<b>Cherry, Sour</b>	<i>Prunus cerasus, P. avium</i>	Cereza Agriaia
<b>Cherry, Sweet</b>	<i>Prunus avium, P. cerasus</i>	Cereza Dulce
<b>Citron</b>	<i>Citrus medica</i>	Cidra Citron
<b>Date Palm</b>	<i>Phoenix dactylifera</i>	Datil, Palma Datilera
<b>Eggplant, other than commercially produced)</b>	<i>Solanum melongena</i>	Berenjena
<b>Fig</b>	<i>Ficus carica</i>	Higo
<b>Grape</b>	<i>Vitis spp.</i>	Uva
<b>Grapefruit</b>	<i>Citrus paradisi</i>	Toronja/Lorolo/Pomelo
<b>Guava</b>	<i>Psidium guajava</i> (common, pomiferum, and pyriferum)	Guava, Guayaba
<b>Guava, Pineapple</b>	<i>Feijoa sellowiana</i>	Guayaba-Pina
<b>Guava, Strawberry</b>	<i>Psidium cattleianum</i>	Guayaba-fresa
<b>Hawthorn, Mexican</b>	<i>Crataegus pubescens</i>	Tejocote
<b>Kiwi</b>	<i>Actinidia chinensis</i>	Kiwi
<b>Kumquat</b>	<i>Fortunella japonica</i>	Naranja Japones/Kinotos
<b>Lemon (except smooth-skinned lemons harvested for packing for commercial packing houses)</b>	<i>Citrus limon</i>	Limon, excepto cultivos comerciales
<b>Lemon, Meyer</b>	<i>Citrus limon X C. reticulata</i>	Limon
<b>Lemon, Rough</b>	<i>Citrus jambhiri</i>	Limon
<b>Lime, Sweet</b>	<i>Citrus aurantiifolia</i>	Lima Dulce
<b>Loquat</b>	<i>Eriobotrya japonica</i>	Nispero Japones
<b>Mandarin Orange, Tangerine</b>	<i>Citrus reticulata</i>	Mandarina, Tangerina
<b>Mango</b>	<i>Mangifera indica</i>	Mango
<b>Mock Orange</b>	<i>Murraya exotica</i>	Naranjilla
<b>Mountain Apple</b>	<i>Syzygium malaccense (=Eugenia malaccensis)</i>	Pomarosa, Manzana, Pera de Agua
<b>Natal Plum</b>	<i>Carissa macrocarpa (=Carissa grandifolia)</i>	Cariza
<b>Nectarine</b>	<i>Prunus persica</i> var. Nectarina	Nectarino, Pelon
<b>Olive</b>	<i>Olea europaea</i>	Olivo, Aceitunas
<b>Orange, Chinese</b>	<i>Fortunella japonica</i>	Naranja China
<b>Orange, King</b>	<i>Citrus reticulata X C. sinensis</i>	Naranja



<b>MEDITERRANEAN Fruit Fly (<i>Ceratitis capitata</i>) Host List* continued...</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Orange, Sour</b>	<i>Citrus aurantium</i>	Naranja Agria
<b>Orange, Sweet</b>	<i>Citrus sinensis</i>	Naranja Dulce
<b>Orange, Unshu</b>	<i>Citrus reticulata</i> var. Unshu	Naranja Unshu
<b>Papaya</b>	<i>Carica papaya</i>	Papaya
<b>Peach</b>	<i>Prunus persica</i>	Durazno
<b>Pear</b>	<i>Pyrus communis</i>	Pera
<b>Peppers</b>	<i>Capsicum frutescens, C. annum</i>	Pimentera, Chile, Aji, Pimiento
<b>Persimmon, Japanese</b>	<i>Diospyros khaki</i>	Persimo
<b>Plum, Japanese</b>	<i>Prunus salicina</i>	Ciruela Japonesa
<b>Plum, Prune</b>	<i>Prunus domestica</i>	Ciruela Pasa
<b>Plum, Wild</b>	<i>Prunus americana</i>	Ciruela Silvestre
<b>Pomegranate</b>	<i>Punica granatum</i>	Granada
<b>Prickly Pear Cactus</b>	<i>Opuntia</i> spp.	Nopal Tunero, Tunas
<b>Pummelo, Shaddock</b>	<i>Citrus grandis</i>	Pomelo
<b>Quince</b>	<i>Cydonia oblonga</i>	Mannela, Membrillo
<b>Rose Apple</b>	<i>Syzygium jambos</i> (=Eugenia jambos)	Pomarosa
<b>Spanish Cherry, Brazilian Plum</b>	<i>Eugenia brasiliensis</i> (=E. dombeyi)	Grumichama
<b>Surinam Cherry</b>	<i>Eugenia uniflora</i>	Cereza de Cayena
<b>Tomato (pink and red ripe)</b>	<i>Lycopersicon esculentum</i>	Tomate
<b>Walnut, Butternut (with or in husk)</b>	<i>Juglans</i> spp.	Nogal, Nuez
<b>White Sapote</b>	<i>Casimiroa edulis</i>	Zapote Blanco
<b>Yellow Oleander, Bestill</b>	<i>Thevetia peruviana</i>	Laurel Amarillo
<b>*NOTE: This host list reflects common and typical hosts and is not comprehensive.</b>		





<b>MELON Fruit Fly (<i>Bactrocera cucurbitae</i>) Host List*</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Fruit from Plants of the Following Species:</b>		
<b>Apple</b>	<i>Malus sylvestris</i>	Manzana
<b>Apple, Custard</b>	<i>Annona reticulata</i>	
<b>Avocado</b>	<i>Persea americana</i>	Aguacate
<b>Bean, Hyacinth</b>	<i>Dolichos lablab</i>	
<b>Bean, Lima</b>	<i>Phaseolus lunatus (Phaseolus limensis)</i>	
<b>Bean, Mung</b>	<i>Phaseolus radiatus</i>	
<b>Cantaloupe</b>	<i>Cucumis melo, Cucumis melo var. cantalupensis</i>	Melon
<b>Cauliflower</b>	<i>Brassica oleracea var. botrytis</i>	Coliflor
<b>Chayote</b>	<i>Sechium edule</i>	Chayote
<b>Colocynth</b>	<i>Citrullus colocynthis</i>	
<b>Cowpea</b>	<i>Vigna unguiculata</i>	
<b>Cucumber</b>	<i>Cucumis sativus</i>	Pepino
<b>Cucumber, Bur</b>	<i>Sicyos sp.</i>	Pepinillo
<b>Cucurbit</b>	<i>Cucumis pubescens, Cucumis trigonis</i>	Cucurbita
<b>Date Palm</b>	<i>Phoenix dactylifera</i>	Datil, Palma Datilera
<b>Eggplant</b>	<i>Solanum melongena</i>	Berenjena
<b>Fig, Common</b>	<i>Ficus carica</i>	Higo
<b>Gourds</b>	<i>Coccinia spp., Crescentia spp., Lagenaria spp., Luffa spp., Momordica spp., Trichosanthes spp.</i>	
<b>Grape</b>	<i>Vitis trifolia</i>	Uva
<b>Guava</b>	<i>Psidium guajava</i>	Guayaba
<b>Guava, Cattley</b>	<i>Psidium cattleianum</i>	Guayaba
<b>Mango</b>	<i>Mangifera indica</i>	Mango
<b>Melon</b>	<i>Citrullus spp.</i>	Melon
<b>Melon, Chinese</b>	<i>Benincasa hispida</i>	Melon Chino
<b>Melon, Oriental Pickling</b>	<i>Cucumis melo var. conomon</i>	
<b>Mustard, Leaf</b>	<i>Brassica juncea</i>	
<b>Orange, King</b>	<i>Citrus nobilis</i>	Naranja Rey
<b>Orange, Mandarin</b>	<i>Citrus reticulata</i>	Mandarina
<b>Orange, Sweet</b>	<i>Citrus sinensis</i>	Naranja Dulce
<b>Papaya, Common</b>	<i>Carica papaya</i>	Papaya
<b>Passion Fruit</b>	<i>Passiflora edulis</i>	Pasiflora
<b>Peach</b>	<i>Prunus persica</i>	Durazno
<b>Pear</b>	<i>Pyrus communis</i>	Pera
<b>Pepper</b>	<i>Capsicum annum</i>	Chile, Aji
<b>Pepper, Chili</b>	<i>Capsicum annum</i>	



<b>MELON Fruit Fly (<i>Bactrocera cucurbitae</i>) Host List* continued</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Pepper, Tabasco</b>	<i>Capsicum frutescens</i>	Chile Habanero
<b>Pumpkin</b>	<i>Cucurbita pepo</i>	Calabaza
<b>Pumpkin, Canada</b>	<i>Cucurbita pepo</i>	Calabaza de Canada
<b>Scarlet Wisteria Tree</b>	<i>Sesbania grandiflora</i>	
<b>Soursop</b>	<i>Annona muricata</i>	
<b>Squash</b>	<i>Cucurbita maxima</i>	Calabacita
<b>Tomato</b>	<i>Lycopersicon esculentum</i>	Tomate
<b>Tomato, Tree</b>	<i>Cyphomandra betaceae</i>	Arbol de Tomate
<b>Watermelon</b>	<i>Citrullus lanatus</i> (= <i>Citrullus vulgaris</i> )	Sandia
<b>Plants of the following species: Plantas de las siguientes especies</b>		
<b>Cantaloupe</b>	<i>Cucumis melo</i>	Melon
<b>Chayote</b>	<i>Sechium edule</i>	Chayote
<b>Colocynth</b>	<i>Citrullus colocynthis</i>	
<b>Cucumber</b>	<i>Cucumis sativus</i>	Pepino
<b>Cucumber, Bur</b>	<i>Sicyos spp.</i>	Pepinillo
<b>Cucurbit, Wild</b>	<i>Cucumis trigoni</i>	
<b>Gherkin, West India</b>	<i>Cucumis angaria</i>	
<b>Gourd, Angled Luffa</b>	<i>Luffa acutangula</i>	
<b>Gourd, Balsam-Apple</b>	<i>Momordica balsamina</i>	
<b>Gourd, Balsam-Pear</b>	<i>Momordica charantia</i>	
<b>Gourd, Ivy</b>	<i>Coccinia grandis</i>	
<b>Gourd, Kakari</b>	<i>Momordica cochinchinensis</i>	
<b>Gourd, Pointed</b>	<i>Trichosanthes dioica</i>	
<b>Gourd, Serpent Cucumber</b>	<i>Trichosanthes anguina</i>	
<b>Gourd, Snake</b>	<i>Trichosanthes cucumeroides</i>	
<b>Gourd, Sponge</b>	<i>Luffa aegyptiaca</i>	
<b>Gourd, White Flowered</b>	<i>Lagenaria siceraria</i>	
<b>Melon</b>	<i>Cucumis melo</i>	Melon
<b>Melon, Chinese</b>	<i>Benincasa hispida</i>	Melon chino
<b>Melon, Long</b>	<i>Cucumis utillissimus</i>	Melon
<b>Pumpkin</b>	<i>Cucurbita pepo</i>	Calabaza
<b>Squash</b>	<i>Cucurbita maxima</i>	Calabacita
<b>Watermelon</b>	<i>Citrullus lanatus</i> (= <i>Citrullus vulgaris</i> )	Sandia
<b>*NOTE: This host list reflects common and typical hosts and is not comprehensive.</b>		



<b>MEXICAN Fruit Fly (<i>Anastrepha ludens</i>) Host List*</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Apple</b>	<i>Malus sylvestris</i>	Manzana
<b>Apricot</b>	<i>Prunus armeniaca</i>	Albaricoque/Chabacin/Chavacances/ Damasco
<b>Avocado</b>	<i>Persea americana</i>	Aguacate
<b>Calamondin Orange</b>	<i>Citrus reticulata X Fortunella</i>	Naranja
<b>Cherimoya</b>	<i>Annona cherimola</i>	Chirimoya, Anon
<b>Citrus Citron</b>	<i>Citrus medica</i>	Cidra Citron
<b>Custard Apple</b>	<i>Annona reticulata</i>	Anona
<b>Grapefruit</b>	<i>Citrus paradisi</i>	Toronja/Lorolo/Pomelo
<b>Guava</b>	<i>Psidium guajava</i> (common, pomiferum, and pyriferum)	Guava, Guayaba
<b>Japanese Plum</b>	<i>Prunus salicina</i>	Ciruela
<b>Lemon, Sour, except smooth- skinned commercial cultivars for packing</b>	<i>Citrus limon</i>	Limon, excepto cultivos comerciales
<b>Lime, except sour limes</b>	<i>Citrus aurantiifolia</i>	Lima Dulce
<b>Mamey, Mammee Apple</b>	<i>Mammea americana</i>	Zapote Mamey, Mamey Amarillo, Mata Serrano
<b>Mandarin Orange, Tangerine</b>	<i>Citrus reticulata</i>	Mandarina, Tangerina
<b>Mango</b>	<i>Mangifera indica</i>	Mango
<b>Mombin, Ciruela</b>	<i>Spondias</i> spp.	Ambarella, Jobo, Ajuela Ciruela, Jocote, Caimito
<b>Nectarine</b>	<i>Prunus persica</i> var. Nectarina	Nectarino, Pelon
<b>Peach</b>	<i>Prunus persica</i>	Durazno
<b>Pear</b>	<i>Pyrus communis</i>	Pera
<b>Plum</b>		Ciruela
<b>Pomegranate</b>	<i>Punica granatum</i>	Granada
<b>Prune Plum</b>	<i>Prunus domestica</i>	Ciruela, Ciruela pasa
<b>Pummelo, Shaddock</b>	<i>Citrus grandis</i>	Pomelo
<b>Quince</b>	<i>Cydonia oblonga</i>	Mannela, Membrillo
<b>Rose Apple</b>	<i>Syzygium jambos</i> (= <i>Eugenia jambos</i> )	Pomarosa
<b>Sour Orange</b>	<i>Citrus aurantium</i>	Naranja Agria
<b>Sapote</b>	<i>Pouteria</i> spp.	Sapota, Zapote, Mamey Colorado, Mamey Rojo
<b>Sapota, Sapodilla</b>	<i>Manilkara zapota</i>	Chicle, Chicozapote, Nispero, Zapote
<b>Sargentia, Yellow Chapote</b>	<i>Sargentia greggii</i>	Zapote Amarillo
<b>Spanish Plum, Purple</b>	<i>Spondias</i> spp.	Ciruela Española
<b>Sweet Orange</b>	<i>Citrus sinensis</i>	Naranja Dulce

\*NOTE: This host list reflects common and typical hosts and is not comprehensive.



<b>ORIENTAL Fruit Fly (<i>Bactrocera dorsalis</i>) Host List*</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Akia</b>	<i>Wilstromieia phyllyraefolia</i>	
<b>Alexander Laurel</b>	<i>Calophyllum inophyllum</i>	Laurel
<b>Apple</b>	<i>Malus sylvestris</i>	Manzana
<b>Apricot</b>	<i>Prunus armeniaca</i>	Albaricoque/Chabacin/Chavacances
<b>Avocado</b>	<i>Persea americana</i>	Aguacate
<b>Banana</b>	<i>Musa paradisiaca</i> var. <i>Sapientum, Musa X paradisiaca</i>	Plátano
<b>Banana, Dwarf</b>	<i>Musa nana</i>	Plátano
<b>Barbados Cherry</b>	<i>Malpighia glabra</i>	Acerola
<b>Bell Pepper</b>	<i>Capsicum annum</i>	Ají, Pimiento
<b>Brazil Cherry</b>	<i>Eugenia dombeyi</i>	Grumichama
<b>Breadfruit</b>	<i>Artocarpus altilis</i>	Fruta de Pan
<b>Cactus</b>	<i>Cereus (=Hylocereus) coerulescens</i>	Pitaya
<b>Damson-Plum</b>	<i>Chrysophyllum oliviforme</i>	Caimitillo
<b>Cashew</b>	<i>Anacardium occidentale</i>	Marañón
<b>Cherimoya</b>	<i>Annona cherimola</i>	Chirimoya, Pox
<b>Cherry, Holly-Leaf or Cherry Laurel</b>	<i>Prunus ilicifolia</i>	Cereza Laurel
<b>Cherry, Portugal Laurel</b>	<i>Prunus lusitanica</i>	
<b>Chili</b>	<i>Capsicum annum</i>	Pimentera, Chile, Ají, Pimiento
<b>Coffee, Arabian</b>	<i>Coffea arabica</i>	Café
<b>Country Gooseberry</b>	<i>Averrhoa carambola</i>	Carambole, Carambolera
<b>Cucumber</b>	<i>Cucumis sativas</i>	Pepino
<b>Custard Apple</b>	<i>Annona reticulata</i>	Anona
<b>Date Palm</b>	<i>Phoenix dactylifera</i>	Palma Datilera/Datil
<b>Dragon Tree</b>	<i>Dracaena draco</i>	
<b>Eggfruit Tree, Yellow Sapote</b>	<i>Pouteria campechiana</i>	Canistel, Zapote Amarillo
<b>Elengi Tree, Spanish Cherry</b>	<i>Mimusops elengi</i>	Cereza Española
<b>Fig</b>	<i>Ficus carica</i>	Higo
<b>Gourka</b>	<i>Garcinia celebica</i>	
<b>Granadilla, Sweet</b>	<i>Passiflora ligularis</i>	Grenadilla, Parcha, Fruta de la Casión
<b>Grape</b>	<i>Vitis spp.</i>	Uva
<b>Grapefruit</b>	<i>Citrus paradisi</i>	Toronja/Lorolo/Pomelo
<b>Guava</b>	<i>Psidium guajava, P. littorale, P. cattleianum</i>	Guava, Guayaba
<b>Imbu</b>	<i>Spondias tuberosa</i>	Imbu, Umbu
<b>Jackfruit</b>	<i>Artocarpus heterophyllus</i>	Jak, Jaca
<b>Jerusalem Cherry</b>	<i>Solanum pseudocapsicum</i>	Cereza de Jerusalem
<b>Kitembilla, Ceylon Gooseberry</b>	<i>Dovyalis hebecarpa</i>	Aberia



<b>ORIENTAL Fruit Fly (<i>Bactrocera dorsalis</i>) Host List* continued...</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Kumquat</b>	<i>Fortunella japonica</i>	Naranja Japones/Kinotos
<b>Laurel</b>	<i>Calophyllum inophyllum</i>	Laurel
<b>Lemon</b>	<i>Citrus limon</i>	Limon
<b>Lime, Key or Mexican</b>	<i>Citrus aurantifolia</i>	Lima
<b>Lime, Persian</b>	<i>Citrus latifolia</i>	Lima
<b>Lime, Sweet</b>	<i>Citrus limetoides</i>	Lima Dulce
<b>Longan</b>	<i>Euphoria longan</i>	Mamoncillo Chino
<b>Loquat</b>	<i>Eriobotrya japonica</i>	Nispero Japones
<b>Litchi</b>	<i>Lychee chinensis</i>	Lechia, Lichi
<b>Malay Apple</b>	<i>Eugenia malaccensis</i>	Pomarosa, Manzana, Marañon Japonés
<b>Mammee Apple</b>	<i>Mammea americana</i>	Zapote Mamey, Mamey Amarillo
<b>Mandarin Orange</b>	<i>Citrus reticulata</i>	Mandarina, Tangerina
<b>Mango</b>	<i>Mangifera indica</i>	Mango
<b>Mangosteen</b>	<i>Garcinia mangostana</i>	Mangostin
<b>Mock Orange</b>	<i>Murraya exotica</i>	Naranja
<b>Mulberry</b>	<i>Morus nigra</i>	
<b>Myrtle, Downy Rose</b>	<i>Rhodomyrtus tomentosa</i>	
<b>Natal Plum, Amantungula</b>	<i>Carissa grandiflora</i> (= <i>C. macrocarpa</i> )	Cariza
<b>Nectarine</b>	<i>Prunus persica</i> var. <i>Nectarina</i>	Nectarino, Pelon
<b>Oleander, Yellow</b>	<i>Thevetia peruviana</i>	Laurel Amarillo
<b>Orange, Calamondin</b>	<i>Citrus reticulata X fortunella</i>	Naranja
<b>Orange, Chinese</b>	<i>Fortunella japonica</i>	Naranja
<b>Orange, King</b>	<i>Citrus reticulata X C. sinensis</i>	Naranja
<b>Orange, Sweet</b>	<i>Citrus sinensis</i>	Naranja Dulce
<b>Orange, Sour</b>	<i>Citrus aurantium</i>	Naranja Agria
<b>Orange, Unshu</b>	<i>Citrus reticulata</i> var. <i>Unshu</i>	Naranja
<b>Oriental Bush Red Pepper</b>	<i>Capsicum frutescens abbreviatum</i>	Chile, Pimiento
<b>Otaheite Apple, Polynesian plum, Golden Apple</b>	<i>Spondias dulcis</i>	Ambarella, Jobo
<b>Palm, syrup</b>	<i>Jubaea spectabilis</i>	Fruta Dulce del Árbol de la Palma
<b>Papaya</b>	<i>Carica papaya</i>	Papaya
<b>Passionflower Fruit, Yellow Lilikoi</b>	<i>Passiflora edulis</i>	Granadilla, Parcha
<b>Passionflower, Softleaf</b>	<i>Passiflora mollissima</i>	Granadilla, Parcha
<b>Peach</b>	<i>Prunus persica</i>	Durazno
<b>Pear</b>	<i>Pyrus communis</i>	Pera
<b>Pepino</b>	<i>Solanun muricatum</i>	Pepino
<b>Pepper, Sweet</b>	<i>Capsicum frutescens</i> var. <i>grossum</i>	Pimentera, Chile, Ají, Pimiento
<b>Persimmon, Japanese</b>	<i>Diospyros khaki</i>	Persimon



<b>ORIENTAL Fruit Fly (<i>Bactrocera dorsalis</i>) Host List* continued...</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Pineapple Guava</b>	<i>Feijoa sellowiana</i>	Guayabo del Pais
<b>American Wild Plum</b>	<i>Prunus americana</i>	Ciruela
<b>Pomegranate</b>	<i>Punica granatum</i>	Granada
<b>Prickly Pear Cactus</b>	<i>Opuntia megacantha, O. ficus indica</i>	Nopal Tunero, Tunas
<b>Prune Plum</b>	<i>Prunus domestica</i>	Ciruela, Ciruela Pasa
<b>Pummelo</b>	<i>Citrus grandis</i>	Pomelo
<b>Quince</b>	<i>Cydonia oblonga</i>	Mannela, Membrillo
<b>Rose Apple</b>	<i>Eugenia jambos</i>	Pomarosa
<b>Sandalwood</b>	<i>Santalum panaiiculatum</i>	
<b>Sandalwood, White</b>	<i>Santalum album</i>	
<b>Santol</b>	<i>Sandoricum koetjape</i>	Santor, Katul
<b>Sapodilla</b>	<i>Manilkara sp.</i>	Chico
<b>Sapodilla, Chiku</b>	<i>Manilkara zapota</i>	Chicle, Chico, Zapote Chico
<b>Sapote, White</b>	<i>Casimiroa edulis</i>	Zapote Blanco
<b>Seagrape</b>	<i>Coccoloba uvifera</i>	Uva Marina
<b>Soursop</b>	<i>Annona muricata</i>	Guanabana, Zapote de Viejas
<b>Star Apple</b>	<i>Chrysophyllum cainito</i>	Caimito, Estrella
<b>Surinam Cherry, Brazilian Cherry, Pitanga</b>	<i>Eugenia uniflora</i>	Cereza de Cayena
<b>Tomato</b>	<i>Lycopersicon esculentum</i>	Tomate
<b>Tropical Almond</b>	<i>Terminalia catappa, T. chebula</i>	Alemendra Tropical
<b>Velvet Apple</b>	<i>Diospyros discolor (=D. blancoi)</i>	Mabolo, Camagon
<b>Walnut</b>	<i>Juglans hindsii</i>	Nogal, Nuez
<b>Walnut, English</b>	<i>Juglans regia</i>	Nogal, Nuez
<b>Wampee or Wampi</b>	<i>Clausena lansium</i>	Wampi, Uampi,
<b>Barbados or West Indian Cherry</b>	<i>Malpighia punicifolia</i>	Acerola, Cereza, Cereza Colorada
<b>Ylang-Ylang</b>	<i>Cananga odorata</i>	

**\*NOTE: This host list reflects common and typical hosts and is not comprehensive.**



<b>PEACH Fruit Fly (<i>Bactrocera zonata</i>) Host List*</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Almond, Tropical</b>	<i>Terminalia catappa</i>	Almendra Tropical
<b>Apple</b>	<i>Malus domestica</i>	Manzana
<b>Apple, Paradise</b>	<i>Malus pumila</i>	Manzana del Paraiso
<b>Apple, Sugar</b>	<i>Annona squamosa</i>	Manzana Azucarada
<b>Date Palm</b>	<i>Phoenix dactylifera</i>	Datil, Palma Datilera
<b>Fig, Common</b>	<i>Ficus carica</i>	Higo
<b>Gourd, Bitter</b>	<i>Momordica charantia</i>	
<b>Gourd, White-flowered</b>	<i>Lagenaria siceraria</i>	
<b>Guava</b>	<i>Psidium guajava</i> (common, pomiferum, and pyriferum)	Guava, Guayaba
<b>Indian Bael</b>	<i>Aegle marmelos</i>	
<b>Jujube, Common</b>	<i>Ziziphus jujube</i>	Yuyubi
<b>Mango</b>	<i>Mangifera indica</i>	Mango
<b>Melon</b>	<i>Cucumis melo</i>	Melon
<b>Okra</b>	<i>Abelmoschus esculentus</i>	Okra
<b>Orange, Sweet</b>	<i>Citrus sinensis</i>	Naranja Dulce
<b>Papaya</b>	<i>Carica papaya</i>	Papaya
<b>Peach</b>	<i>Prunus persica</i>	Durazno
<b>Phalsa</b>	<i>Grewia asiatica</i>	
<b>Pomegranate</b>	<i>Punica granatum</i>	Granada
<b>Quince</b>	<i>Cydonia oblonga</i>	Mannela, Membrillo
<b>Sapota, Sapodilla</b>	<i>Manilkara zapota</i>	Chicle, Chicozapote, Níspero, Zapote
<b>Watermelon</b>	<i>Citrullus lanatus</i>	Sanndia
Wild Hosts: Reported on Euphorbiaceae, Lecythidaceae and Rhamnaceae		
<b>*NOTE: This host list reflects common and typical hosts and is not comprehensive.</b>		



<b>WEST INDIAN Fruit Fly (<i>Anastrepha obliqua</i>) Host List*</b>		
<b>English Name</b>	<b>Scientific Name</b>	<b>Spanish Name</b>
<b>Barbados Cherry</b>	<i>Malpighia glabra</i>	Cereza de Barbados
<b>Carambola</b>	<i>Averrhoa carambola</i>	Carambola
<b>Granadilla, Giant</b>	<i>Passiflora quadrangularis</i>	Granadilla Gigante
<b>Grapefruit</b>	<i>Citrus paradisi</i>	Toronja
<b>Guava</b>	<i>Psidium guajava</i>	Guayaba
<b>Guava, Strawberry</b>	<i>Psidium littorale</i>	Guayaba-Fresa
<b>Hog-Plum</b>	<i>Spondias mombin</i>	
<b>Japanese Plum</b>	<i>Prunus salicina</i>	Ciruela Japonesa
<b>Jew Plum</b>	<i>Spondias cytherea</i>	
<b>Ketembilla</b>	<i>Dovyalis hebecarpa</i>	
<b>Lime, Sweet</b>	<i>Citrus aurantifolia</i>	Lima Dulce
<b>Loquat</b>	<i>Eriobotrya japonica</i>	Nispero
<b>Malay-Apple</b>	<i>Syzygium malaccense</i>	
<b>Mango</b>	<i>Mangifera indica</i>	Mango
<b>Orange,Sour</b>	<i>Citrus aurantium</i>	Naranja Agria
<b>Orange,Sweet</b>	<i>Citrus sinensis</i>	Naranja Dulce
<b>Passion Fruit</b>	<i>Passiflora edulis</i>	Pasiflora
<b>Peach</b>	<i>Prunus persica</i>	Durazno
<b>Pear</b>	<i>Pyrus communis</i>	Pera
<b>Ramón</b>	<i>Brosimum alicastrum</i>	
<b>Red Mombin</b>	<i>Spondias purpurea</i>	
<b>Rose-Apple</b>	<i>Syzygium jambos</i>	Pomarosa
<b>Sapodilla</b>	<i>Manilkara zapota</i>	
<b>Sapote</b>	<i>Diospyros spp.</i>	Sapote

**\*NOTE: This host list reflects common and typical hosts and is not comprehensive.**