

Proposed modifications to the regulatory text in the California Code of Regulations (CCR) Title 4, Division 9, Chapter 1, Article 1 are shown below. The original proposed regulatory text posted on June 23, 2016 is shown with proposed deletions indicated by single strikethroughs (~~deletion~~) and proposed additions indicated by single underlines (addition). The current proposed changes to the originally proposed text are indicated by double strikethroughs for deletions (~~deletion~~) and double underlines for additions (addition).

**Title 4. Business Regulations**  
**Division 9. Division of Measurement Standards, Department of Food and Agriculture**  
**Chapter 1. Tolerances and Specifications for Commercial Weighing and Measuring Devices**  
**Article 1. National Uniformity, Exceptions and Additions**

**§ 4001. Exceptions.**

The following regulations in Handbook 44 are not adopted or incorporated by reference:

...

3.33. ...

3.37. Mass Flow Meters.

~~S.1.2. Compressed Natural Gas Dispensers.~~

S.1.3.1.1. Compressed Natural Gas Used as an Engine Fuel.

S.1.3.1.2. Liquefied Natural Gas Used as an Engine Fuel.

S.5.2. Marking of ~~Gasoline Volume~~ Equivalent Conversion Factors for Compressed Natural Gas.

S.5.3. Marking of Equivalent Conversion Factor for Liquefied Natural Gas.

UR.3.1.1. Marking of Equivalent Conversion Factors for Compressed Natural Gas.

UR.3.1.2. Marking of Equivalent Conversion Factor for Liquefied Natural Gas.

~~UR.3.8. Return of Product to Storage, Retail Compressed Natural Gas Dispensers.~~

3.39. Hydrogen Gas-Measuring Devices - Tentative Code

A.2. Exceptions

(c). Devices used for dispensing a hydrogen gas with a hydrogen fuel index lower than 99.97 % and concentrations of specified impurities that exceed level limits.

A.4. Type Evaluation.

N.3. Test Drafts.

N.4.1. Master Meter (Transfer) Standard Test.

N.4.2. Gravimetric Tests.

N.4.3. PVT Pressure Volume Temperature Test.

N.6.1.1. Repeatability Tests.

T.2. Tolerances.

Table T.2.

T.3. Repeatability.

Appendix D. Definitions for:

~~Appendix D—Definitions: Diesel Gallon Equivalent (DGE).~~

~~Appendix D—Definitions: Gasoline Gallon Equivalent (GGE).~~

~~Appendix D—Definitions: gasoline liter equivalent (GLE).~~

...

Note: Authority cited: Sections 12027 and 12107, Business and Professions Code.

Reference: Section 12107, Business and Professions Code.

§ 4002.10. Mass Flow Meters. (3.37.)

~~S.1.2. Compressed Natural Gas and Liquefied Natural Gas Dispensers.— Except for fleet sales and other price contract sales, a compressed or liquefied natural gas dispenser used to refuel vehicles shall be of the computing type and shall indicate the quantity, the unit price, and the total price of each delivery. The dispenser shall display the mass measured for each transaction either continuously on an external or internal display accessible during the inspection and test of the dispenser, or display the quantity in mass units by using controls on the device.~~

S.1.3.1.1. Compressed Natural Gas Used as an Engine Fuel. – When compressed natural gas is dispensed as an engine fuel, the delivered quantity shall be indicated in “gasoline gallon equivalent (GGE) units.” (Also see Appendix D definitions.)

S.1.3.1.2. Liquefied Natural Gas Used as an Engine Fuel. – When liquefied natural gas is dispensed as an engine fuel, the delivered quantity shall be indicated in “diesel gallon equivalent (DGE) units (DGE).” (Also see Appendix D definitions.)

S.5.2. Marking of Gasoline Volume Equivalent Conversion Factors for Compressed Natural Gas. – A device dispensing compressed natural gas shall have the statement “1 Gasoline Gallon Equivalent (GGE) ~~is~~ ~~Equals to~~ 5.66 lb of Compressed Natural Gas” permanently and conspicuously marked on the face of the dispenser.

S.5.3. Marking of Diesel Volume Equivalent Conversion Factors for Liquefied Natural Gas. – A device dispensing liquefied natural gas shall have the statement “1 Diesel Gallon Equivalent (DGE) ~~means~~ ~~equals~~ 6.06 lb of Liquefied Natural Gas” permanently and conspicuously marked on the face of the dispenser.

UR.3.1.1. Marking of Equivalent Conversion Factor for Compressed Natural Gas. – A device dispensing compressed natural gas shall have the statement “1 Gasoline Gallon Equivalent (GGE) ) ~~means~~ ~~equals~~ 5.66 lb of Compressed Natural Gas” permanently and conspicuously marked on the face of the dispenser.

U.R.3.1.2. Marking of Equivalent Conversion Factor for Liquefied Natural Gas. – A device dispensing liquefied natural gas shall have the statement “1 Diesel Gallon Equivalent (DGE) ~~means~~ ~~equals~~ 6.06 lb of Liquefied Natural Gas” permanently and conspicuously marked on the face of the dispenser.

~~UR.3.8. Return of Product to Storage, Retail Compressed and Liquefied Natural Gas Dispensers. – Provisions at the site shall be made for returning product to storage or disposing of the product in a safe and timely manner during or following testing operations. Such provisions may include return lines, or cylinders adequate in size and number to permit this procedure.~~

Appendix D – Definitions: diesel gallon equivalent (DGE). Diesel gallon equivalent (DGE) means 6.06 pounds of natural gas. [3.37]

Appendix D – Definitions: gasoline gallon equivalent (GGE). Gasoline gallon equivalent (GGE) means 5.66 pounds of natural gas. [3.37]

Note: Authority cited: Sections 12027 and 12107, Business and Professions Code.  
Reference: Sections 12107, 13400(b)(9), and 13404, Business and Professions Code.