


Regional Invasive Plant EDRR Targets

October 2021



| Region (alphabetically) | No. Counties | Area (sq. miles) | No. EDRR Targets |
|----------------------------|-----------------|---------------------|---------------------|
| Bay Area | 9 | 6,907 | 17 |
| Central Coast | 3 | 5,114 | 8 |
| Central Sierra | 5 | 6,282 | 7 |
| Channel Islands | 3 | 351 | 37 |
| Desert | 1 | 20,057 | - |
| East Sierra | 2 | 13,230 | 12 |
| North Central | 3 | 13,233 | 18 |
| No. Central Valley | 6 | 7,996 | 18 |
| North Coast | 2 | 4,763 | 11 |
| North Sierra | 6 | 8,139 | 14 |
| Northeast | 2 | 8,459 | 5 |
| Northwest | 2 | 4,574 | 8 |
| Sierra San Joaquin | 3 | 9,544 | 3 |
| So. Central Coast | 2 | 6,034 | 7 |
| So. Central Valley | 3 | 4,821 | 7 |
| South Coast | 2 | 5,901 | 10 |
| South Sierra | 3 | 14,346 | 6 |
| Southeast | 3 | 15,590 | 5 |
| Southwest | 3 | 12,204 | 22 |

David Kratville, CDFA State Weed Coordinator,
david.kratville@cdfa.ca.gov
 Nikki Valentine, Cal-IPC Conservation Specialist,
nvalentine@cal-ipc.org




CALIFORNIA DEPARTMENT OF
FOOD & AGRICULTURE



CALIFORNIA INVASIVE PLANT COUNCIL

Counties across California are working to control a range of invasive plant species.

Some of these species are considered **EDRR targets**. EDRR stands for early detection and rapid response, an approach of addressing new problem species before they become widespread. Working on EDRR target species is one of the most effective ways to reduce the impact of invasive plants. EDRR addresses invasive plants “early on the invasion curve” during the window of opportunity when containment, even eradication, remain viable and cost-effective options.




We surveyed **County Agricultural Commissioners (CACs)** and collaborative **Weed Management Areas (WMAs)** in regions across the state to find out what EDRR target species they are working on. We focused on weed species that are present in less than 10% of the region as the most likely targets for an EDRR approach. The summary tables in this report show the results. (More detailed spreadsheets for each region are available as well.) These tables illustrate the important work going on across the state. There are, of course, more potential EDRR target species that are not being working on due to insufficient resources.

To be successful, EDRR requires working across jurisdictional boundaries at the landscape level. That is what makes collaborative WMAs so important. They bring together all the agencies, landowners, and stakeholders needed to stop the spread of invasive plants in a region.

Invasive plant EDRR in California helps...

- Safeguard our natural infrastructure
- Strengthen climate resiliency
- Protect our water resources
- Decrease wildfire risk
- Preserve biodiversity
- Maintain our agricultural production
- Provide recreational opportunities

This work supports many of the state’s goals, from the 30x30 Initiative to the Climate Plan to the Wildlife Action Plan. For more, [see this 2020 report](#) on the importance of invasive plant EDRR in California. To see the spread of these and other invasive plants in California, see the online maps at [CalWeedMapper](#).





Regional EDRR summaries

The tables on the following pages show the current EDRR targets in each region. The regions are organized alphabetically. For more information, contact the project leads listed on the first page. Below we list the most common target species across the regions, with photos of a few.

Most frequent targets:

- spotted knapweed (14 regions)
- Dalmatian toadflax (10)
- Scotch thistle (10)
- yellow starthistle (8)
- skeleton weed (8)
- Canada thistle (8)
- perennial pepperweed (8)
- diffuse knapweed (7)
- giant reed (6)
- artichoke thistle (6)



Bay Area: Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, and Sonoma Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal-IPC Rating |
|----------------------------|----------------------------|--|----------------------------|--------------------|-----------------------|
| Containment | Containment | <i>Oncosiphon pilulifer</i> | stinknet | Q | High |
| Containment | Containment | <i>Centaurea stoebe</i> ssp. <i>micranthos</i> | spotted knapweed | W | High |
| Containment | Control | <i>Helianthus tuberosus</i> | Jerusalem artichoke | - | Watch |
| Control | Containment | <i>Onopordum illyricum</i> | Illyrian thistle | W | Watch |
| Control | Control | <i>Limonium duriusculum</i> | European sea lavender | B | Moderate |
| Control | Control | <i>Centaurea iberica</i> | Iberian starthistle | W | |
| Control | | <i>Cuscuta japonica</i> | Japanese dodder | W | |
| Control | | <i>Centaurea diffusa</i> | diffuse knapweed | W | Moderate |
| Control | | <i>Limnobium spongia</i> | South American spongeplant | W | High-Alert |
| Control* | Control | <i>Fallopia japonica</i> | Japanese knotweed | A | Mod-Alert |
| Control* | Control | <i>Chondrilla juncea</i> | rush skeletonweed | W | Moderate |
| Control* | | <i>Arctotheca calendula</i> | fertile capeweed | A | Mod-Alert |
| Control* | | <i>Linaria dalmatica</i> ssp. <i>dalmatica</i> | Dalmatian toadflax | W | Moderate |
| | Control | <i>Crupina vulgaris</i> | bearded creeper | A | Limited |
| | Control | <i>Spartina anglica</i> | common cordgrass | W | Mod-Alert |
| | Control | <i>Cestrum parqui</i> | green cestrum | - | Watch |
| | Partial Control | <i>Genista monosperma</i> | bridal broom | W | Mod-Alert |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

Control*: This plant is currently controlled by the majority of counties in the region but not all.

Partial Control: A few populations in the region are being controlled but there is no focused control effort.

Central Coast: Monterey, San Benito, and Santa Cruz Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal-IPC Rating |
|---------------------|---------------------|------------------------------|-------------------|-------------|----------------|
| Containment | Containment | <i>Chondrilla juncea</i> | skeleton weed | W | Moderate |
| Containment | Containment | <i>Stipa brachychaeta</i> | punagrass | W | Watch |
| Containment | Containment | <i>Onopordum acanthium</i> | Scotch thistle | W | High |
| Control | | <i>Cytisus striatus</i> | Portugese broom | B | Moderate |
| Control | | <i>Cynara cardunculus</i> | artichoke thistle | W | Moderate |
| Control | | <i>Cirsium arvense</i> | Canada thistle | W | Moderate |
| Control* | | <i>Tribulus terrestris</i> | puncture vine | W | Limited |
| | Control | <i>Brassica tournefortii</i> | Sahara mustard | C | High |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

Control*: This plant is currently controlled by the majority of counties in the region but not all.

Central Sierra: Alpine, Amador, Calaveras, El Dorado, and Tuolumne Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal-IPC Rating |
|---------------------|---------------------|-----------------------------|------------------------|-------------|----------------|
| Containment | | <i>Carduus acanthoides</i> | plumeless thistle | W | Limited |
| Containment | | <i>Onopordum acanthium</i> | Scotch thistle | W | High |
| Containment | | <i>Ulex europaeus</i> | gorse | W | High |
| Containment | | <i>Lythrum salicaria</i> | purple loosestrife | W | High |
| Containment | | <i>Centaurea calcitrapa</i> | purple starthistle | W | Moderate |
| Containment | | <i>Isatis tinctoria</i> | dyer's woad | W | Moderate |
| Control | | <i>Carthamus lanatus</i> | woolly distaff thistle | W | High |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

East Sierra: Inyo and Mono Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal-IPC Rating |
|---------------------|---------------------|-------------------------------|----------------------|-------------|----------------|
| Containment | Containment | <i>Linaria dalmatica</i> | dalmatian toadflax | W | Moderate |
| Containment | Containment | <i>Elymus caput-medusae</i> | medusahead | W | High |
| Containment | Containment | <i>Alhagi maurorum</i> | camelthorn | W | Moderate |
| Containment | Containment | <i>Centaurea solstitialis</i> | yellow starthistle | W | High |
| Containment | Containment | <i>Tamarix parviflora</i> | smallflower tamarisk | W | High |
| Control | Control | <i>Onopordum acanthium</i> | Scotch thistle | W | High |
| Control | Control | <i>Centaurea diffusa</i> | diffuse knapweed | W | Moderate |
| Control | Control | <i>Acroptilon repens</i> | Russian knapweed | W | Moderate |
| Control | Control | <i>Centaurea maculosa</i> | spotted knapweed | W | High |
| Control | Control | <i>Arundo donax</i> | giant reed | W | High |
| Control | Control | <i>Cirsium arvense</i> | Canada thistle | W | Moderate |
| Control | Control | <i>Lepidium appelianum</i> | hairy whitetop | W | Limited |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

North Central: Shasta, Siskiyou, and Trinity Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal-IPC Rating |
|---------------------|---------------------|--|--------------------|-------------|----------------|
| Containment | | <i>Fallopia japonica</i> | Japanese knotweed | A | Mod-Alert |
| Containment | | <i>Cynara cardunculus</i> | artichoke thistle | W | Moderate |
| Containment | | <i>Centaurea calcitrapa</i> | purple starthistle | W | Moderate |
| Containment | | <i>Dittrichia graveolens</i> | stinkwort | W | Mod-Alert |
| Containment | | <i>Chondrilla juncea</i> | skeleton weed | W | Moderate |
| Control | | <i>Aegilops cylindrica</i> | jointed goatgrass | W | Watch |
| Control | | <i>Sesbania punicea</i> | scarlet wisteria | W | High |
| Control | | <i>Salvia aethiopsis</i> | Mediterranean sage | W | Limited |
| Control | | <i>Euphorbia oblongata</i> | eggleaf spurge | W | Limited |
| Control | | <i>Aegilops triuncialis</i> | barb goatgrass | W | High |
| Control | | <i>Centaurea jacea</i> ssp. <i>pratensis</i> | meadow knapweed | W | Mod-Alert |
| Control | | <i>Acroptilon repens</i> | Russian knapweed | W | Moderate |
| Control | | <i>Tribulus terrestris</i> | puncture vine | W | Limited |
| Control | | <i>Euphorbia virgata</i> | leafy spurge | W | High |
| Control | | <i>Linaria vulgaris</i> | yellow toadflax | - | Moderate |
| Control | | <i>Phytolacca americana</i> | common pokeweed | - | Limited |
| Control | | <i>Silybum marianum</i> | milk thistle | - | Limited |
| Control* | | <i>Arundo donax</i> | giant reed | W | High |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

Control*: This plant is currently controlled by the majority of counties in the region but not all.

North Central Valley: Colusa, Glenn, Sacramento, Sutter, Tehama, and Yolo Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal-IPC Rating |
|---------------------|---------------------|---|---|-------------|----------------|
| Control | | <i>Linaria dalmatica</i> <i>ssp. dalmatica</i> | Dalmatian toadflax | W | Moderate |
| Control | | <i>Carduus nutans</i> | musk thistle | W | Moderate |
| Control | | <i>Onopordum acanthium</i> | Scotch thistle | W | High |
| Control | | <i>Limnobium spongia</i> | South American spongeplant | W | High |
| Control | | <i>Carthamus lanatus</i> | woolly distaff thistle | W | High |
| Control | | <i>Solanum eleangifolium</i> | white horsenettle | W | |
| Control | | <i>Carduus acanthoides</i> | plumeless thistle | W | Limited |
| Control | | <i>Centaurea stoebe</i> <i>ssp. micranthos</i> | spotted knapweed | W | High |
| Control | | <i>Euphorbia oblongata</i> | oblong spurge | W | Limited |
| Control | | <i>Cynara cardunculus</i> | artichoke thistle | W | Moderate |
| Control | | <i>Acroptilon repens</i> | Russian knapweed | W | Moderate |
| Control | | <i>Centaurea diffusa</i> | diffuse knapweed | W | Moderate |
| Control | | <i>Isatis tinctoria</i> | dyer's woad | W | Moderate |
| Control | | <i>Linaria vulgaris</i> | yellow toadflax, butter and eggs | - | Moderate |
| Control | | <i>Cynoglossum officinale</i> | houndstongue | - | Moderate |
| Control | | <i>Ludwigia peploides</i> | creeping water- primrose | - | High |
| Control* | | <i>Parentucellia viscosa</i> | yellow glandweed, sticky parentucellia | - | Limited |
| Control* | | <i>Eichhornia crassipes</i> | water hyacinth | - | High |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

Control*: This plant is currently controlled by the majority of counties in the region but not all.

North Coast: Lake and Mendocino Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal-IPC Rating |
|---------------------|---------------------|---|--------------------|-------------|----------------|
| Containment | | <i>Galega officinalis</i> | professorweed | A | Watch |
| Containment | | <i>Lepidium appelianum</i> (= <i>Cardaria pubescens</i>) | hairy whitetop | W | Limited |
| Containment | | <i>Chondrilla juncea</i> | skeleton weed | W | Moderate |
| Containment | | <i>Onopordum acanthium</i> | Scotch thistle | W | High |
| Containment | | <i>Isatis tinctoria</i> | dyer's woad | W | Moderate |
| Containment | | <i>Cynara cardunculus</i> | artichoke thistle | W | Moderate |
| Control | | <i>Fallopia sachalinensis</i> | giant knotweed | A | Mod-Alert |
| Control | | <i>Acaena novae-zelandiae</i> | biddy-biddy | W | Watch |
| Control | | <i>Linaria dalmatica</i> ssp. <i>dalmatica</i> | dalmatian toadflax | W | Moderate |
| Control | | <i>Lythrum salicaria</i> | purple loosestrife | W | High |
| Control | | <i>Ulex europaeus</i> | gorse | W | High |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

North Sierra: Butte, Nevada, Placer, Plumas, Sierra, and Yuba Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal-IPC Rating |
|---------------------|---------------------|--|------------------------|-------------|----------------|
| Containment | | <i>Euphorbia myrsinites</i> | myrtle spurge | A | |
| Containment | | <i>Halogeton glomeratus</i> | halogeton | B | Moderate |
| Containment | | <i>Carduus acanthoides</i> | plumeless thistle | W | Limited |
| Containment | | <i>Berteroa incana</i> | hoary alyssum | W | Watch |
| Containment | | <i>Carthamus lanatus</i> | woolly distaff thistle | W | High |
| Containment | | <i>Ulex europaeus</i> | gorse | W | High |
| Containment | | <i>Euphorbia virgata</i> (= <i>Euphorbia esula</i>) | leafy spurge | W | High |
| Containment | | <i>Centaurea virgata</i> ssp. <i>squarrosa</i> | squarrose knapweed | W | Moderate |
| Containment | | <i>Centaurea calcitrapa</i> | purple starthistle | W | Moderate |
| Containment | | <i>Linaria dalmatica</i> ssp. <i>dalmatica</i> | Dalmatian toadflax | W | Moderate |
| Control | | <i>Aegilops cylindrica</i> | jointed goatgrass | W | Watch |
| Control | | <i>Cynara cardunculus</i> | artichoke thistle | W | Moderate |
| Control | | <i>Potentilla recta</i> | sulphur cinquefoil | W | |
| Control | | <i>Euphorbia oblongata</i> | oblong spurge | W | Limited |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

Northeast: Lassen and Modoc Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal-IPC Rating |
|---------------------|---------------------|--|--------------------|-------------|----------------|
| Containment | | <i>Centaurea calcitrapa</i> | purple starthistle | W | Moderate |
| Containment | | <i>Centaurea virgata</i> ssp. <i>squarrosa</i> | squarrose knapweed | W | Moderate |
| Control | | <i>Carduus acanthoides</i> | plumeless thistle | W | Limited |
| Control | | <i>Chondrilla juncea</i> | skeleton weed | W | Moderate |
| Control | | <i>Euphorbia virgata</i> (= <i>Euphorbia esula</i>) | leafy spurge | W | High |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

Northwest: Del Norte and Humboldt Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal-IPC Rating |
|---------------------|---------------------|----------------------------|----------------------------|-------------|----------------|
| Containment | Containment | <i>Fallopia xbohemica</i> | Bohemian knotweed | A | Watch |
| Containment | Control | <i>Carthamus lanatus</i> | woolly distaff thistle | W | High |
| Containment | Partial control | <i>Limnobium spongia</i> | South American spongeplant | W | High |
| Control | | <i>Watsonia meriana</i> | bulbil watsonia | - | Limited |
| | Containment | <i>Tamarix ramosissima</i> | saltcedar | W | High |
| | Containment | <i>Lepidium latifolium</i> | perennial pepperweed | W | High |
| | Control | <i>Euphorbia oblongata</i> | eggleaf spurge | W | Limited |
| | Control | <i>Lythrum salicaria</i> | purple loosestrife | W | High |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

Partial Control: A few populations in the region are being controlled but there is no focused control effort.

Sierra San Joaquin: Fresno, Madera, and Mariposa Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal IPC Rating |
|---------------------|---------------------|----------------------------|----------------------|-------------|----------------|
| Control | | <i>Chondrilla juncea</i> | skeleton weed | W | Moderate |
| Control | | <i>Centaurea maculosa</i> | spotted knapweed | W | High |
| Control | | <i>Lepidium latifolium</i> | perennial pepperweed | W | High |

Control: We control this plant, but not enough for region-wide containment.

South Central Coast: Santa Barbara and San Luis Obispo Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal IPC Rating |
|---------------------|---------------------|-----------------------------|-----------------------|-------------|----------------|
| Control | | <i>Euphorbia virgata</i> | leafy spurge | W | High |
| Containment | | <i>Ononis alopecuroides</i> | foxtail restharrow | W | Limited |
| Containment | | <i>Linaria dalmatica</i> | dalmatian toadflax | W | Moderate |
| Containment | | <i>Onopordum acanthium</i> | Scotch thistle | W | High |
| Containment | | <i>Cirsium arvense</i> | Canada thistle | W | Moderate |
| Control | | <i>Limonium duriusculum</i> | European sea lavender | B | Moderate |
| Control | | <i>Emex spinosa</i> | devil's thorn | - | Moderate |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

South Central Valley: Merced, San Joaquin, and Stanislaus Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal IPC Rating |
|---------------------|---------------------|------------------------------------|----------------------------|-------------|----------------|
| Containment | | <i>Arctotheca calendula</i> | fertile capeweed | A | Moderate |
| Containment | | <i>Alternanthera philoxeroides</i> | alligatorweed | A | High |
| Containment | | <i>Centaurea maculosa</i> | spotted knapweed | W | High |
| Containment | | <i>Salvinia molesta</i> | giant salvinia | W | High |
| Containment | | <i>Limnobium spongia</i> | South American spongeplant | W | High |
| Containment | | <i>Chorispora tenella</i> | purple mustard | W | - |
| Containment | | <i>Arctotheca prostrata</i> | capeweed | - | Moderate |

Containment: We do not allow any net spread of this plant.

South Coast: Los Angeles and Ventura Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal-IPC Rating |
|---------------------|---------------------|------------------------------------|------------------------|-------------|----------------|
| Containment | Containment | <i>Halogeton glomeratus</i> | Halogeton | B | Moderate |
| Containment | Containment | <i>Linaria dalmatica</i> | dalmatian toadflax | W | Moderate |
| Containment | Containment | <i>Onopordum acanthium</i> | Scotch thistle | W | High |
| Containment | Containment | <i>Centaurea maculosa</i> | spotted knapweed | W | High |
| Containment | Containment | <i>Pancratium maritimum</i> | sea daisy | - | - |
| Containment | Control | <i>Alternanthera philoxeroides</i> | alligatorweed | A | High |
| Containment | Control | <i>Aegilops cylindrica</i> | goat grass | W | Watch |
| Containment | Control | <i>Carthamus lanatus</i> | woolly distaff thistle | W | High |
| Containment | Control | <i>Chondrilla juncea</i> | skeleton weed | W | Moderate |
| Control | Control | <i>Araujia sericifera</i> | bladderflower | W | Watch |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

South Sierra: Kern, Kings, and Tulare Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal IPC Rating |
|---------------------|---------------------|------------------------------------|--------------------|-------------|----------------|
| Control | | <i>Alternanthera philoxeroides</i> | alligatorweed | A | High |
| Control | | <i>Halogeton glomeratus</i> | Halogeton | B | Moderate |
| Control | | <i>Peganum harmala</i> | African-rue | W | Watch |
| Control | | <i>Linaria dalmatica</i> | dalmatian toadflax | W | Moderate |
| Control | | <i>Centaurea maculosa</i> | spotted knapweed | W | High |
| Control | | <i>Onopordum acanthium</i> | Scotch thistle | W | High |

Control: We control this plant, but not enough for region-wide containment.

Southeast: Imperial, eastern Riverside, and eastern San Diego Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal IPC Rating |
|---------------------|---------------------|-------------------------------|--------------------|-------------|----------------|
| Containment | | <i>Genista monspessulana</i> | French broom | C-W | High |
| Containment | | <i>Alhagi maurorum</i> | camelthorn | W | Moderate |
| Control | | <i>Volutaria tubuliflora</i> | desert knapweed | A | Limited |
| Control | | <i>Aegilops triuncialis</i> | barb goatgrass | W | High |
| Control | | <i>Centaurea solstitialis</i> | yellow starthistle | W | High |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

Southwest: Orange, western Riverside, and western San Diego Counties

| CAC Regional Target | WMA Regional Target | Species | Common Name | CDFA Rating | Cal IPC Rating |
|---------------------|---------------------|---------------------------------|-----------------------------|-------------|----------------|
| Containment | Control | <i>Volutaria tubuliflora</i> | desert knapweed | A | Limited |
| Containment | | <i>Carrichtera annua</i> | Ward's weed | A | Moderate |
| Containment | | <i>Hypericum canariense</i> | Canary Island St. Johnswort | B | Moderate |
| Containment | | <i>Hypericum perforatum</i> | St. John's wort | C-W | Limited |
| Containment | | <i>Centaurea maculosa</i> | spotted knapweed | W | High |
| Containment | | <i>Euphorbia terracina</i> | carnation spurge | W | Limited |
| Control | Partial Control | <i>Parthenium hysterophorus</i> | Santa Maria feverfew | A | Watch |
| Control | | <i>Cenchrus echinatus</i> | Southern sandbur | B | Watch |
| Control | | <i>Tamarix aphylla</i> | athel | B | Limited |
| Control | | <i>Senecio linearifolius</i> | fireweed groundsel | W | Watch |
| Control | | <i>Sesbania punicea</i> | scarlet wisteria | W | High |
| Control | | <i>Aegilops triuncialis</i> | barb goatgrass | W | High |
| Control | | <i>Araujia sericifera</i> | bladderflower | W | Watch |
| | Containment | <i>Arctotheca calendula</i> | fertile capeweed | A | Moderate |
| | Containment | <i>Genista monosperma</i> | bridal veil broom | W | Moderate |
| | Containment | <i>Elymus caput-medusae</i> | medusahead | W | High |
| | Control | <i>Euphorbia virgata</i> | leafy spurge | W | High |
| | Partial Control | <i>Acacia baileyana</i> | cootamundra wattle | - | Watch |
| | Partial Control | <i>Eucalyptus cladocalyx</i> | sugargum | - | Watch |
| | Partial Control | <i>Kochia scoparia</i> | kochia | - | Limited |
| | New | <i>Saponaria officinalis</i> | bouncing-bet | - | Limited |
| | New | <i>Briza maxima</i> | big quakinggrass | - | Limited |

Containment: We do not allow any net spread of this plant.

Control: We control this plant, but not enough for region-wide containment.

Partial Control: A few populations in the region are being controlled but there is no focused control effort.

New: Beginning control of this plant.