Navel Orangeworm Program 2025 – Weekly Report

Week Ending - January 10, 2025

California Department of Food & Agriculture Plant Health and Pest Prevention Services Integrated Pest Control Branch 5100 Douglas Avenue Shafter, CA 93263

Phone: (661) 395-2914 Fax: (661) 399-1601

I. Program Updates

Navel Orangeworm Area Wide Program - Multi-Phase Approach

Phase 1 – 2018-2022

Phase 1 was the Initial Phase of the Navel Orangeworm (NOW) Program (Program) with a focus on developing NOW sterile insect technique (SIT) moths, determining their viability during cold storage transfer, performing quality control (QC) on mating propensity and survivability of the sterile moths, developing a trap monitoring program, and collecting preliminary damage data from the orchards participating in the Program's project site.

Phase 2 − 2023-2025

Phase 2 is the Data Phase of the NOW Program. The focus of this phase is controlling variables within the orchards participating in the Program's project site to increase the integrity of the field data being collected. Strategic planning and industry communication with NOWAC remains with Matthew Aubuchon, the USDA National Policy Coordinator, in partnership with CDFA.

Navel Orangeworm Sterile Insect Technique

The Navel Orangeworm Program utilizes NOW SIT moths obtained from the United States Department of Agriculture (USDA) and California Department of Food and Agriculture's (CDFA) Phoenix, Arizona Rearing Facility. QC tests are performed on every shipment of NOW SIT moths used for aerial releases.

Releases of sterile NOW moths are anticipated to begin in March 2025 over select sites in West Fresno County. Prior to releases, the Navel Orangeworm Action Committee (NOWAC) will meet to discuss plans for the 2025 NOW SIT season.

Navel Orangeworm Trapping

The Phase 2 Area Wide Project Site for 2025 currently includes eight orchards: three pistachio and five almond, located in Fresno County. Seven of the eight orchards have a total area of 640 acres each with one almond orchard having 600 acres. These orchards are designated as Zones 2 through 9. Trapping is being conducted weekly year-round in all zones.

Listed below are any circumstances which prevented regular trap servicing in 2025:

• Week of January 3: No traps were serviced in Zones 2, 6, and 9 due to excessive rain and muddy conditions preventing access to trap sites

II. Project Design

The Area Wide Project Site was restructured in 2023 in preparation for Phase 2 of the Program. Phase 2 aims to establish more standardized and consistent approaches to mating disruption, sanitation, pesticide usage, and other cultural practices for more comparable data between each orchard set (release site/control site).

The 2025 Area Wide Project Site currently includes eight orchards located in Fresno County, identified as Zones 2 through 9. Additional acreage is currently being investigated and will be added to the Project Site as they are established. Listed below is information related to each orchard within the Program's Phase 2 project site for 2025:

Zone #	Crop Type	Acres	Release/Non- release Site	Magazine Designation	Date Added to Area Wide Project
Zone 2	Pistachio	640	TBD	TBD	February 2023
Zone 3	Almond	640	TBD	TBD	February 2023
Zone 4	Almond	640	TBD	TBD	February 2023
Zone 5	Pistachio	640	TBD	TBD	March 2023
Zone 6	Pistachio	640	TBD	TBD	March 2023
Zone 7	Almond	640	TBD	TBD	April 2023
Zone 8	Almond	640	TBD	TBD	April 2023
Zone 9	Almond	600	TBD	TBD	May 2024

Each zone has a trap site ratio of approximately one trap site per 18 acres for a total of 36 trap sites for each 640-acre zone and 34 traps for the 600-acre zone. Each trap site has one trap baited with NOW pheromone/PPO lures. All traps are serviced on a weekly basis. Servicing includes collecting trap bottoms and replacing with new trap bottoms. Bait/lure changes occur once a month, and trap tops are replaced as needed. Counts are performed on each trap collected to determine number of wild versus sterile captures and male versus female captures.

III. Trap Results for Week Ending on January 10, 2025

Zone 2 – Pistachio Orchard

A total of **36** pheromone/PPO lure-baited traps were collected from Zone 2 on Monday, January 6.

Zone 2 - Pistachio									
	Pheromone/PPO Lure Baited Traps								
Dates Traps in Field	# of Releases During Trap Period	Male Sterile	Male Wild	Male Total	Female Sterile	Female Wild	Female Total	Non-ID Total	
¹ Dec 23 – Jan 6	n 6 0 0 65 65 0 0 0 0								

¹No traps were serviced in Zone 2 during the week of January 3 due to excessive rain and muddy conditions preventing access

Zone 3 – Almond Orchard

A total of **36** pheromone/PPO lure-baited traps were collected from Zone 3 on <u>Tuesday</u>, <u>January 7</u>.

Zone 3 - Almond										
Pheromone/PPO Lure Baited Traps										
	# of									
	Releases									
	During									
	Trap	Male	Male	Male	Female	Female	Female	Non-ID		
Dates Traps in Field	Period	Sterile	Wild	Total	Sterile	Wild	Total	Total		
Dec 17 – Dec 30	0	0	15	15	0	0	0	0		
Dec 30 – Jan 7	Dec 30 - Jan 7 0 0 0 0 0 0 0									

Zone 4 – Almond Orchard

A total of **36** pheromone/PPO lure-baited traps were collected from Zone 4 on Wednesday, January 8.

	Zone 4 - Almond								
		Pheron	none/PPO	Lure Baited	d Traps				
Dates Traps in Field	# of Releases During Trap Period	Male Sterile	Male Wild	Male Total	Female Sterile	Female Wild	Female Total	Non-ID Total	
Dec 23 – Dec 31	0	0	38	38	0	1	1	0	
Dec 31 – Jan 8 0 0 4 4 0 0 0 0									

Zone 5 – Pistachio Orchard

A total of **36** pheromone/PPO lure-baited traps were collected from Zone 5 on Monday, January 6.

Zone 5 - Pistachio										
	Pheromone/PPO Lure Baited Traps									
	# of									
	Releases									
	During									
Dates Traps in	Trap	Male	Male	Male	Female	Female	Female	Non-ID		
Field	Period	Sterile	Wild	Total	Sterile	Wild	Total	Total		
Dec 23 – Dec 30	0	0	12	12	0	0	0	0		
Dec 30 – Jan 6	-Jan 6 0 0 1 1 0 0 0 0									

Zone 6 – Pistachio Orchard

A total of 36 pheromone/PPO lure-baited traps were collected from Zone 6 on Thursday, January 9.

	Zone 6 - Pistachio									
	Pheromone/PPO Lure Baited Traps									
	# of									
	Releases									
	During									
Dates Traps in	Trap	Male	Male	Male	Female	Female	Female	Non-ID		
Field	Period	Sterile	Wild	Total	Sterile	Wild	Total	Total		
¹ Dec 26 – Jan 9	0 0 28 28 0 0 0									

¹No traps were serviced in Zone 6 during the week of January 3 due to excessive rain and muddy conditions preventing access

Zone 7 – Almond Orchard

A total of **36** pheromone/PPO lure-baited traps were collected from Zone 7 on <u>Tuesday</u>, <u>January 7</u>.

Zone 7 - Almond											
	Pheromone/PPO Lure Baited Traps										
	# of										
	Releases										
	During										
Dates Traps in	Trap	Male	Male	Male	Female	Female	Female	Non-ID			
Field	Period	Sterile	Wild	Total	Sterile	Wild	Total	Total			
Dec 24 – Dec 31	0	0	7	7	0	0	0	0			
Dec 31 – Jan 7	Dec 31 – Jan 7 0 0 6 6 0 0 0 0										
_											

Zone 8 – Almond Orchard

A total of 36 pheromone/PPO lure-baited traps were collected from Zone 8 on Wednesday, January 8.

	Zone 8 - Almond									
		Phero	mone/PP	O Lure B	aited Traps					
Dates Traps in Field	# of Releases During Trap Period	Male Sterile	Male Wild	Male Total	Female Sterile	Female Wild	Female Total	Non-ID Total		
Dec 26 – Jan 2	0	0	4	4	0	0	0	0		
Jan 2 – Jan 8										

Zone 9 - Almond Orchard

A total of 34 pheromone/PPO lure-baited traps were collected from Zone 9 on Thursday, January 9.

Zone 9 - Almond									
		Phero	mone/PPO	Lure Baited	Traps				
	# of								
	Releases								
	During								
Dates Traps in	Trap	Male	Male	Male	Female	Female	Female	Non-ID	
Field	Period	Sterile	Wild	Total	Sterile	Wild	Total	Total	
¹ Dec 19 – Jan 9	0	0	7	7	0	0	0	0	

¹No traps were serviced in Zone 9 during the week of January 3 due to excessive rain and muddy conditions preventing access

IV. NOW Degree Days

NOW Degree days begin to accumulate when ambient temperatures remain between the lower threshold of 55° F and the upper threshold of 93.9° F. Using data from weather stations nearest to the trap sites, courtesy of the UC IPM website - https://ipm.ucanr.edu/PHENOLOGY/ma-navel_orangeworm.html, the chart below shows daily and total accumulated degree days since January 1, 2025. The model uses a double triangle and vertical cutoff method of calculating degree days.

Weather Station Location: Five Points, Fresno

Date	Air Temper	ratures (°F)	Degree Days		
Bute	Min	Max	Daily	Accumulated	
1/1/2025	33.00	60.20	0.50	0.50	
1/2/2025	33.60	62.30	1.15	1.65	
1/3/2025	42.80	60.10	0.67	2.32	
1/4/2025	37.70	59.50	0.43	2.75	
1/5/2025	34.40	59.40	0.37	3.12	
1/6/2025	32.40	60.80	0.76	3.88	
1/7/2025	42.50	63.40	1.46	5.34	
1/8/2025	34.60	62.90	1.03	6.37	
1/9/2025	30.10	62.40	0.86	7.23	
1/10/2025	30.80	69.10	2.83	10.06	