

**State of California
Office of Administrative Law**

In re:
Department of Food and Agriculture

Regulatory Action:

Title 03, California Code of Regulations

Amend sections: 3406, 3424, 3425, 3429,
3441, 3442

NOTICE OF APPROVAL OF REGULATORY
ACTION

Government Code Section 11349.3


OAL Matter Number: 2024-0208-01

OAL Matter Type: Regular (S)

This regular rulemaking action amends six sections of plant quarantine regulations by replacing host lists for Mediterranean Fruit Fly (*Ceratitis capitata*), Peach Fruit Fly (*Bactrocera zonata*), Melon Fruit Fly (*Bactrocera cucurbitae*), Sweetpotato Weevil (*Cylas formicarius elegantulus*), Guava Fruit Fly (*Bactrocera correcta*), and Malaysian Fruit Fly (*Bactrocera latifrons*) printed in those sections with cross-references to where substantively identical host lists for these pests already appear in existing insect pest control eradication area regulations within title 3 of the California Code of Regulations.

OAL approves this regulatory action pursuant to section 11349.3 of the Government Code. This regulatory action becomes effective on 7/1/2024.

Date: March 14, 2024



Timothy Findley
Senior Attorney

For: Kenneth J. Pogue
Director

Original: Karen Ross, Secretary
Copy: Rachel Avila

NOTICE PUBLICATION/REGULATION SUBMISSION

STD. 400 (REV. 10/2019)

REGULARSee instructions on
(reverse)

For use by Secretary of State only

| | | | |
|--|---|--|------------------|
| OAL FILE NUMBERS | NOTICE FILE NUMBER Z-2023-1130-01 | REGULATORY ACTION NUMBER 2024-0208-015 | EMERGENCY NUMBER |
| For use by Office of Administrative Law (OAL) only | | | |
| NOTICE | | REGULATIONS | |
| AGENCY WITH RULEMAKING AUTHORITY Department of Food and Agriculture | | | |

ENDORSED - FILED
in the office of the Secretary of State
of the State of California**MAR 14 2024**

2:06pm

A. PUBLICATION OF NOTICE (Complete for publication in Notice Register)

| | | | | |
|---|--|--------------------------|---|-------------------------------------|
| 1. SUBJECT OF NOTICE | | TITLE(S) | FIRST SECTION AFFECTED | 2. REQUESTED PUBLICATION DATE |
| 3. NOTICE TYPE <input type="checkbox"/> Notice re Proposed Regulatory Action <input type="checkbox"/> Other | | 4. AGENCY CONTACT PERSON | TELEPHONE NUMBER | FAX NUMBER (Optional) |
| OAL USE ONLY | ACTION ON PROPOSED NOTICE <input type="checkbox"/> Approved as Submitted <input type="checkbox"/> Approved as Modified <input type="checkbox"/> Disapproved/ Withdrawn | | NOTICE REGISTER NUMBER 2023, 49-2 | PUBLICATION DATE 12/15/23 |

B. SUBMISSION OF REGULATIONS (Complete when submitting regulations)

| | | | |
|---|--|---|--|
| 1a. SUBJECT OF REGULATION(S) Host List Interior Quarantines | | 1b. ALL PREVIOUS RELATED OAL REGULATORY ACTION NUMBER(S) per agency request TDF | |
| 2. SPECIFY CALIFORNIA CODE OF REGULATIONS TITLE(S) AND SECTION(S) (Including title 26, if toxics related) | | | |
| SECTION(S) AFFECTED (List all section number(s) individually. Attach additional sheet if needed.) | | ADOPT | |
| AMEND | | 3406, 3424, 3425, 3429, 3441, and 3442 | |
| TITLE(S) 3 | | REPEAL | |
| 3. TYPE OF FILING | | | |
| <input checked="" type="checkbox"/> Regular Rulemaking (Gov. Code §11346) <input type="checkbox"/> Resubmittal of disapproved or withdrawn nonemergency filing (Gov. Code §§11349.3, 11349.4) <input type="checkbox"/> Emergency (Gov. Code, §11346.1(b)) <input type="checkbox"/> Certificate of Compliance: The agency officer named below certifies that this agency complied with the provisions of Gov. Code §§11346.2-11347.3 either before the emergency regulation was adopted or within the time period required by statute. <input type="checkbox"/> Resubmittal of disapproved or withdrawn emergency filing (Gov. Code, §11346.1) <input type="checkbox"/> Emergency Readopt (Gov. Code, §11346.1(h)) <input type="checkbox"/> File & Print <input type="checkbox"/> Other (Specify) _____ <input type="checkbox"/> Changes Without Regulatory Effect (Cal. Code Regs., title 1, §100) <input type="checkbox"/> Print Only | | | |
| 4. ALL BEGINNING AND ENDING DATES OF AVAILABILITY OF MODIFIED REGULATIONS AND/OR MATERIAL ADDED TO THE RULEMAKING FILE (Cal. Code Regs. title 1, §44 and Gov. Code §11347.1) | | | |
| 5. EFFECTIVE DATE OF CHANGES (Gov. Code, §§ 11343.4, 11346.1(d); Cal. Code Regs., title 1, §100) <input checked="" type="checkbox"/> Effective January 1, April 1, July 1, or October 1 (Gov. Code §11343.4(a)) <input type="checkbox"/> Effective on filing with Secretary of State <input type="checkbox"/> \$100 Changes Without Regulatory Effect <input type="checkbox"/> Effective other (Specify) _____ | | | |
| 6. CHECK IF THESE REGULATIONS REQUIRE NOTICE TO, OR REVIEW, CONSULTATION, APPROVAL OR CONCURRENCE BY, ANOTHER AGENCY OR ENTITY <input type="checkbox"/> Department of Finance (Form STD. 399) (SAM §6660) <input type="checkbox"/> Fair Political Practices Commission <input type="checkbox"/> State Fire Marshal <input type="checkbox"/> Other (Specify) _____ | | | |
| 7. CONTACT PERSON Rachel Avila | | TELEPHONE NUMBER 916-698-2947 | FAX NUMBER (Optional) E-MAIL ADDRESS (Optional) rachel.avila@cdfa.ca.gov |

8. I certify that the attached copy of the regulation(s) is a true and correct copy of the regulation(s) identified on this form, that the information specified on this form is true and correct, and that I am the head of the agency taking this action, or a designee of the head of the agency, and am authorized to make this certification.

| | |
|---|------|
| SIGNATURE OF AGENCY HEAD OR DESIGNEE Andrew R. Cline <small>Digitally signed by Andrew R. Cline Date: 2024.02.07 21:05:05 -08'00'</small> | DATE |
| TYPED NAME AND TITLE OF SIGNATORY Andrew R. Cline, Assistant Director Plant Health & Pest Prevention Services Division | |

For use by Office of Administrative Law (OAL) only

ENDORSED APPROVED**MAR 14 2024****Office of Administrative Law**

Amend the following Title 3 of the California Code of Regulations Section:

§ 3406. Mediterranean Fruit Fly Interior Quarantine (Quarantine Regulation 7)

...

(c) Commodities Covered.

(1) All fruit (including nuts and berries), vegetables (other than leafy types grown above ground), and the fruiting bodies of the plants listed herein in Title 3, California Code of Regulations, Section 3591.5 (b). All these items that are infested or are exposed to infestation by Mediterranean fruit fly are declared a public nuisance. Unless proven otherwise, all cultivars, varieties, and hybrids of the plant species listed herein in Title 3, California Code of Regulations, Section 3591.5 (b) are considered suitable hosts of *Ceratitis capitata*.

| <i>Scientific Name</i> | <i>Common Name</i> |
|--|--------------------|
| <i>Acca sellowiana</i> (O. Berg) Burret | Pineapple guava |
| <i>Acokanthera oppositifolia</i> (Lam.) Codd | Bushman's poison |
| <i>Acokanthera schimperi</i> (A. DC.) Benth. & Hook. f. ex Schweinf. | Arrow poison tree |
| <i>Actinidia chinensis</i> Planch | Golden kiwifruit |
| <i>Actinidia deliciosa</i> (A. Chev.) C. F. Liang & A. R. Ferguson | Kiwifruit |
| <i>Anacardium occidentale</i> L. | Cashew |
| <i>Annona cherimola</i> Mill. | Cherimoya |
| <i>Annona muricata</i> L. | Soursop |
| <i>Annona reticulata</i> L. | Custard apple |
| <i>Annona senegalensis</i> Pers. | Wild custard apple |
| <i>Antiaris toxicaria</i> (Pers.) Leseh. | Sacking tree |
| <i>Antidesma venosum</i> E. Mey. ex Tul. | Tassel berry |
| <i>Arbutus unedo</i> L. | Strawberry tree |
| <i>Arenga pinnata</i> (Wurm.) Merr. | Sugar palm |
| <i>Argania spinosa</i> (L.) Skeels | Argan tree |
| <i>Artabotrys monteiroae</i> Oliv. | N/A |
| <i>Artocarpus altilis</i> (Parkinson) Fosberg | Breadfruit |
| <i>Averrhoa bilimbi</i> L. | Bilimbi |
| <i>Averrhoa carambola</i> L. | Starfruit |
| <i>Azima tetraacantha</i> Lam. | N/A |
| <i>Berberis holstii</i> Engl. | N/A |
| <i>Blighia sapida</i> K. D. Koenig | Akee |
| <i>Bourreria petiolaris</i> (Lam.) Thulin | N/A |
| <i>Brucea antidysenterica</i> J. F. Mill | N/A |

| | |
|--|------------------------|
| <i>Butia capitata</i> (Mart.) Becc. | Jelly palm, coco palm |
| <i>Byrsonima erassifolia</i> (L.) Kunth | Golden spoon |
| <i>Calophyllum inophyllum</i> L. | Alexandrian laurel |
| <i>Calophyllum tacamahaca</i> Willd. | N/A |
| <i>Calotropis procera</i> (Aiton) W. T. Aiton | Sodom's apple milkweed |
| <i>Cananga odorata</i> (Lam.) Hook. f. & Thomson | Ylang-ylang |
| <i>Cappari cordis crotonoides</i> (Kunth) Ilis & Cornejo | N/A |
| <i>Capparis sandwichiana</i> DC. | Puapilo |
| <i>Capparis sepiaria</i> L. | N/A |
| <i>Capparis spinosa</i> L. | Caperbush |
| <i>Capsicum annuum</i> L. | Sweet pepper |
| <i>Capsicum baccatum</i> L. | Barpeppar |
| <i>Capsicum chinense</i> Jacq. | Bonnet pepper |
| <i>Capsicum frutescens</i> L. | Bird pepper |
| <i>Capsicum pubescens</i> Ruiz & Pav. | Apple chile |
| <i>Carica papaya</i> L. | Papaya |
| <i>Carissa bispinosa</i> (L.) Desf. Ex Brenan | Hedgethorn |
| <i>Carissa carandas</i> L. | Bengal currants |
| <i>Carissa macrocarpa</i> (Eckl.) A. DC. | Natal plum |
| <i>Carissa spinarum</i> L. | Carandas plum |
| <i>Carissa tetramera</i> Stapf | N/A |
| <i>Carya illinoensis</i> (Wangenh.) K. Koch | Pecan |
| <i>Casimiroa edulis</i> La Llave & Lex. | White sapote |
| <i>Celtis tala</i> Gillies ex Planch. | Tala |
| <i>Cestrum nocturnum</i> L. | Lady of the night |
| <i>Chrysobalanus icaco</i> L. | Coco plum |
| <i>Chrysophyllum cainito</i> L. | Star apple |
| <i>Chrysophyllum gonocarpum</i> (Mart. & Eichler) Engl. | N/A |
| <i>Chrysophyllum oliviforme</i> L. | Wild star-apple |
| <i>Chrysophyllum viridifolium</i> J. M. Wood & Franks | N/A |
| <i>Citharexylum myrianthum</i> Cham. | N/A |
| <i>Citrofortunella microcarpa</i> (Bunge) Wijnands | Calamondin |
| <i>Citrus aurantiifolia</i> (Christm.) Swingle | Sour lime |
| <i>Citrus aurantium</i> L. | Sour orange |
| <i>Citrus deliciosa</i> Ten. | Mediterranean mandarin |
| <i>Citrus jambhiri</i> Lush. | Rough lemon |

| | |
|--|-----------------------|
| <i>Citrus latifolia</i> (Yu. Tanaka) Tanaka | Persian lime |
| <i>Citrus limetta</i> Risso | Sweet lemon |
| <i>Citrus limettoides</i> Tanaka | Palestine sweet lemon |
| <i>Citrus limon</i> (L.) Burm. f. | Lemon |
| <i>Citrus limonia</i> Osbeck | Canton lemon |
| <i>Citrus maxima</i> (Burm.) Merr. | Pummelo |
| <i>Citrus medica</i> L. | Citron |
| <i>Citrus meyeri</i> Yu. Tanaka | Meyer lemon |
| <i>Citrus myrtifolia</i> Raf. | Myrtle-leaf orange |
| <i>Citrus nobilis</i> Lour. | King orange |
| <i>Citrus paradisi</i> Macfad. | Grapefruit |
| <i>Citrus reshni</i> hort. ex Tanaka | Cleopatra mandarin |
| <i>Citrus reticulata</i> Blanco | Mandarin |
| <i>Citrus sinensis</i> (L.) Osbeck | Orange |
| <i>Citrus x tangelo</i> J. W. Ingram & H. E. Moore | Tangelo |
| <i>Citrus unshiu</i> Marcow. | Satsuma mandarin |
| <i>Clausena anisata</i> (Willd.) Hook. f. | Horsewood |
| <i>Clausena lansium</i> (Lour.) Skeels | Wampi |
| <i>Coccinia grandis</i> (L.) Voigt | Ivy gourd |
| <i>Coccinia microphylla</i> Gilg | N/A |
| <i>Coccoloba uvifera</i> (L.) L. | Sea-grape |
| <i>Coffea arabica</i> L. | Arabian coffee |
| <i>Coffea canephora</i> Pierre ex A. Froehner | Robusta coffee |
| <i>Coffea liberica</i> W. Bull ex Hiern | Liberian coffee |
| <i>Cola natalensis</i> Oliv. | N/A |
| <i>Corallocarpus ellipticus</i> Chiov. | N/A |
| <i>Cordia</i> sp. | N/A |
| <i>Corynocarpus laevigatus</i> J. R. Forst. & G. Forst. | Karakatrad |
| <i>Crataegus azarolus</i> L. | Azarole |
| <i>Crataegus gracilior</i> J. B. Phipps | N/A |
| <i>Cucumis dipsaceus</i> Ehrenb. ex Spach | Hedgehog cucumber |
| <i>Cucurbitella asperata</i> (Gillies ex Hook. & Arn.) Walp. | N/A |
| <i>Cyclanthera pedata</i> (L.) Schrad. | Lady's slipper |
| <i>Cydonia oblonga</i> Mill. | Quince |
| <i>Dimocarpus longan</i> Lour. | Longan |
| <i>Diospyros abyssinica</i> (Hiern) F. White | N/A |
| <i>Diospyros decandra</i> Lour. | Chan in |
| <i>Diospyros ebenum</i> J. Koenig | Ceylon ebony |

| | |
|--|--------------------------|
| <i>Diospyros kaki</i> Thunb. | Japanese persimmon |
| <i>Diospyros mespiliformis</i> Hochst. ex A. DC. | N/A |
| <i>Diospyros pallens</i> (Thunb.) F. White | N/A |
| <i>Diospyros pubescens</i> Pers. | N/A |
| <i>Diospyros virginiana</i> L. | American persimmon |
| <i>Doryalis caffra</i> (Hook. f. & Harv.) Sim. | Kei apple |
| <i>Doryalis hebecarpa</i> (Gardner) Warb. | Ceylon gooseberry |
| <i>Drypetes floribunda</i> (Müll. Arg.) Hutch. | N/A |
| <i>Drypetes gerrardii</i> Hutch. | N/A |
| <i>Drypetes natalensis</i> (Harv.) Hutch. | N/A |
| <i>Ehretia cymosa</i> Thonn. | N/A |
| <i>Ekebergia capensis</i> Sparrm. | Cape ash |
| <i>Elaeodendron schweinfurthianum</i> (Loes.) Loes | N/A |
| <i>Englerophytum magalismontanum</i> (Sond.) T. D. Penn. | N/A |
| <i>Eriobotrya japonica</i> (Thunb.) Lindl. | Loquat |
| <i>Euclea divinorum</i> Hiern | N/A |
| <i>Eugenia brasiliensis</i> Lam. | Brazil cherry |
| <i>Eugenia involucrata</i> DC. | Cherry of the Rio Grande |
| <i>Eugenia pyriformis</i> Cambess. | Uvaia |
| <i>Eugenia uniflora</i> L. | Surinam cherry |
| <i>Ficus carica</i> L. | Fig |
| <i>Filicium decipiens</i> (Wight & Arn.) Thwaites ex Hook. f. | N/A |
| <i>Flacourtia indica</i> (Burm. f.) Merr. | Governor's plum |
| <i>Flagellaria guineensis</i> Schumach. | N/A |
| <i>Flueggea virosa</i> (Roxb. ex Willd.) Royle | N/A |
| <i>Fortunella japonica</i> (Thunb.) Swingle | Round kumquat |
| <i>Fortunella margarita</i> (Lour.) Swingle | Oval kumquat |
| <i>Frangula californica</i> (Eschsch.) A. Gray | California buckthorn |
| <i>Garcinia brasiliensis</i> Mart. | N/A |
| <i>Garcinia livingstonei</i> T. Anderson | African mangosteen |
| <i>Garcinia mangostana</i> L. | Mangosteen |
| <i>Garcinia xanthochymus</i> Hook. f. | Sour mangosteen |
| <i>Geoffroea decorticans</i> (Gillies ex Hook. & Arn.) Burkart | Chañar |
| <i>Grewia trichocarpa</i> Hochst. ex A. Rich. | N/A |
| <i>Guettarda speciosa</i> L. | Sea randa |
| <i>Hancornia speciosa</i> Gomes | Mangaba |

| | |
|---|-----------------------|
| <i>Harpephyllum caffrum</i> Bernh. ex C. Krauss | Kaffir-date |
| <i>Harrisonia abyssinica</i> Oliv. | N/A |
| <i>Hexachlamys edulis</i> (O. Berg) Kausel & D. Legrand | Cereja do Rio Grande |
| <i>Inga feuillei</i> DC. | Pacae |
| <i>Inga laurina</i> (Sw.) Willd. | N/A |
| <i>Inga sellowiana</i> Benth. | N/A |
| <i>Juglans australis</i> Griseb. | Argentine walnut |
| <i>Juglans hindsii</i> (Jeps.) R. E. Sm. | Hind's black walnut |
| <i>Juglans neotropica</i> Diels | Andean walnut |
| <i>Juglans nigra</i> L. | Black walnut |
| <i>Juglans regia</i> L. | English walnut |
| <i>Lagenaria siceraria</i> (Molina) Standl. | Bottle gourd |
| <i>Lamprothamnus zanguebaricus</i> Hiern | N/A |
| <i>Latania loddigesii</i> Mart. | Blue latan |
| <i>Licania tomentosa</i> (Benth.) Fritsch | Oiti |
| <i>Litchi chinensis</i> Sonn. | Litchi |
| <i>Ludia mauritiana</i> J. F. Gmel. | N/A |
| <i>Lycium europaeum</i> L. | Boxthorn |
| <i>Lycium ferocissimum</i> Miers | African boxthorn |
| <i>Lycium subglabosum</i> L. | N/A |
| <i>Malpighia emarginata</i> DC. | Barbados cherry |
| <i>Malpighia glabra</i> L. | Acerola |
| <i>Malus floribunda</i> Siebold ex Van Houtte | Japanese crab apple |
| <i>Malus pumila</i> Mill. | Paradise apple |
| <i>Malus sylvestris</i> (L.) Mill. | Crab apple |
| <i>Mangifera indica</i> L. | Mango |
| <i>Manilkara butugi</i> Chiov. | N/A |
| <i>Manilkara jaimiqui</i> (C. Wright) Dubard | Wild sapodilla |
| <i>Manilkara sansibarensis</i> (Engl.) Dubard | N/A |
| <i>Manilkara sulcata</i> (Engl.) Dubard | N/A |
| <i>Manilkara zapota</i> (L.) P. Royen | Sapote |
| <i>Matisia cordata</i> Humb. & Bonpl. | South American sapote |
| <i>Mespilus germanica</i> L. | Medlar |
| <i>Mimusops bagshawei</i> S. Moore | N/A |
| <i>Mimusops caffra</i> E. Mey. ex A. DC. | Coastal red milkwood |
| <i>Mimusops elengi</i> L. | Medlar |
| <i>Mimusops kirkii</i> Baker | N/A |
| <i>Mimusops kummel</i> Bruce ex A. DC. | N/A |
| <i>Mimusops obtusifolia</i> Lam. | N/A |

| | |
|--|------------------------------|
| <i>Mimusops zeyheri</i> Sond. | Transvaal red milkwood |
| <i>Momordica charantia</i> L. | Balsam apple |
| <i>Monodora grandidieri</i> Baill. | N/A |
| <i>Morus alba</i> L. | White mulberry |
| <i>Morus nigra</i> L. | Black mulberry |
| <i>Morus rubra</i> L. | Red mulberry |
| <i>Mouriri elliptica</i> Mart. | N/A |
| <i>Muntingia calabura</i> L. | Calabur tree |
| <i>Murraya exotica</i> L. | Chinese boxwood |
| <i>Murraya paniculata</i> (L.) Jack | Mock orange |
| <i>Musa acuminata</i> Colla | Banana |
| <i>Musa x paradisiaca</i> L. | French plantain |
| <i>Myrcianthes pungens</i> (O. Berg) D. Legrand | Guabiju |
| <i>Myrianthus arboreus</i> P. Beauv. | N/A |
| <i>Noronhia emarginata</i> (Lam.) Thouars | Chinese plum |
| <i>Ochrosia elliptica</i> Labill. | Scarlet wedge apple |
| <i>Olea europaea</i> L. | Wild olive |
| <i>Olea woodiana</i> Knobl. | N/A |
| <i>Opilia amentacea</i> Roxb. | N/A |
| <i>Opuntia</i> spp. | Tuna, prickly pear |
| <i>Oxyanthus zanguebaricus</i> (Hiern) Bridson | N/A |
| <i>Parmentiera aculeata</i> (Kunth) Seem. | Candletree |
| <i>Passiflora alata</i> Curtis | Wingstem passionflower |
| <i>Passiflora caerulea</i> L. | Blue passionflower |
| <i>Passiflora edulis</i> Sims | Common passionflower |
| <i>Passiflora foetida</i> L. | Love-in-a-mist passionflower |
| <i>Passiflora ligularis</i> Juss. | Sweet granadilla |
| <i>Passiflora suberosa</i> L. | Cork passionflower |
| <i>Passiflora tripartita</i> (Juss.) Poir. | Banana passionflower |
| <i>Pentarrhopalopilium umbellulata</i> (Baill.) Hiepko | N/A |
| <i>Peponium mackenii</i> (Naudin) Engl. | N/A |
| <i>Pereskia aculeata</i> Mill. | Barbados gooseberry |
| <i>Persea americana</i> Mill. | Avocado |
| <i>Phoenix dactylifera</i> L. | Date |
| <i>Phyllanthus acidus</i> (L.) Skeels | Gooseberry tree |
| <i>Physalis peruviana</i> L. | Cape gooseberry |
| <i>Pithecellobium dulce</i> (Roxb.) Benth. | Blackbead |
| <i>Plinia cauliflora</i> (Mart.) Kausel | Jaboticaba |

| | |
|--|---------------------------------|
| <i>Podocarpus elongatus</i> (Aiton) L'Her. ex Pers. | Breede River yellowwood |
| <i>Polysphaeria parvifolia</i> Hiern | N/A |
| <i>Poncirus trifoliata</i> (L.) Raf. | Hardy orange |
| <i>Pouteria cainito</i> (Ruiz & Pav.) Radlk. | Cainito |
| <i>Pouteria campechiana</i> (Kuntth) Baehni | Canistel |
| <i>Pouteria lucuma</i> (Ruiz & Pav.) Kuntze | Luemo |
| <i>Pouteria ramiflora</i> (Mart.) Radlk. | N/A |
| <i>Pouteria sapota</i> (Jacq.) H. E. Moore & Stearn | Mammee sapote |
| <i>Pouteria viridis</i> (Pittier) Cronquist | Injerito |
| <i>Prunus africana</i> (Hook. f.) Kalkman | African cherry |
| <i>Prunus americana</i> Marshall | American plum |
| <i>Prunus armenica</i> L. | Apicot |
| <i>Prunus avium</i> (L.) L. | Sweet cherry |
| <i>Prunus cerasifera</i> Ehrh. | Cherry plum |
| <i>Prunus cerasus</i> L. | Dwarf cherry |
| <i>Prunus domestica</i> L. | Wild plum |
| <i>Prunus dulcis</i> (Mill.) D. A. Webb | Almond |
| <i>Prunus ilicifolia</i> (Nutt. ex Hook. & Arn.) D. Dietr. | Hollyleaf cherry |
| <i>Prunus mume</i> Siebold & Zucc. | Japanese apricot |
| <i>Prunus persica</i> (L.) Batsch | Peach, nectarine |
| <i>Prunus salicina</i> Lindl. | Plum |
| <i>Prunus serotina</i> Ehrh. | Black cherry |
| <i>Psidium cattleianum</i> Sabine | Cattley guava, strawberry guava |
| <i>Psidium friedrichsthalianum</i> (O. Berg) Nied. | Costa Rican guava |
| <i>Psidium guajava</i> L. | Guava |
| <i>Psidium guineense</i> Sw. | Brazilian guava |
| <i>Punica granatum</i> L. | Pomegranate |
| <i>Pyrus communis</i> L. | Pear |
| <i>Pyrus pyrifolia</i> (Burm. f.) Nakai | Sandparan |
| <i>Rubus idaeus</i> L. | Raspberry |
| <i>Rubus lucidus</i> Rydb. | N/A |
| <i>Rubus sanctus</i> Schreb. | Blackberry |
| <i>Sataea elegans</i> Welw. ex Oliv. | N/A |
| <i>Salpiglossa origanifolia</i> (Lam.) Thell. | Cock's eggs |
| <i>Sandoricum koetjape</i> (Burm. f.) Merr. | Red santol |
| <i>Santalum album</i> L. | Sandalwood |

| | |
|---|---------------------------------------|
| <i>Santalum ellipticum</i> Gaudich. | Yellow sandalwood |
| <i>Scaevola plumieri</i> (L.) Vahl | Beechberry |
| <i>Scaevola taccada</i> (Gaertn.) Roxb. | Beach naupaka |
| <i>Sideroxylon foetidissimum</i> Jacq. | False mastie |
| <i>Sideroxylon inerme</i> L. | N/A |
| <i>Sideroxylon polynesianum</i> (Hillebr.) Smedmark & Anderb | N/A |
| <i>Simmondsia chinensis</i> (Link) C. K. Schneid. | Jojoba |
| <i>Solanum aethiopicum</i> L. | Chinese scarlet eggplant [±] |
| <i>Solanum betaceum</i> Cav. | Tree tomato |
| <i>Solanum elaeagnifolium</i> Cav. | Bull nettle |
| <i>Solanum glaucophyllum</i> Desf. | N/A |
| <i>Solanum incanum</i> L. | Palestine nightshade |
| <i>Solanum linnaeanum</i> Hepper & P. M. L. Jaeger | Apple of Sodom |
| <i>Solanum lycopersicum</i> L. | Tomato |
| <i>Solanum macrocarpon</i> L. | African eggplant [±] |
| <i>Solanum mauritianum</i> Scop. | Bugtree |
| <i>Solanum muricatum</i> Aiton | Melon pear |
| <i>Solanum nigrum</i> L. | Black nightshade |
| <i>Solanum pimpinellifolium</i> L. | Currant tomato |
| <i>Solanum pseudocapsicum</i> L. | Jerusalem cherry |
| <i>Solanum seabrum</i> Mill. | Garden huckleberry |
| <i>Solanum seaforthianum</i> Andrews | Climbing nightshade |
| <i>Solanum sessiliflorum</i> Dunal | Coccona |
| <i>Solanum sisymbriifolium</i> Lam. | Dense thorn bitter apple |
| <i>Solanum torvum</i> Sw. | Turkey berry |
| <i>Spondias dulcis</i> Sol. ex Parkinson | Golden apple |
| <i>Spondias mombin</i> L. | Hog plum |
| <i>Spondias purpurea</i> L. | Red mombin |
| <i>Spondias tuberosa</i> Arruda ex Kost. | Imbu |
| <i>Spondias venulosa</i> (Engl.) Mart. ex Engl. | N/A |
| <i>Stereulia apetala</i> (Jacq.) H. Karst. | Panama tree |
| <i>Strychnos decussata</i> (Pappe) Gilg | N/A |
| <i>Strychnos henningsii</i> Gilg | N/A |
| <i>Strychnos potatorum</i> L. f. | Clearing nut tree |
| <i>Strychnos pungens</i> Soler. | N/A |
| <i>Syngonium podophyllum</i> Schott | American evergreen |
| <i>Synsepalum dulcificum</i> (Schumacher) Daniell | Miracle fruit |

| | |
|--|----------------------|
| <i>Syzygium cumini</i> (L.) Skeels | Jambolan |
| <i>Syzygium jambos</i> (L.) Alston | Malabar plum |
| <i>Syzygium malaccense</i> (L.) Merr. & L. M. Perry | Malay apple |
| <i>Syzygium paniculatum</i> Gaertn. | Magenta lilly pilli |
| <i>Syzygium samarangense</i> (Blume) Merr. & L. M. Perry | Java apple |
| <i>Terminalia catappa</i> L. | Tropical almond |
| <i>Terminalia chebula</i> Retz. | Black myrobalan |
| <i>Theobroma cacao</i> L. | Cacao |
| <i>Thevetia peruviana</i> (Pers.) K. Schum. | Lucky nut |
| <i>Triphasia</i> sp. | N/A |
| <i>Vaccinium ashei</i> J. M. Reade | Rabbit-eye blueberry |
| <i>Vaccinium angustifolium</i> Aiton | Lowbush blueberry |
| <i>Vaccinium corymbosum</i> L. | Highbush blueberry |
| <i>Vaccinium virgatum</i> Aiton | Rabbit-eye blueberry |
| <i>Vangueria infausta</i> Burch. | African medlar |
| <i>Vaseoncellea quercifolia</i> A. St. Hil. | Calasacha |
| <i>Vepris lanceolata</i> (Lam.) G. Don | White ironwood |
| <i>Vepris nobilis</i> (Delile) Mziray | N/A |
| <i>Vepris simplicifolia</i> (Engl.) Mziray | N/A |
| <i>Vepris trichocarpa</i> (Engl.) Mziray | N/A |
| <i>Vitis</i> spp. | Grapes |
| <i>Wikstroemia phillyreifolia</i> A. Gray | N/A |
| <i>Ximenia americana</i> L. | False sandalwood |
| <i>Ximenia caffra</i> Sond. | N/A |
| <i>Ziziphus jujuba</i> Mill. | Chinese jujube |
| <i>Ziziphus lotus</i> (L.) Lam. | Lotus jujube |
| <i>Ziziphus mauritiana</i> Lam. | Chinese apple |
| <i>Ziziphus spina-christi</i> (L.) Desf. | Christ's thorn |

* ~~Commercially produced eggplants are not regulated articles.~~

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 5301, 5302 and 5322, Food and Agricultural Code.

Amend the following Title 3 of the California Code of Regulations Section:

3424. *Bactrocera zonata* Interior Quarantine.

...

(c) Articles and Commodities Covered. The following are declared to be hosts and possible carriers of peach fruit fly.

(1) All fruit, vegetables or berries of the following: in Title 3, California Code of Regulations, Section 3591.12 (b).

| <i>Scientific Name</i> | <i>Common Name</i> |
|---|--------------------|
| <i>Aegle marmelos</i> | Bael tree |
| <i>Azizelia xylocarpa</i> | Doussie |
| <i>Annona reticulata</i> | Custard apple |
| <i>Annona squamosa</i> | Sugar apple |
| <i>Careya arborea</i> | Patana oak |
| <i>Carica papaya</i> | Papaya |
| <i>Casimiroa edulis</i> | White sapote |
| <i>Citrullus lanatus</i> | Watermelon |
| <i>Citrus aurantium</i> | Sour orange |
| <i>Citrus limon</i> | Lemon |
| <i>Citrus nobilis</i> x <i>Citrus deliciosa</i> | Kinnow |
| <i>Citrus paradisi</i> | Grapefruit |
| <i>Citrus reticulata</i> | Mandarin orange |
| <i>Citrus sinensis</i> | Orange |
| <i>Coccinia grandis</i> | Ivy gourd |
| <i>Cucumis sativus</i> | Cucumber |
| <i>Cydonia oblonga</i> | Quince |
| <i>Elaeocarpus hygrophilus</i> | Ma-kok-nam |
| <i>Eriobotrya japonica</i> | Loquat |
| <i>Ficus carica</i> | Fig |
| <i>Grewia asiatica</i> | Phalsa |
| <i>Lagenaria siceraria</i> | Bottle gourd |
| <i>Luffa acutangula</i> | Angled loofah |
| <i>Luffa</i> spp. | Tori |
| <i>Malpighia emarginata</i> | Barbados cherry |
| <i>Malus pumila</i> | Apple |
| <i>Malus sylvestris</i> | Crab apple |
| <i>Mangifera indica</i> | Mango |
| <i>Manilkara zapota</i> | Sapodilla |

| | |
|------------------------------|--------------------|
| <i>Mimusops elengi</i> | Spanish cherry |
| <i>Momordica charantia</i> | Bitter melon |
| <i>Olea europaea</i> | Olive |
| <i>Persea americana</i> | Avocado |
| <i>Phoenix dactylifera</i> | Date palm |
| <i>Prunus armeniaca</i> | Apricot |
| <i>Prunus avium</i> | Sweet cherry |
| <i>Prunus domestica</i> | Plum |
| <i>Prunus persica</i> | Peach |
| <i>Prunus sp.</i> | N/A |
| <i>Psidium cattleianum</i> | Strawberry guava |
| <i>Psidium guajava</i> | Guava |
| <i>Punica granatum</i> | Pomegranate |
| <i>Putranjiva roxburghii</i> | Wild olive |
| <i>Pyrus communis</i> | Pear |
| <i>Pyrus ussuriensis</i> | Manchurian pear |
| <i>Solanum lycopersicum</i> | Tomato |
| <i>Solanum melongena</i> | Eggplant |
| <i>Syzygium jambos</i> | Rose apple |
| <i>Syzygium samarangense</i> | Java apple |
| <i>Terminalia catappa</i> | L. Tropical almond |
| <i>Ziziphus jujuba</i> | Jujube |
| <i>Ziziphus mauritiana</i> | Chinese-date |

...

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code.

Amend the following Title 3 of the California Code of Regulations Section:

3425. Melon Fruit Fly Interior Quarantine.

...

(c) Commodities Covered.

(1) All fruit, vegetables or berries of the following agricultural, wild, or ornamental plants: listed in Title 3, California Code of Regulations, Section 3591.15 (b)(1).

| <i>Common Name</i> | <i>Scientific Name</i> |
|--------------------|--|
| Apple | <i>Malus sylvestris</i> |
| Apple, Custard | <i>Annona reticulata</i> |
| Avocado | <i>Persea americana</i> |
| Bean, hyacinth | <i>Lablab purpureus</i> subsp. <i>purpureus</i> [<i>Dolichos lablab</i>] |
| Bean, lima | <i>Phaseolus lunatus</i> [<i>Phaseolus limensis</i>] |
| Bean, mung | <i>Phaseolus radiatus</i> |
| Bean, string | <i>Phaseolus vulgaris</i> |
| Cantaloupe | <i>Cucumis melo</i> <i>Cucumis melo</i> var. <i>cantalupensis</i> |
| Cauliflower | <i>Brassica oleracea</i> var. <i>botrytis</i> |
| Chayote | <i>Sechium edule</i> |
| Colocynth | <i>Citrullus colocynthis</i> |
| Cowpea | <i>Vigna unguiculata</i> |
| Cucumber | <i>Cucumis sativus</i> |
| Cucumber, bur | <i>Sicyos</i> spp. |
| Cucurbit | <i>Cucumis pubescens</i> <i>Cucumis trigonus</i> |
| Date palm | <i>Phoenix dactylifera</i> |
| Eggplant | <i>Solanum melongena</i> |
| Fig, common | <i>Ficus carica</i> |
| Gourds | <i>Coccinia</i> spp. <i>Crescentia</i> spp. <i>Lagenaria</i> spp. <i>Luffa</i> spp. <i>Momordica</i> spp. <i>Trichosanthes</i> spp. |
| Guava | <i>Psidium guajava</i> |

| | | |
|--|--------------------------|--|
| | Guava, cattley | <i>Psidium cattleianum</i> |
| | Mango | <i>Mangifera indica</i> |
| | Melon | <i>Citrullus</i> sp. |
| | Melon, Chinese | <i>Benincasa hispida</i> |
| | Melon, Oriental pickling | <i>Cucumis melo</i> var. <i>conomon</i> |
| | Mustard, leaf | <i>Brassica juncea</i> |
| | Okra | <i>Hibiscus esculentus</i> |
| | Orange, king | <i>Citrus nobilis</i> |
| | Orange, mandarin | <i>Citrus reticulata</i> |
| | Orange, sweet | <i>Citrus sinensis</i> |
| | Papaya, common | <i>Carica papaya</i> |
| | Passion fruit | <i>Passiflora edulis</i> |
| | Peach | <i>Prunus persica</i> |
| | Pear | <i>Pyrus communis</i> |
| | Pepper | <i>Capsicum annum</i> |
| | Pepper, chili | <i>Capsicum annum</i> |
| | Pepper, tabasco | <i>Capsicum frutescens</i> |
| | Pumpkin | <i>Cucurbita pepo</i> |
| | Pumpkin, Canada | <i>Cucurbita moschata</i> |
| | Scarlet wisteria tree | <i>Sesbania grandiflora</i> |
| | Soursop | <i>Annona muricata</i> |
| | Squash | <i>Cucurbita maxima</i> |
| | Threeleaf cayratia | <i>Cayratia trifolia</i> |
| | Tomato | <i>Lycopersicon esculentum</i> (pink to red ripe) |
| | Tomato, tree | <i>Cyphomandra betacea</i> |
| | Water lemon | <i>Passiflora laurifolia</i> |
| | Watermelon | <i>Citrullus lanatus</i> [<i>Citrullus vulgaris</i>] |

(2) Soil within the drip area of plants producing, or which have produced fruit, vegetables, or berries as listed in (c)(1) above Title 3, California Code of Regulations, Section 3591.15 (b)(1).

(3) Plants of the following listed species in the Cucurbitaceae: listed in listed in Title 3, California Code of Regulations, Section 3591.15 (b)(1).

| <i>Common Name</i> | <i>Scientific Name</i> |
|--------------------|------------------------------|
| Cantaloupe | <i>Cucumis melo</i> |
| Chayote | <i>Sechium edule</i> |
| Colocynth | <i>Citrullus colocynthis</i> |

| | |
|-------------------------|--|
| Cucumber | <i>Cucumis sativus</i> |
| Cucumber, bur | <i>Sicyos</i> sp. |
| Cucurbit, wild | <i>Cucumis pubescens</i> |
| | <i>Cucumis trigonus</i> |
| Gherkin, West Indian | <i>Cucumis angaria</i> |
| Gourds | <i>Coccinia</i> spp. |
| | <i>Crescentia</i> spp. |
| | <i>Lagenaria</i> spp. |
| | <i>Luffa</i> spp. |
| | <i>Momordica</i> spp. |
| | <i>Trichosanthes</i> spp. |
| Gourd, angled-luffa | <i>Luffa acutangula</i> |
| Gourd, balsam-apple | <i>Momordica balsamina</i> |
| Gourd, balsam-pear | <i>Momordica dioica</i> |
| Gourd, ivy | <i>Coccinia grandis</i> |
| Gourd, kakari | <i>Momordica cochinchinensis</i> |
| Gourd, pointed | <i>Trichosanthes dioica</i> |
| Gourd, serpent-cucumber | <i>Trichosanthes anguina</i> |
| Gourd, snake | <i>Trichosanthes cucumeroides</i> |
| Gourd, sponge | <i>Luffa aegyptiaca</i> |
| Gourd, white-flowered | <i>Lagenaria siceraria</i> |
| Melon, Chinese | <i>Benincasa hispida</i> |
| Melon, long | <i>Cucumis utlissimus</i> |
| Pumpkin | <i>Cucurbita pepo</i> |
| Pumpkin, Canada | <i>Cucurbita mosehata</i> |
| Squash | <i>Cucurbita maxima</i> |
| Watermelon | <i>Citrullus lanatus</i> [<i>Citrullus vulgaris</i>] |

...

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 5301, 5302 and 5322, Food and Agricultural Code.

Amend the following Title 3 of the California Code of Regulations Section:

3429. Sweetpotato Weevil Interior Quarantine.

...

(c) Articles and Commodities Covered.

(1) ~~Hosts. Sweet potato plants and all plant parts except seed and including vines, draws, and slips, and sweet potato roots, also called yams, camote, batatas, boniatos, buniatos, and moniato (*Ipomoea batatas*), and morning glory plants (*Ipomoea* spp., *Calystegia* spp., and *Convolvulus* spp.).~~ All plants listed in Title 3, California Code of Regulations, Section 3581 (b).

...

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 5301, 5302 and 5322, Food and Agricultural Code.

Amend the following Title 3 of the California Code of Regulations Section:

3441. *Bactrocera correcta* Interior Quarantine.

...

(c) Articles and Commodities Covered. The following are declared to be hosts and possible carriers of guava fruit fly.

(1) All fruit, vegetables or berries of the following: listed in Title 3, California Code of Regulations, Section 3591.13 (b)(1).

| <i>Scientific Name</i> | <i>Common Name</i> |
|---|-------------------------------------|
| <i>Anacardium occidentale</i> | cashew |
| <i>Areca catechu</i> | areca palm |
| <i>Artocarpus chama</i> | chaplasha |
| <i>Artocarpus integer</i> | chempedak |
| <i>Averrhoa carambola</i> | carambola, star fruit |
| <i>Baccaurea racemosa</i> | kapundung, menteng |
| <i>Benincasa hispida</i> | winter melon |
| <i>Bouea macrophylla</i> | gandaria, ma prang |
| <i>Bouea oppositifolia</i> | marian tree, plum-mango |
| <i>Capparis sepiaria</i> | |
| <i>Capparis thorelii</i> | éap thorel |
| <i>Careya arborea</i> | slow match tree, kumbhi |
| <i>Careya sphaerica</i> | kra-doon |
| <i>Carica papaya</i> | papaya |
| <i>Carissa carandas</i> | Bengal currants, karanda |
| <i>Citrus maxima</i> | pummelo |
| <i>Citrus reticulata</i> | mandarin (tangerine) |
| <i>Clausena lansium</i> | wampi |
| <i>Coccinia grandis</i> | ivy gourd |
| <i>Coffea canephora</i> | robusta coffee |
| <i>Cucumis melo</i> | cantaloupe, honeydew melon |
| <i>Dimocarpus longan</i> | longan |
| <i>Dipterocarpus obtusifolius</i> | kok sat, keruing, mai sat |
| <i>Elaeocarpus</i> | |
| <i>hygrophilus</i> (synonym: <i>madopetalus</i>) | ma-kok-nam, Spanish plum |
| <i>Flacourtia indica</i> | governor's plum, Indian plum |
| <i>Flacourtia jangomas</i> | greater krekup, Indian plum |
| <i>Flueggea virosa</i> | Chinese waterberry, common bushweed |
| <i>Garcinia dulcis</i> | Claude mangosteen, egg tree |
| <i>Garcinia xanthochymus</i> | sour mangosteen |
| <i>Heynea trijuga</i> | buah pasat, kalibaian |

| | |
|---|--------------------------------|
| <i>Irvingia malayana</i> (Synonym: (oliveri)) | bok, pau-kinjang |
| <i>Knema angustifolia</i> | horse blood |
| <i>Lepisanthes fruticosa</i> | |
| <i>Luffa aegyptiaca</i> | smooth loofah, sponge-gourd |
| <i>Madhuca longifolia</i> | mahua, mowra-buttertree |
| <i>Maerua siamensis</i> | |
| <i>Malpighia emarginata</i> | Barbados or West-Indian-cherry |
| <i>Malpighia glabra</i> | aceerola |
| <i>Mangifera indica</i> | mango |
| <i>Manilkara zapota</i> | sapodilla |
| <i>Mimusops elengi</i> | medlar, Spanish-cherry |
| <i>Muntingia calabura</i> | calabur-tree |
| | strawberry-tree |
| <i>Musa x paradisiacal</i> | banana, plantain |
| <i>Olex seadens</i> | namchai Khrai |
| <i>Opuntia monacantha</i> | drooping prickly-pear |
| <i>Phyllanthus acidus</i> | gooseberry-tree |
| <i>Polyalthia longifolia</i> | cemetery or mast-tree |
| <i>Prunus avium</i> | sweet-cherry |
| <i>Prunus cerasus</i> | sour-cherry |
| <i>Prunus persica</i> | peach |
| <i>Prunus persica</i> var. <i>nectarine</i> | nectarine |
| <i>Prunus salicina</i> | Japanese-plum |
| <i>Psidium guajava</i> | guava |
| <i>Sandoricum koetjape</i> | red sentol, sentol |
| <i>Schoepfia fragrans</i> | xiang fu mu |
| <i>Spondias dulcis</i> | golden-apple, makopa |
| <i>Spondias pinnata</i> | hog-plum |
| <i>Strychnos potatorum</i> | clearing-nut-tree |
| <i>Syzygium aqueum</i> | water-apple, watery rose-apple |
| <i>Syzygium borneense</i> | kelat, kerian |
| <i>Syzygium cumini</i> | Java-plum, jambolana |
| <i>Syzygium jambos</i> | jambos, rose-apple |
| <i>Syzygium malaccense</i> | Malay or mountain-apple |
| <i>Syzygium nervosum</i> | Daly River satin-ash |
| <i>Syzygium samarangense</i> | Java-apple, water-apple |
| <i>Terminalia bellirica</i> | myrobalan |
| <i>Terminalia catappa</i> | tropical or Indian-almond |
| <i>Trichosanthes costata</i> | ribbed orange-gourd |
| <i>Trichosanthes cucumerina</i> | annual or club-gourd |

| | |
|----------------------------|----------------------|
| <i>Vitis vinifera</i> | European grape |
| <i>Ziziphus jujuba</i> | Chinese date, jujube |
| <i>Ziziphus mauritiana</i> | Chinese date, jujube |
| <i>Ziziphus nummularia</i> | jujube |
| <i>Ziziphus oenoplia</i> | jackal jujube |

...

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code.

Amend the following Title 3 of the California Code of Regulations Section:

3442. Malaysian Fruit Fly Interior Quarantine.

...

(c) Articles and Commodities Covered. The following are declared to be hosts and possible carriers of Malaysian fruit fly.

(1) All fruit, vegetables, pericarp of nuts, seeds or berries ~~of the following-~~ listed in Title 3, California Code of Regulations, Section 3591.26 (b)(1).

| <i>Scientific Name</i> | <i>Common Name</i> |
|--|-------------------------|
| <i>Baccaurea motleyana</i> (Mull. Arg.) Mull. Arg. | Rambai |
| <i>Benincasa hispida</i> (Thunb.) Cogn. | Ash-gourd |
| <i>Capsicum annuum</i> L. | Chili Pepper |
| <i>Capsicum annuum</i> L. var <i>annuum</i> | Bell Pepper |
| <i>Capsicum baccatum</i> | Barpeppar |
| <i>Capsicum chinense</i> Jacq. | Bonnet Pepper |
| <i>Capsicum frutescens</i> L. | Bird Pepper |
| <i>Capsicum</i> spp. | Pepper |
| <i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai | Watermelon |
| <i>Coccinia grandis</i> (L.) Voigt | Ivy gourd |
| <i>Coffea arabica</i> L. | Arabian coffee |
| <i>Cucumis dipsaceus</i> Ehrenb. Ex Spach | Hedgehog-cucumber |
| <i>Cucumis melo</i> L. subsp <i>agrestis</i> (Naudin) Pangalo var <i>conomon</i> (Thunb.) Makino | Oriental pickling melon |
| <i>Cucumis sativus</i> L. | Cucumber |
| <i>Diploeyelos palmatus</i> (L.) C. Jeffrey | Lollipop-climber |
| <i>Gmelina philippensis</i> Cham. | |
| <i>Lagenaria siceraria</i> (Molina) Standl. | Bottle gourd |
| <i>Lagerstroemia indica</i> L. | Crape myrtle |
| <i>Linociera parkinsoni</i> <i>Linociera xanthocarpum</i> <i>Lycianthes biflora</i> (Lour.) Bitter | Da-chi hong-si xian |
| <i>Momordica trifoliolata</i> Hook.f. | |
| <i>Murraya paniculata</i> (L.) Jack | Chinese boxwood |
| <i>Passiflora foetida</i> L. | Wild-passionfruit |
| <i>Physalis peruviana</i> L. | Cape-gooseberry |
| <i>Psidium guajava</i> L. | Guava |
| <i>Punica granatum</i> L. | Pomegranate |
| <i>Sapindus rarak</i> DC. | |

| | |
|---|-----------------------------|
| <i>Solanum aculeatissimum</i> Jacq. | Dutch eggplant |
| <i>Solanum aethiopicum</i> L. | Chinese scarlet eggplant |
| <i>Solanum americanum</i> Mill. | American nightshade |
| <i>Solanum anguivi</i> Lam. | |
| <i>Solanum donianum</i> Walp. | |
| <i>Solanum granuloseprosum</i> Dunal | |
| <i>Solanum incanum</i> L. | Bitter apple |
| <i>Solanum lanceifolium</i> Jacq. | |
| <i>Solanum lasiocarpum</i> Dunal | Indian nightshade |
| <i>Solanum linnaeanum</i> Hepper & P. M.L. Jaeger | apple-of-Sodom |
| <i>Solanum lycopersicum</i> L. var. <i>cerasiforme</i> (Alef.) Fosberg | Cherry tomato |
| <i>Solanum lycopersicum</i> L. var. <i>lycopersicum</i> | Tomato |
| <i>Solanum macrocarpon</i> L. | African eggplant |
| <i>Solanum mammosum</i> L. | Macawbush |
| <i>Solanum melongena</i> L. | Eggplant |
| <i>Solanum nigrescens</i> M. Martens & Galeotti | Divine nightshade |
| <i>Solanum nigrum</i> L. | Black nightshade |
| <i>Solanum pimpinellifolium</i> L. | Currant tomato |
| <i>Solanum pseudocapsicum</i> L. | Jerusalem cherry |
| <i>Solanum scabrum</i> | Mill. Garden huckleberry |
| <i>Solanum</i> spp. | |
| <i>Solanum sisymbriifolium</i> Lam. | Sticky nightshade |
| <i>Solanum stramonifolium</i> Jacq. | |
| <i>Solanum torvum</i> Sw. | Devil's fig |
| <i>Solanum trilobatum</i> L. | Purple-fruited pea eggplant |
| <i>Solanum viarum</i> Dunal | Tropical soda apple |
| <i>Solanum violaceum</i> Ortega | Ci-tian-qie |
| <i>Terminalia catappa</i> L. | Indian almond |
| <i>Ziziphus jujuba</i> Mill. | Common jujube |
| <i>Ziziphus nummularia</i> (Burm.f.) Wight & Arn. | |

...

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 401.5, 407, 5301, 5302 and 5322, Food and Agricultural Code.