

Amend the following:

§ 3591.22. False Codling Moth Eradication Area.

(a) Proclamation of Eradication Area. Those ~~at~~ portions of the State of California described as follows within which a certain pest, false codling moth (*Thaumatotibia leucotreta*), is known to exist are hereby proclaimed to be eradication areas with respect to said pest:

The entire State.

(b) Hosts Within Said Area. The following nursery stock, plants, and plant parts and any green waste residues thereof or any other plant or plant part that ~~which~~ by scientific investigation is shown to be capable of sustaining false codling moth in any stage of development:

<i>Scientific Name</i>	<i>Common Name</i>
<i>Abelmoschus esculentus</i>	Okra
<i>Abutilon</i> xx <i>hybridum</i>	Indian mallow
<i>Abutilon</i> spp.	Flowering-maple, Mallow
<u><i>Afrocarpus (Podocarpus) falcatus</i></u>	<u>Outeniqua yellowwood</u>
<i>Ananas comosus</i>	Pineapple
<i>Annona cherimola</i>	Cherimoya
<i>Annona glabra</i>	Pond apple
<i>Annona muricata</i>	Soursop
<i>Annona reticulata</i>	Custard apple
<i>Annona squamosa</i>	Sugar apple
<i>Annona</i> spp.	Sweetsop
<i>Averrhoa carambola</i>	Carambola, <u>star fruit</u>
<i>Azanza garckeana</i>	Snot-apple
<i>Bauhinia galpini</i>	Pride of De Kaap
<i>Butryospermum parkii</i>	Butterseed
<i>Caesalpinia pulcherrima</i>	Peacock flower
<i>Calotropis procera</i>	Sodom-apple
<i>Camellia sinensis</i>	Tea
<i>Capparis tomentosa</i>	Woolly caper-bush
<u><i>Capparis</i> spp.</u>	<u>Caper</u>
<u><i>Capsicum annuum</i></u>	<u>Chili pepper</u>
<i>Capsicum</i> spp.	Pepper
<i>Cassia petersiana</i>	Monkey pod
<i>Catha edulis</i>	Khat
<i>Ceiba pentandra</i>	Kapok
<u><i>Cenchrus (Pennisetum) purpurea</i></u>	<u>Elephant grass</u>

<i>Chrysophyllum cainito</i>	Star apple
<u><i>Chrysophyllum magalis-montanum</i></u>	
<i>Citrus × aurantiifolia</i>	<u>Key Lime</u>
<i>Citrus × limon</i>	Lemon
<i>Citrus × paradisi</i>	Grapefruit
<i>Citrus × paradisi x Citrus reticulata</i>	Tangelo
<i>Citrus reticulata</i>	Mandarin orange
<i>Citrus × paradisi x Citrus reticulata</i>	Tangelo
<i>Citrus reticulata x Citrus × sinensis</i>	Temple orange
<i>Citrus</i> spp.	Orange
<i>Coffea arabica</i>	Coffee
<i>Coffea</i> spp.	Coffee
<i>Cola nitida</i>	Cola
<i>Combretum apiculatum</i>	Red bushwillow, Roibes
<i>Combretum zeyheri</i>	Large fruited bushwillow
<u><i>Crassula</i> spp.</u>	<u>Jade plant</u>
<i>Cyphomandra betacea</i>	Tree tomato
<i>Diospyros mespiliformis</i>	Jakkalsbessie
<u><i>Diospyros virginiana</i></u>	<u>American Persimmon</u>
<i>Diospyros</i> spp.	Persimmon
<i>Englerophytum magalimontanum</i>	Stemfruit
<i>Eriobotrya japonica</i>	Loquat
<i>Eugenia uniflora</i>	Surinam cherry
<u><i>Eugenia</i> spp.</u>	<u>Stopper</u>
<i>Ficus capensis</i>	<u>Wild Cape fig</u>
<i>Flacourtia indica</i>	Governor's plum
<i>Garcinia mangostana</i>	Mangosteen
<i>Gossypium hirsutum</i>	Cotton
<i>Gossypium</i> spp.	Cotton
<u><i>Harpephyllum cattffrum</i></u>	Kafir South African wild-plum
<i>Hibiscus</i> spp.	Hibiscus
<i>Juglans regia</i>	English walnut
<i>Juglans</i> spp.	Walnut
<i>Litchi chinensis</i>	Litchi
<i>Lycopersicon esculentum</i>	Tomato
<u><i>Macadamia integrifolia</i></u>	<u>Macadamia nut</u>
<i>Macadamia ternifolia</i>	Macadamia nut
<i>Macadamia</i> spp.	Macadamia
<i>Mangifera indica</i>	Mango

<i>Mimimisops zeyheri</i>	Red milkwooeed
<i>Musa x paradisiaca var. sapientum</i>	Banana
<i>Olea europaea</i>	Olive
<i>Pennisetum purpureum</i>	Elephant grass
<i>Persea americana</i>	Avocado
<i>Phaseolus lunatus</i>	Lima bean
<i>Physalis ixocarpa</i>	Husk tomato
<i>Physalis</i> spp.	Ground cherry
<i>Podocarpus falcatus</i>	Outeniqua yellowwood
<i>Prunus armeniaca</i>	Apricot
<i>Prunus</i> x <i>domestica</i>	<u>Plum</u> , Prune
<i>Prunus persica</i>	Peach
<i>Prunus</i> spp.	Cherry (all), Plum
<i>Pseudolachnostylis maprounaefolia</i>	Kudu-berry
<i>Psidium guajava</i>	Common guava
<i>Punica granatum</i>	Pomegranate
<i>Quercus</i> spp.	Oak
<i>Ricinus communis</i>	Castor bean
<u><i>Rosa</i> spp.</u>	<u>Rose</u>
<i>Royena pallens</i>	Bluobos
<u><i>Saccharum officinarum</i></u>	<u>Sugarcane</u>
<i>Schotia afra</i>	Boerboon
<i>Schotia speciosa</i>	<u>Boonenboom</u> Hottentot kafir bean tree
<i>Sclerocarya birrea</i>	Marula
<i>Sclerocarya caffra</i>	Marula, Kafir marvolanut
<i>Sechium edule</i>	Chayote
<i>Sida</i> spp.	Sida, <u>Fanpetals</u>
<i>Solanum melongena</i>	Eggplant
<i>Sorghum vulgare</i>	Sorghum
<i>Sorghum</i> spp.	Sorghum, <u>Broom-corn</u>
<i>Syzygium cordatum</i>	Water-bessie
<i>Syzygium jambos</i>	Rose apple
<i>Synsepalum dulciticum</i>	Miraculous berry
<i>Theobroma cacao</i>	Cacao
<i>Triumfetta</i> spp.	Burrbark
<u><i>Vachellia (Acacia) karroo</i></u>	<u>Sweet thorn</u>
<i>Vangueria infausta</i>	Wild medlar
<i>Vigna unguiculata</i>	Cowpea
<i>Vigna</i> spp.	Cowpea
<i>Vitis vinifera</i>	Wine G rape

<i>Vitis</i> spp.	Grape
<i>Xeroderris stuhlmannii</i>	Wing bean
<i>Ximenia caffra</i>	Large sour plum
<i>Yucca aloifolia</i>	Spanish bayonet
<i>Yucca gloriosa</i>	Spanish dagger
<i>Yucca</i> spp.	Yucca
<i>Zea mays</i>	Corn, <u>maize</u>
<i>Ziziphus jujube</i>	Jujube
<i>Ziziphus mucronatæ</i>	Buffalo thorn

(c) Possible Carriers. Possible carriers shall include all appliances used in the growing, harvesting, processing and hauling of the host plants and plant parts and any greenwaste residues including but not limited to tractors, trailers, trucks, planting, picking and pruning equipment and processing machinery, the premises and appurtenances thereto and any lands where host plants are growing or were grown during the past season, or any other thing which by scientific investigation is shown to be capable of harboring or spreading any stage of false codling moth.

(d) Means and Methods. The following means and methods may be used in the control and eradication of said pest within said area:

(1) The repeated application of insecticides, as spray, dust, bait, or other form, ~~or~~ herbicides, sprays or dusts or biological agents, ~~or~~ pheromones to disrupt mating, or mass trapping by approved methods to any or all premises or lands, host plants or possible carriers, and any other articles or things ~~that~~which are infested or exposed to infestation and capable of harboring or spreading the false codling moth.

(2) The removal and destruction of all plant parts known to harbor, or capable of harboring, any stage of false codling moth.

~~(23)~~ The removal and destruction of any and all possible carriers, including nursery stock or trees and shrubs if permission is received from the property owner, or if such action is the only practical way of eliminating the infestation of a host or possible carrier to prevent the spread or reinfestation of false codling moth.

~~(34)~~ The searching for all stages of false codling moth by visual inspection, the use of traps, or any other means anywhere within the said area.

~~(45)~~ The removal and destruction of abandoned or unwanted hosts or possible carriers bearing or capable of bearing false codling moth in any life stage.

~~(56)~~ Covering with tarps or enclosed construction of all trucks, trailers and other appliances hauling host plants, host plant crops or green waste residues to or from packing or processing facilities, green waste transfer stations, landfills, or elsewhere, to prevent spillage or blowout along roads.

~~(67)~~ The importation, rearing, or liberation of sterile forms of the false codling moth.

Authority cited: Sections 407 and 5322, Food and Agricultural Code.

Reference: Sections 407, 5322, 5761, 5762 and 5763, Food and Agricultural Code.