

Amend the following:

§ 3558. Insects and Other ~~Arthropods~~Organisms ThatWhich May Be Imported or Shipped Into or Within California Without a Permit.

Section 6305 of the Food and Agricultural Code requires persons to obtain a permit from the director or the United States Department of Agriculture to import into, or ship or transport within, the state live insects and other pests except for certain exemptions. One of these exemptions is for beneficial or useful insects and other ~~arthropods~~organisms of common occurrence in the state. To identify which beneficial insects and other ~~arthropods~~organisms do not require a permit to import into, or ship or transport within the state, the following lists are provided. However, as with all ~~such insect~~ shipments, they shall be rejected when the insects or other ~~arthropods~~ are moved in conjunction with host plants or other host organisms that when such hosts would normally be rejected if moving independently independent of exempt insects or ~~arthropods~~other organisms.

(a) Insects and other ~~arthropods~~ organisms for which a permit is not required: See list at: [https://www.cdfa.ca.gov/plant/insects other organisms no permit required.html](https://www.cdfa.ca.gov/plant/insects_other_organisms_no_permit_required.html)

This list also includes insects and other organisms native to California for which a permit has been issued for unrestricted movement and use in California and insects and other organisms that have been previously released under state permit in California for biological control of insect, weed, or other types of pests.

Acanthoscelides obtectus	Bean weevil
Acheta domesticens	House cricket
Adelpha bredowii	California sister
Aglais milberti	Milbert's tortoise shell
Agraulis vanillae	Gulf fritillary
Agrotis ipsilon	Black cutworm
Amblypygi Amblypygi	Whip scorpions
Amyelois transitella	Naval orangeworm
Anagasta kuehniella	Mediterranean flour moth
Anarsia lineatella	Peach twig borer
Antheraea polyphemus	Polyphemus silkmoth
Anthocaris sara	Sara orangetip
Anthrenus flavipes	Dermestid beetles
Anthrenus scrophulariae	Dermestid beetles
Aphis gossypii	Cotton Aphidaphid
Artogeia rapae	Imported cabbage butterfly
Attagenus megatoma	Dermestid beetles
Battus philenor	Pipevine swallowtail

Belostomatidae <u>Belostomatidae</u>	Waterbugs
Blaberus craniifer	False death's head roach
Blaberus discoidalis	Discoid roach
Blaberus fusca	False death's head roach
Blaberus giganteus	Giant roach
Blaptica dubia	Dubia roach
Blatella germanica	German cockroach
Blatta lateralis	Turkestan roach
Blatta orientalis	Oriental cockroach
Bombyx mori	Silkworm
Cadra cautella	Almond moth
Cadra figulilella	Raisin moth
Caliothrips fasciatus	Bean thrips
Calliphora vicina	Bluebottle fly
Callosobruchus maculatus	Cowpea weevil
Carpophilus hemipterus	Driedfruit beetle
Chelonethida <u>Chelonethida</u>	Pseudoscorpions
Chrysopa carnea	Green lacewing
Coenonympha californica	California ringlet
Colias (Zerene) eurydice	California dogface butterfly
Colias eurytheme	Alfalfa butterfly
Colias pholidice	Clouded sulfur
Corixidae <u>Corixidae</u>	Water boatman
Coryalidae <u>Corydalidae</u>	Dobsonflies
Cryptolaemus montrouzieri	Mealybug destroyer
Ctenocephalides canis	Dog flea
Ctenocephalides felis	Cat flea
Cydia pomonella	Codling moth
Danaus gilippus	Queen
Dermestes ater	Black larder beetle
Dermestes caninus	Dermestid beetles
Dermestes lardarius	Larder beetle
Dermestes maculatus	Hide beetle
Diplopoda <u>Diplopoda</u>	Millipedes
Diplura <u>Diplura</u>	Diplurans
Drosophila spp. <u>spp.</u>	Pomace flies
Eleodes spp. <u>spp.</u>	Darkling beetles
Embiopoda <u>Embiopoda</u>	Embiids
Ephemeroptera <u>Ephemeroptera</u>	Mayflies
Ephestia elutella	Tobacco moth
Eublaberus distanti	Six spotted roach

<i>Eublaberus prosticus</i>	Orange-headed roach
<i>Euphydryas chalcidona</i>	Chalcidon checkerspot
<i>Everes amyntula</i>	Western tailed blue
<i>Fannia canicularis</i>	Little house fly
<i>Frankliniella occidentalis</i>	Western flower thrips
<i>Forficula auricularia</i>	European earwig
<i>Galleria mellonella</i>	Wax worm or bee moth
<i>Gerris spp. spp.</i>	Water striders
<i>Grapholita molesta</i>	Oriental fruit moth
<i>Gromphadorhina portentosa</i>	Hissing cockroach
<i>Gromphadorhina spp. spp.</i>	Hissing cockroach
<i>Grylloblattodea</i>	Rock crawlers
<i>Grylloides sigillatus</i>	Tropical house cricket
<i>Gryllus sp. spp.</i>	Common black field cricket
<i>Gyrinidae Gyrinidae</i>	Whirligig beetles
<i>Helicoverpa zea</i>	Corn earworm
<i>Heliothis virescens</i>	Tobacco budworm
<i>Heliothrips haemorrhoidalis</i>	Greenhouse thrips
<i>Hermetia illucens</i>	Black soldier fly
<i>Hippodamia convergens</i>	Convergent ladybird beetle
<i>Hyalophora euryalis</i>	Ceanothus silk moth
<i>Hydrophilus triangularis</i>	Giant black water beetle
<i>Hyles lineata</i>	White-lined sphinx
<i>Iris oratoria</i>	Iris mantid
<i>Lasioderma sericeorne</i>	Cigarette beetle
<i>Lepisma saccharina</i>	Silverfish
<i>Limenitis ((Basilarchia)) lorquini</i>	Lorquin's admiral
<i>Linepithema humile</i>	Argentine ant
<i>Lucanidae Lucanidae</i>	Stag beetles
<i>Lygaeus kalmii</i>	Small milkweed bug
<i>Lygus Hhesperus</i>	Western tarnished plant bug
<i>Lygus lineolaris</i>	Tarnished plant bug
<i>Manduca quinquemaculata</i>	Tomato hornworm
<i>Manduca sexta</i>	Tobacco hornworm
<i>Mantis religiosa</i>	European mantid
<i>Mecoptera Mecoptera</i>	Scorpionflies
<i>Megachile rotundata</i>	Leaf cutter bees
<i>MegalopteraMegaloptera</i>	Alderflies, dobsonflies
<i>Microcentrum rhombifolium</i>	Angelwinged katydid
<i>Microthelphohonida</i>	Whip scorpions

<i>Murgantia histrionica</i>	Harlequin bug
<i>Musca domestica</i>	House fly
<i>Mutillidae</i> <u>Mutillidae</u>	Velvet ants
<i>Myrmelontidae</i>	Antlions
<i>Myrmeliontidae</i>	
<i>Myzus persicae</i>	Green peach aphid
<i>Nauphoeta cinerea</i>	Lobster roach
<i>Neophasia menapia</i>	Pine white
<i>Nomia melanderi</i>	Alkali bees
<i>Notonectidae</i> <u>Notonectidae</u>	Backswimmers
<i>Nymphalis antiopa</i>	Mourning cloak butterfly
<i>Odonata</i> <u>Odonata</u>	Damselflies, dragonflies
<i>Oncopeltus fasciatus</i>	Large milkweed bug
<i>Opiliones</i>	Harvestmen
<i>Oryzaephilus mercator</i>	Merchant grain beetle
<i>Oryzaephilus surinamensis</i>	Sawtoothed grain beetle
<i>Pandemis pyrusana</i>	Pandemis leafroller
<i>Papilio cresphontes</i>	Orange dog butterfly
<i>Papilio eurymedon</i>	Pale swallowtail
<i>Papilio multicaudata</i>	Two-tailed swallowtail
<i>Papilio rutulus</i>	Western tiger swallowtail
<i>Papilio zelicaon</i>	Anise swallowtail
<i>Parnassius clodius</i>	Clodius Parnassian
<i>Pauropoda</i> <u>Pauropoda</u>	Pauropods
<i>Pedipalpida</i> <u>Pedipalpida</u>	Whip scorpions
<i>Periplaneta americana</i>	American cockroach
<i>Phaenicia cuprina</i>	Greenbottle flies
<i>Phaenicia pallescens</i>	Greenbottle flies
<i>Phaenicia sericata</i>	Greenbottle flies
<i>Phalangida</i>	Harvestman
<i>Phoebis sennae</i>	Cloudless sulfur
<i>Phormia regina</i>	Black blow fly
<i>Phthorimaea operculella</i>	Potato tuberworm
<i>Phyciodes campestris</i>	Field crescent
<i>Phyciodes mylitta</i>	Mylitta crescent
<i>Pieris ((Pontia)) protodice</i>	Cheekered white
<i>Plebejus acmon</i>	Acmon blue
<i>Plecoptera</i> <u>Plecoptera</u>	Stoneflies
<i>Plodia interpunctella</i>	Indian meal moth
<i>Plutella xylostella</i>	Diamondback moth
<i>Pogonomyrmex californicus</i>	Harvester ants

<i>Polygonia satyrus</i>	Satyr anglewing
<i>Polygonia zephyrus</i>	Zephyr anglewing
<i>Polystoechotidae</i>	Giant lacewings
<i>Polystoechotidae</i>	
<i>Precis coenia</i>	Buckeye butterfly
<i>Protura</i> <u>Protura</u>	Proturans
<i>Pseudaletia unipunctata</i>	Armyworm
<i>Pseudoplusia includens</i>	Soybean looper
<i>Pulex irritans</i>	Human flea
<i>Pyralis farinalis</i>	Meal moth
<i>Pyrgus communis</i>	Common checkered skipper
<i>Raphidoptera</i> <u>Rhaphidoptera</u>	Snakeflies
<i>Rhagoletis completa</i>	Walnut husk fly
<i>Rhyzopertha dominica</i>	Lesser grain borer
<i>Sarcophaga haemorrhoidalis</i>	Flesh fly
<i>Schizopeltida</i> <u>Schizopeltida</u>	Whip scorpions
<i>Sitotroga cerealella</i>	Angoumois grain moth
<i>Solpugida</i> <u>Solpugida</u>	Wind scorpions
<i>Spodoptera exigua</i>	Beet armyworm
<i>Spodoptera frugiperda</i>	Fall armyworm
<i>Stagomantis carolina</i>	Carolina mantid
<i>Stagomantis limbata</i>	Limbatid mantid
<i>Stegobium paniceum</i>	Drugstore beetle
<i>Stenopelmatus spp.</i> <u>spp.</u>	Jerusalem crickets
<i>Stomoxys calcitrans</i>	Stable fly
<i>Strepsiptera</i> <u>Strepsiptera</u>	Twisted-wing parasites
<i>Symphyla</i> <u>Symphyla</u>	Symphylids
<i>Tenebrio molitor</i>	Mealworms
<i>Tenebrio obscurus</i>	Mealworms
<i>Tenodera aridifolia sinensis</i>	Chinese mantid
<i>Tenodera angustipennis</i>	Tenodera mantid
<i>Tetranychus urticae</i>	Twospotted spider mite
<i>Thermobia domestica</i>	Firebrat
<i>Timemidae</i> <u>Timemidae</u>	Timemas
<i>Tineola biselliella</i>	Webbing clothes moth
<i>Trialeurodes vaporariorum</i>	Greenhouse whitefly
<i>Tribolium castaneum</i>	Red flour beetle
<i>Tribolium confusum</i>	Confused flour beetle
<i>Trichoplusia ni</i>	Cabbage looper
<i>Trichoptera</i> <u>Trichoptera</u>	Caddisflies
<i>Trogoderma variabile</i>	Warehouse beetle

<i>Vanessa annabella</i>	West coast lady
<i>Vanessa atalanta</i>	Red admiral butterfly
<i>Vanessa cardui</i>	Painted lady butterfly
<i>Vanessa virginiensis</i>	American painted lady
<i>Zootermopsis angusticollis</i>	Pacific dampwood termite
<i>Zophobas atratus</i>	Large mealworm
<i>Zophobas morio</i>	Superworm
<i>Zoraptera Zoraptera</i>	Zorapterans

~~(b) Insects and other organisms native to California for which a permit has been issued for unrestricted movement and use in California: See list at https://www.cdfa.ca.gov/plant/insects_other_anthropods/Insects_organisms_with_permit.html~~

~~(c) Insects that have been previously released under state permit in California for biological control of insect, weed, or other types of pests: See list at https://www.cdfa.ca.gov/plant/insects_other_anthropods/Insects_previously_released.html~~

~~(b)(d)(b)~~ Groups of insects for which a permit is not required when the insect species under consideration is of common occurrence in California.

- (1) Predacious species of beetles of the family Coccinellidae.
- (2) Predacious species of flies of the family Syrphidae.
- (3) Predacious species of Neuropterous insects of the family Chrysopidae.
- (4) Parasitic species of flies of the family Tachinidae.
- (5) Parasitic species of Hymenopterous insects of the families: Ichneumonidae, Braconidae, Aphelinidae, Chalcididae, Scelionidae, and Trichogrammatidae.
- ~~(6) Insects that have been introduced and previously released in California for biological control of insect, weed, or other types of pests.~~

NOTE: Authority cited: Sections 407 and 5302, Food and Agricultural Code. Reference: Section 6305, Food and Agricultural Code.