

**Note:** Originally proposed changes are indicated in single underline for additions and ~~single strikethrough~~ for deletions. Changes proposed in this modified regulation text are indicated in double underline for additions and ~~double strikethrough~~ for deletions.

**Amend Section 3591.30. Queensland fruit fly Eradication Area.**

...

(b) Hosts.

(1) All fruit, vegetables, pericarp of nuts, seeds, or berries of the following:

Scientific Name	Common Name
<i>Acca sellowiana</i> (O. Berg) Burret	pineapple guava
<del><i>Actinidia deliciosa</i> (A. Chev.) C.F. Liang &amp; A.R. Ferguson</del>	Kiwifruit
<i>Anacardium occidentale</i> L.	Cashew
<del><i>Annona cherimola</i> Mill.</del>	<del>Cherimoya</del>
<i>Annona muricata</i> L.	Soursop
<i>Annona reticulata</i> L.	bullock's heart
<del><i>Annona</i> sp.</del>	
<i>Annona squamosa</i> L.	Custard-apple
<i>Artocarpus altilis</i> (Parkinson) Fosberg	Breadfruit
<i>Artocarpus heterophyllus</i> Lam.	Jackfruit
<del><i>Asimina triloba</i> (L.) Dunal</del>	<del>Pawpaw</del>
<i>Averrhoa carambola</i> L.	Carambola
<del><i>Barringtonia asiatica</i> (L.) Kurz</del>	<del>fish killer tree</del>
<i>Barringtonia edulis</i>	pau nut
<u><i>Butia capitata</i> (Mart.) Becc.</u>	<u>Jelly palm, pindo palm</u>
<u><i>Butia yatay</i> (Mart.) Becc.</u>	<u>Jelly palm, yatay palm</u>
<u><i>Calophyllum inophyllum</i> L.</u>	<u>Alexandrian laurel</u>

<i>Cananga odorata</i> (Lam.) Hook. f & Thomson	ylang ylang tree
<i>Canarium insulare</i>	<u>N/A</u>
<i>Canarium vulgare</i> Leenh.	Chinese olive
<i>Capsicum annuum</i> L.	chile/sweet pepper
<i>Carallia brachiata</i> (Lour.) Merr.	<u>Billabong-tree, carallowood, corkybark, freshwater mangrove</u>
<i>Carica papaya</i> L.	Papaya
<i>Casimiroa edulis</i> LaLlave & Lex.	white sapote
<i>Chrysophyllum cainito</i> L.	star apple
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	<u>Afghan-melon, bastard-melon, dessert watermelon, watermelon</u>
<i>Citrus aurantiifolia</i> (Christm.) Swingle	keys lime
<i>Citrus × aurantium</i> L. ( <i>Citrus</i> Sour Orange Group)	<u>Bitter orange, Seville orange, sour orange</u>
<i>Citrus × aurantium</i> L. var. <i>sinensis</i> L. (= <i>C. sinensis</i> )	<u>Blood orange, navel, navel orange, orange, sweet orange, Valencia orange</u>
<i>Citrus japonica</i> (Thunb.) Swingle	<u>Kumquat</u>
<i>Citrus latifolia</i> (Yu. Tanaka) Tanaka	Persian lime
<i>Citrus limon</i> (L.) Burm. F	Lemon
<i>Citrus maxima</i> (Burm.) Merr	Pomelo
<i>Citrus medica</i> L.	<u>Citron</u>
<i>Citrus × nobilis</i> Lour. ( <i>Citrus</i> Tangor Group) <sup>1</sup>	<u>King of Siam, king orange, tangor</u>
<i>Citrus × paradisi</i> Macfad.	Grapefruit
<i>Citrus reticulata</i> Blanco	Mandarin
<i>Citrus sinensis</i> (L.) Osbeck	<u>Orange</u>
<i>Citrus</i> spp.	<u>Orangequat, procimequat</u>
<del><i>Citrus × tangelo</i> J.W. Ingram &amp; H.E. Moore</del>	<del><u>Tangelo</u></del>
<i>Clivia miniata</i> (Lindl.) Regel	<u>Natal-lily, bush-lily</u>
<i>Coffea</i> sp.	Coffee

<u><i>Cryptocarya rigida</i> Meisn.</u>	<u>Brown-beech, forest-maple, pigeonberry-ash, rose-maple, rose-walnut</u>
<i>Cucurbita pepo</i> L.	acorn squash
<i>Cydonia oblonga</i> Mill.	Quince
<u><i>Davidsonia pruriens</i> F. Muell</u>	<u>Davidsonia-plum, Davidson's plum</u>
<del><i>Dimocarpus longan</i> Lour.</del>	<del>Longan</del>
<i>Diospyros bicolor</i> (= <i>D. mespiliformis</i> )	Jackalberry
<del><i>Diospyros digyna</i> Jacq.</del>	<del>black sapote</del>
<i>Diospyros kaki</i> Thunb.	Japanese persimmon
<i>Diospyros mespiliformis</i> Hochst. Ex A. DC.	Jackalberry
<del><i>Diospyros</i> sp.</del>	<del>Persimmon</del>
<u><i>Drypetes deplanchei</i> (Brongn. &amp; Gris) Merr. incl. (<i>D. australasica</i>)</u>	<u>Yellow tulip-tree</u>
<del><i>Durio zibethinus</i> L.</del>	<del>Durian</del>
<u><i>Endiandra</i> spp.</u>	<u>Walnut-laurel</u>
<i>Eriobotrya japonica</i> (Thunb. Lindl.)	Loquat
<i>Eugenia brasiliensis</i> Lam	Brazil-cherry
<i>Eugenia uniflora</i> L.	Surinam-cherry
<u><i>Fagraea berteriana</i> var. <i>sair</i> (Gilg &amp; Benedict) Fosberg</u>	<u>Pua keni keni, perfume flower tree</u>
<i>Ficus carica</i> L.	common fig
<u><i>Ficus coronata</i> Spin</u>	<u>Creek fig, creek sandpaper fig, sandpaper fig</u>
<u><i>Ficus macrophylla</i> Pers.</u>	<u>Australian banyan, black fig, Moreton Bay fig</u>
<i>Ficus pancheriana</i> Bureau	Pancher's fig
<del><i>Ficus</i> sp.</del>	<del>Fig</del>
<del><i>Fortunella japonica</i> (Thunb.) Swingle</del>	<del>round kumquat</del>
<i>Fragaria x ananassa</i> Duchesne ex Rozier	garden strawberry
<i>Fragaria vesca</i> L.	European strawberry
<del><i>Garcinia mangostana</i> L.</del>	<del>Mangosteen</del>

<u><i>Gossypium hirsutum</i> L.</u>	<u>American cotton, American upland cotton, cotton, upland cotton</u>
<i>Hernandia cordigera</i> Vieill.	Bois bleu
<i>Hylocereus undatus</i> (Haw.) Britton & Rose	dragon fruit
<i>Inocarpus fagiferus</i> (Parkinson) Fosberg	Tahiti chestnut
<u><i>Juglans regia</i> L.</u>	<u>English walnut, Madeira walnut, Persian walnut, walnut</u>
<i>Litchi chinensis</i> Sonn.	Litchi
<u><i>Maclura cochinchinensis</i> (Lour.) Corner</u>	<u>Cockspurthorn</u>
<u><i>Maclura pomifera</i> (Raf.) C.</u>	<u>Bow-wood, hedge-apple, osage-orange</u>
<i>Malpighia glabra</i> L.	Acerola
<i>Malus domestica</i> Borkh.	Apple
<i>Mangifera indica</i> L.	Mango
<i>Manilkara zapota</i> (L.) P. Royen	Sapodilla
<i>Mimusops elengi</i> L.	Medlar
<i>Morinda citrifolia</i> L.	canary wood
<i>Morus alba</i> L.	Russian mulberry
<u><i>Morus nigra</i> L.</u>	<u>Black mulberry</u>
<i>Musa x paradisiaca</i> L.	edible banana
<i>Musa</i> sp.	Banana
<i>Musa troglodytarum</i> L.	fe'i banana
<i>Nephelium lappaceum</i> L.	Rambutan
<u><i>Opuntia</i> spp.</u>	<u>prickly-pear</u>
<i>Opuntia ficus-indica</i> (L.) Mill.	mission prickly-pear
<i>Passiflora edulis</i> Sims	Passionfruit
<u><i>Passiflora foetida</i> L.</u>	<u>Love-in-a-mist passionflower, mossy passionflower, running pop, stinking granadilla, stinking passionflower, stinking passionfruit, wild passionfruit</u>
<i>Passiflora laurifolia</i> L.	yellow granadilla

<i>Passiflora quadrangularis</i> L.	giant granadilla
<i>Passiflora subpeltata</i> Ortega	<u>Granadina, white passionflower, white passionfruit, wild passionfruit, wild passionvine</u>
<i>Persea americana</i> Mill.	Avocado
<i>Phoenix dactylifera</i> L.	date palm
<i>Phyllanthus acidus</i> (L.) Skeels	gooseberry tree
<i>Physalis peruviana</i> L.	cape gooseberry
<i>Planchonella sphaerocarpa</i> (Baill.) Dubard	
<i>Plinia cauliflora</i> (Mart.) Kausel	Brazilian grapetree
<i>Pometia pinnata</i> J.R. Forst. & G. Forst.	Pacific lychee
<i>Pouteria caimito</i> (Ruiz & Pav.) Radlk.	Caimito
<del><i>Prunus americana</i> Marshall</del>	<del>American plum</del>
<i>Prunus armeniaca</i> L.	Apricot
<i>Prunus avium</i> (L.) L.	sweet cherry
<i>Prunus cerasifera</i> Ehrh.	<u>Cherry plum, myrobalan plum</u>
<i>Prunus</i> × <i>dasycarpa</i> Ehrh.	<u>Purple apricot</u>
<i>Prunus</i> × <i>domestica</i> L.	European plum
<i>Prunus domestica</i> (L.) sub spp. <i>domestica</i>	<u>European plum, garden plum, plum, prune plum,</u>
<i>Prunus persica</i> (L.) Batsch	Peach, Nectarine
<i>Prunus</i> × <i>persicoides</i> (Ser.) M. Vilm. & Bois	<u>Almond-peach</u>
<i>Prunus salicina</i> Lindl.	<u>Japanese plum, Chinese plum</u>
<i>Prunus simonii</i> Carriere	apricot plum
<i>Psidium acutangulum</i> DC.	
<i>Psidium cattleianum</i> Sabine	cattley guava
<i>Psidium cattleianum</i> Sabine var. <i>littorale</i> (Raddi) Fosberg	strawberry guava
<del><i>Psidium friedrichsthalianum</i> (O. Berg) Nied.</del>	<del>Costa Rican guava</del>
<i>Psidium guajava</i> L.	Guava

<i>Punica granatum</i> L.	pomegranate
<i>Pyraluma sphaerocarpum</i> (Baill.) Aubrev	
<i>Pyrus communis</i> L.	Pear
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai	<u>Asian pear, Chinese pear, Chinese sand pear, Japanese pear, nashi, nashi pear, Oriental pear, sand pear</u>
<i>Pyrus pyrifolia</i> (Burm. F.) Nakai var. <i>culta</i> (Makino) Nakai	Asian pear
<i>Rauwenhoffia leichhardtii</i> Diels	<u>N/A</u>
<i>Rosa</i> spp.	<u>Rose</u>
<i>Rubus fruticosus</i> auct. Aggr.	European blackberry
<i>Rubus idaeus</i> L.	Raspberry
<i>Rubus xloganobaccus</i> L.H. Bailey	Loganberry
<i>Sandoricum koetjape</i> (Burm.f.) Merr.	Santol
<i>Solanum betaceum</i> Cav.	tree tomato
<i>Solanum lycopersicum</i> L.	Tomato
<i>Solanum mauritianum</i> Scop.	Bugtree
<i>Solanum melongena</i> L.	Eggplant
<i>Solanum muricatum</i> Aiton	Pepino
<i>Solanum seaforthianum</i> Andrews	<u>Black nightshade, Brazilian nightshade, climbing nightshade, Italian-jasmine, potato-creeper, St. Vincent-lilac</u>
<i>Spondias dulcis</i> Sol. Ex Parkinson	Juneplum
<i>Spondias mombin</i> L.	hog plum
<i>Synsepalum dulcificum</i> (Schumach.) Daniell	miracle fruit
<i>Syzygium cumini</i> (L.) Skeels	jambolana
<i>Syzygium jambos</i> (L.) Alston	Rose-apple
<i>Syzygium malaccense</i> (L.) Merr. & L.M. Perry	Malay-apple
<i>Syzygium paniculatum</i> Gaertn.	<u>Magenta lilly-pilly</u>

<i>Syzygium samarangense</i> (Blume) Merr. & L.M. Perry	Java-apple
<i>Syzygium smithii</i> (Poir.) Nied.	Lilly-pilly, monkey-apple
<i>Terminalia catappa</i> L.	tropical almond
<i>Terminalia muelleri</i> Benth.	Australian-almond
<i>Thevetia peruviana</i> (Pers.) K. Schum	yellow oleander
<del><i>Uvaria (Rauwenhoffia) leichhardtii</i> Diels</del>	<del>Zig-zag vine</del>
<i>Vaccinium corymbosum</i> L.	blueberry
<i>Vaccinium</i> spp.	Blueberry
<i>Vasconcellea x heilbornii</i> (V.M. Badillo) V.M. Badillo	Babaco
<i>Vitis vinifera</i> L.	European-Common grape
<i>Ximenia americana</i> L.	false sandalwood
<i>Ziziphus jujuba</i> Mill.	Chinese jujube
<i>Ziziphus mauritiana</i> Lam.	Chinese-apple

...

Authority cited: Sections 407 and 5322, Food and Agricultural Code.

Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.