

In Title 3, Division 4, Chapter 4, amend Section 3700 Subsection (c) to read:

Section 3700. Oak Mortality Disease Control.

(c) Articles and Commodities Covered. The following are declared to be hosts or potential carriers of the pest:

(1) Plants and plant parts (except acorns or seed and a * includes the bole) of:

Acer macrophyllum (bigleaf maple)

Acer pseudoplatanus (planetree maple)*

Adiantum aleuticum (Western maidenhair fern)

Adiantum jordanii (California maidenhair fern)

Aesculus californica (California buckeye)

Aesculus hippocastanum (horse chestnut)*

Arbutus menziesii (madrone)

Arctostaphylos manzanita (manzanita)

Calluna vulgaris (Scotch heather)

Camellia spp. (includes all species, hybrids and cultivars)

Castanea sativa (sweet chestnut)

Cinnamomum camphora (camphor tree)

Fagus sylvatica (European beech)*

Frangula californica (= *Rhamnus californica*) (California coffeeberry)

Frangula purshiana (= *Rhamnus purshiana*) (cascara)

Fraxinus excelsior (European ash)*

Griselinia littoralis (Griselinia)

Hamamelis virginiana (witch hazel)

Heteromeles arbutifolia (Toyon or Christmas berry)

Kalmia spp. (includes all species, hybrids and cultivars)

Laurus nobilis (bay laurel)

Lithocarpus densiflorus (tanoak)*

Lonicera hispidula (California honeysuckle)

Magnolia doltsopa (= *Michelia doltsopa*) (Michelia)

Maianthemum racemosum (= *Smilacina racemosa*, false
Solomon's seal)

Parrotia persica (Persian ironwood)

Photinia fraseri (red tip or Fraser's photinia)

Pieris spp. (includes all species, hybrids and cultivars)

Pseudotsuga menziesii var. *menziesii* and all nursery grown *P.*
menziesii (Douglas-fir)

Quercus agrifolia (coast live oak)*

Quercus cerris (European turkey oak)*

Quercus chrysolepis (canyon live oak)*

Quercus falcata (Southern red oak)*

Quercus ilex (Holm oak)

Quercus kelloggii (California black oak)*

Quercus parvula var. *shrevei* and all nursery grown *Q. parvula*
(Shreve's oak)*

Rhododendron species (azaleas and rhododendrons)

Rosa gymnocarpa (wood rose)

Salix caprea (goat willow)

Sequoia sempervirens (coast redwood)

Syringa vulgaris (lilac)

Taxus baccata (European yew)

Trientalis latifolia (Western star flower)

Umbellularia californica (California bay laurel)

Vaccinium ovatum (huckleberry)

Viburnum spp. (All species of viburnum);

(2) Associated articles (nursery stock) of the following plants:

Abies concolor (white fir)

Abies grandis (grand fir)

Abies magnifica (red fir)

Acer circinatum (vine maple)
Acer davidii (striped bark maple)
Acer laevigatum (evergreen maple)
Arbutus unedo (strawberry tree)
Arctostaphylos columbiana (manzanita)
Arctostaphylos uva-ursi (Kinnikinnick)
Ardisia japonica (Ardisia)
Berberis diversifolia (= *Mahonia aquifolium*) (Oregon grape)
Calycanthus occidentalis (spicebush)
Castanopsis orthacantha (Castanopsis)
Ceanothus thyrsiflorus (blue blossom)
*Cercis chinense*s (Chinese redbud)
Choisya ternate (Mexican orange)
~~*Cinnamomum camphora* (camphor tree)~~
Clintonia andrewsiana (Andrew's clintonia bead lily)
Cornus kousa (Kousa dogwood)
Cornus kousa x *Cornus capitata* (Cornus Norman Haddon)
Corylopsis spicata (spike winter hazel)
Corylus cornuta (California hazelnut)
Daphniphyllum glaucescens
Distylium myricoides (myrtle-leafed distylium)
Drimys winteri (Winter's bark)
Dryopteris arguta (California wood fern)
Eucalyptus haemastoma (Scribbly gum)
Euonymus kiautschovicus (spreading euonymus)
Fraxinus latifolia (Oregon ash)
Garrya elliptica (silk tassel tree, coast silk tassel)
Gaultheria shallon (salal, Oregon wintergreen)
Hamamelis x *intermedia* [(*H. mollis* and *H. japonica*) (hybrid -
 witchhazel)]

Hamamelis mollis (Chinese witch-hazel)
Ilex aquifolium (European holly)
Ilex cornuta (Buford holly, Chinese holly, horned holly)
Ilex purpurea (Oriental holly)
Illicium parviflorum (yellow anise)
Kalmia angustifolia (sheep laurel)
Larix kaempferi (Japanese larch)
Leucothoe axillaries (fetter-bush, dog hobble)
Leucothoe fontanesiana (drooping leucothoe)
Lithocarpus glaber (Japanese oak)
Loropetalum chinense (Loropetalum)
Magnolia cavaleri (Michelia)
Magnolia denudata (lily tree)
Magnolia denudata x *salicifolia* (magnolia)
Magnolia ernestii (= *Michelia wilsonii*) (Michelia)
Magnolia figo (banana shrub)
Magnolia foveolata (Michelia)
Magnolia grandiflora (Southern magnolia)
Magnolia kobus (kobus magnolia)
Magnolia liliiflora (= *M. quinquepeta*) (purple magnolia)
Magnolia maudiae (= *Michelia maudiae*) (Michelia)
Magnolia salicifolia (= *M. proctoriana*) (anise magnolia)
Magnolia stellata (star magnolia)
Magnolia x *loebneri* (Loebner magnolia)
Magnolia x *soulangeana* (saucer magnolia)
Magnolia x *thompsoniana* (*M. tripetala* and *M. virginiana*)
(magnolia)
Mahonia nervosa (creeping Oregon grape)
Manglietia insignis (red lotus tree)
Molinadendron sinaloense

Nerium oleander (oleander)
Nothofagus obliqua (Roble beech)
Osmorhiza berteroi (sweet Cicely)
Osmanthus delavayi (Delavay Osmanthus)
Osmanthus decorus [(=*Phillyrea decora*; =*P. vilmoriniana*)
(Osmanthus)]
Osmanthus fragrans (sweet olive)
Osmanthus heterophyllus (holly olive)
Parakmeria lotungensis (Eastern joy lotus tree)
Physocarpus opulifolius (ninebark)
Pittosporum undulatum (Victorian box)
Prunus laurocerasus (English laurel)
Prunus lusitanica (Portuguese laurel cherry)
Pyracantha koidzumii (Formosa firethorn)
Quercus acuta (Japanese evergreen oak)
Quercus petraea (Sessile oak)
Quercus rubra (Northern red oak)
Ribes laurifolium (bayleaf currant)
Rosa -cultivars: Royal Bonica (tagged: "MEImodac"), Pink
Meidiland (tagged: "MEIpoque"), Pink Sevillana (tagged:
"MEIgeroka")
Rosa rugosa (rugosa rose)
Rubus spectabilis (salmonberry)
Schima wallichii (Chinese guger tree)
Taxus brevifolia (Pacific yew)
Taxus x media (Yew)
Torreya californica (California nutmeg)
Toxicodendron diversilobum (poison oak)
Trachelospermum jasminoides (star jasmine, Confederate
jasmine)

Vaccinium myrtillus (bilberry)

Vaccinium vitis-idaea (cowberry, lingon berry, mountain cherry)

Vancouveria planipetala (Redwood ivy)

Veronica spicata, syn. *Pseudolysimachion spicatum*

(spiked speedwell)

(3) Unprocessed wood and wood products (including but not limited to bark chips, mulch and firewood- except when completely free of bark) of the plants listed in paragraph (c)(1) as bole hosts and plant products of the plants in paragraph (c)(1), including but not limited to dried or preserved wreaths;

(4) Any other product, article or means of conveyance when it is determined by the secretary, based upon generally accepted scientific principles, that it presents a risk of spreading the pest because it is a host or potential carrier of the pest.

continued

Note: Authority: Sections 407, 5321 and 5322, Food and Agricultural Code.

Reference: Sections 24.5, 5321 and 5322, Food and Agricultural Code.

February 10, 2012