

In Title 3, California Code of Regulations, amend Section 3899:

3899. Schedule I

(a) Agricultural Seeds*

Common name*	Botanical name
Alfalfa	<i>Medicago sativa</i> L. subsp. <i>sativa</i>
Alfilaria	<i>Erodium cicutarium</i> (L.) L'Her L'Hér.
Alyceclover	<i>Alysicarpus vaginalis</i> (L.) DC.
Amaranth	<i>Amaranthus</i> L. spp.
Bahiagrass	<i>Paspalum notatum</i> Fluegge <i>Flüggé</i>
Barley	<i>Hordeum vulgare</i> L. subsp. vulgare
Bean* as follows:	
Adzuki bean	<i>Vigna angularis</i> (Willd.) Ohwi & H. Ohashi
Bell bean: Horsebean, small seeded	
Blackeye or blackeyed bean: Cowpea	
Fava bean: Horsebean	
Field bean	<i>Phaseolus vulgaris</i> L. <u>var. vulgaris</u>
Garbanzo bean: Chickpea	
Lima bean	<i>P. lunatus</i> L.
Mat bean	<i>Vigna aconitifolia</i> (Jacq.) Marechal
Moth bean: Mat bean	
Mung bean	<i>V. radiata</i> (L.) R. Wilczek var. <i>radiata</i>
Rice bean	<i>V. umbellata</i> (Thunb.) Ohwi & H. Ohashi
Tepary bean	<i>Phaseolus acutifolius</i> A. Gray <u>var. acutifolius</u>
Windsor bean: Horsebean	
Beet* as follows:	
Field beet	<i>Beta vulgaris</i> L. subsp. <i>vulgaris</i>
Sugar beet	<i>B. vulgaris</i> L. subsp. <i>vulgaris</i>
Bentgrass as follows:	
Colonial bentgrass, including all cultivars	<i>Agrostis capillaris</i> L.
Creeping bentgrass	<i>A. stolonifera</i> L.
Seaside bentgrass: Creeping bentgrass	
Velvet bentgrass	<i>A. canina</i> L.
Bermudagrass as follows:	
Bermudagrass	<i>Cynodon dactylon</i> (L.) Pers. var. <i>dactylon</i>
Giant bermudagrass	<i>C. dactylon</i> (L.) Pers. var. <i>aridus</i> <u>J.R.</u> Harlan & de Wet
Bluegrass as follows:	
Annual bluegrass	<i>Poa annua</i> L.
Big bluegrass	<i>P. secunda</i> J.S. Presl.
Bulbous bluegrass	<i>P. bulbosa</i> L.
Canada bluegrass	<i>P. compressa</i> L.
Kentucky bluegrass	<i>P. pratensis</i> L.
Nevada bluegrass	<i>P. secunda</i> J.S. Presl.
Rough bluegrass	<i>P. trivialis</i> L.
Texas bluegrass	<i>P. arachnifera</i> Torr.

Winter bluegrass: Bulbous bluegrass	
Wood bluegrass	<i>P. nemoralis</i> L.
Bluestem as follows:	
Big bluestem	<i>Andropogon gerardii</i> Vitman
Little bluestem	<i>Schizachyrium scoparium</i> (Michx.) Nash
Sand bluestem	<i>Andropogon Hhallii</i> Hack.
Yellow bluestem	<i>Bothriochloa ischaemum</i> (L.) Keng var. <i>ischaemum</i>
Broadbean: Horsebean	
Broomcorn: Sorghum	
Broom millet: Proso millet	
Brome as follows:	
Blando brome: Soft chess	
California brome	<i>Bromus carinatus</i> Hook. & Arn. var. <i>carinatus</i>
Harlan brome	<i>B. stamineus</i> Desv. <i>B. catharticus</i> Vahl var. <i>elatus</i> (É. Desv.) Planchuelo
Mountain brome	<i>B. marginatus</i> Nees ex Steud. <i>B. carinatus</i> Hook. & Arn. var. <i>marginatus</i> (Steud.) Barkworth & Anderton
Prairie brome: Rescuegrass	
Smooth brome	<i>B. inermis</i> Leyss
Broomcorn: Sorghum	
Broom millet: Proso millet	
Buckwheat as follows:	
Common buckwheat	<i>Fagopyrum esculentum</i> Moench
Tartary buckwheat	<i>F. tataricum</i> (L.) Gaertn.
Buffalograss	<i>Buchloe</i> <i>Bouteloua dactyloides</i> (Nutt.) Engelm. Columbus
Burclover as follows:	
California burclover	<i>Medicago polymorpha</i> L.
Spotted burclover	<i>M. arabica</i> (L.) Huds.
Burnet, little	<i>Sanguisorba minor</i> Scop.
Canarygrass	<i>Phalaris canariensis</i> L.
Cane: Sorghum	
Carpetgrass	<i>Axonopus fissifolius</i> (Raddi) Kuhlms.
Castorbean	<i>Ricinus communis</i> L.
Charlock: Field mustard	
Chess, soft	<i>Bromus hordeaceus</i> L.
Chickpea	<i>Cicer arietinum</i> L.
Clover as follows:	
Alsike clover	<i>Trifolium hybridum</i> L.
Berseem clover	<i>T. alexandrinum</i> L.
Cluster clover	<i>T. glomeratum</i> L.
Crimson clover	<i>T. incarnatum</i> L.
Egyptian clover: Berseem clover	
Hop clover: suckling clover	
Large hop clover	<i>T. campestre</i> Schreb.
Low hop clover: Large hop clover	
Small hop clover: Suckling clover	
Ladino clover : white clover	<i>T. repens</i> L.
Lappa clover	<i>T. lappaceum</i> L.

Persian clover	<i>T. resupinatum</i> L.
Red clover	<i>T. pratense</i> L.
Rose clover	<i>T. hirtum</i> All.
Strawberry clover	<i>T. fragiferum</i> L.
Subclover	<i>T. subterraneum</i> L.
Subterranean clover: Sub clover	
Suckling clover	<i>T. dubium</i> Sibth.
White clover	<i>T. repens</i> L.
Corn* as follows:	
Corn	<i>Zea mays</i> L. <u>subsp. mays</u>
Popcorn	<i>Z. mays</i> L. <u>subsp. mays</u>
Egyptian corn: Sorghum	
Cotton	<i>Gossypium</i> L. spp.
Cowpea*	<i>Vigna unguiculata</i> (L.) Walp. subsp. <i>unguiculata</i>
Dallisgrass	<i>Paspalum dilatatum</i> Poir.
Dichondra	<i>Dichondra repens</i> J.R. Forst. & G. Forst.f
Dogtail, crested	<i>Cynosurus cristatus</i> L.
Dropseed, sand	<i>Sporobolus cryptandrus</i> (Torr.) A. Gray
Durra: Sorghum	
Fenugreek	<i>Trigonella foenum-graecum</i> L.
Fescue as follows:	
Chewings fescue	<i>Festuca rubra</i> L. subsp. <i>commutata</i> Gaud.
Creeping or creeping red fescue: Red fescue	
Hard fescue	<i>F. brevipila</i> Tracey
Meadow fescue	<i>F. pratensis</i> Huds.
Red fescue	<i>F. rubra</i> L. subsp. <i>rubra</i>
Sheep fescue	<i>F. ovina</i> L. var. <i>ovina</i>
Tall fescue	<i>F. arundinacea</i> Schreb.
Feterita: Sorghum	
Filaree as follows:	
Broadleaf filaree	<i>Erodium botrys</i> (Cav.) Bertol.
Redstem filaree: Alfilaria	
Whitestem filaree	<i>E. moschatum</i> (L.) L'Her L'Hér.
Flax	<i>Linum usitatissimum</i> L.
Foxtail, meadow	<i>Alopecurus pratensis</i> L.
Garbanzo: Chickpea	
Goatnut: Jojoba	
Gramma as follows:	
Blue grama	<i>Bouteloua gracilis</i> (Kunth) Lag. ex Griffiths
Side-oats grama	<i>B. curtipendula</i> (Michx.) Torr.
Grasspea	<i>Lathyrus sativus</i> L.
Guar	<i>Cyamopsis tetragonoloba</i> (L.) Taubert
Guayule	<i>Parthenium argentatum</i> A. Gray
Guineagrass	<i>Panicum maximum</i> Jacq. var. <i>maximum</i> <i>Megathyrsus maximus</i> (Jacq.) B. K. Simon & S. W. L. Jacobs
Hardinggrass	<i>Phalaris aquatica</i> (L.)
Hemp**: Industrial Hemp	

Heron's bill: Alfilaria	
Horsebean* as follows:	
Horsebean*	<i>Vicia faba</i> L.
Horsebean, small seeded	<i>V. faba</i> L.
Indiangrass, yellow	<i>Sorghastrum nutans</i> (L.) Nash
<u>Industrial Hemp**</u>	<i>Cannabis sativa</i> (L.)
Jojoba	<i>Simmondsia chinensis</i> (Link) C. Schneider
Kafir-corn: Sorghum	
Lentil	<i>Lens culinaris</i> Medik.
Lespedeza as follows:	
Chinese lespedeza: Sericea lespedeza	
Common lespedeza: Striate lespedeza	
Korean lespedeza	<i>Kummerowia stipulacea</i> (Maxim.) Makino
Sericea lespedeza	<i>Lespedeza cuneata</i> (Dum.Cours.) G. Don
Siberia lespedeza	<i>L. juncea</i> (L. f.) Pers.
Striate lespedeza	<i>Kummerowia striata</i> (Thunb.) Schindler
Lotus: Trefoil	
Lovegrass as follows:	
Boer lovegrass	<i>Eragrostis curvula</i> (Schrader) Nees
Lehmann lovegrass	<i>E. lehmanniana</i> Nees
Sand lovegrass	<i>E. trichodes</i> (Nutt.) Alph. Wood
Weeping lovegrass	<i>E. curvula</i> (Schrader) Nees
Lupine* as follows:	
Blue lupine	<i>Lupinus angustifolius</i> L.
White lupine	<i>L. albus</i> L.
Yellow lupine	<i>L. luteus</i> L.
Maize: Corn	
Mangel: Field beet	
Medick as follows:	
Black medick	<i>Medicago lupulina</i> L.
Spotted medick: Spotted burclover	
Millet as follows:	
African millet	<i>Eleusine coracana</i> (L.) Gaertn.
Broomcorn millet: Proso millet	
Foxtail millet	<i>Setaria italica</i> (L.) P. Beauv.
Hog millet: Proso millet	
Japanese millet	<i>Echinochloa var. frumentacea</i> Link
Pearl millet	<i>Pennisetum glaucum</i> (L.) <i>Cenchrus americanus</i> (L.) Morrone
Proso millet	<i>Panicum miliaceum</i> L. R. Br.
Ragi millet: African millet	
Milo: Sorghum	
Molassesgrass	<i>Melinis minutiflora</i> P. Beauv.
Mustard* as follows:	
Black mustard	<i>Brassica nigra</i> (L.) Koch
Field mustard	<i>Sinapis arvensis</i> L.

India mustard	<i>Brassica juncea</i> (L.) Czernj. & Coss.
White mustard	<i>Sinapis alba</i> L.
Napiergrass	<i>Pennisetum purpureum</i> Schum. <i>Cenchrus purpureus</i> (Schumach.) Morrone
Natalgrass	<i>Rhynchelytrum repens</i> (Willd.) C.E. Hubb. <i>Melinis repens</i> (Willd.) Zizka
Needlegrass: Stipa	
Oatgrass, tall	<i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J.S. Presl & C. Presl
Oat	<i>Avena sativa</i> L., <i>A. byzantina</i> K. Koch & <i>A. nuda</i> L.
Oatgrass, tall	<i>Arrhenatherum elatius</i> (L.) P. Beauv. ex J.S. Presl & C. Presl.
Orchardgrass	<i>Dactylis glomerata</i> L.
Panicgrass as follows:	
Blue panicgrass	<i>Panicum antidotale</i> Retz.
Green panicgrass: Guineagrass	
Pea as follows:	
Field pea	<i>Pisum sativum</i> L.
Blackeye or blackeyed pea: Cowpea	
Peanut	<i>Arachis hypogaea</i> L.
Pigeonpea	<i>Cajanus cajan</i> (L.) Millsp. Huth
Pigweed: Amaranth	
Plantain, buckhorn	<i>Plantago lanceolata</i> L.
Popcorn: see Corn	
Poa trivialis: Rough bluegrass	
Rape as follows	
Annual rape	<i>Brassica napus</i> L. var. <i>napus</i> subsp. <i>napus</i> f. <i>annua</i> (Schübl. & G. Martens) Thell.
Annual turnip rape: Bird rape	
Bird rape	<i>B. rapa</i> L. subsp. <i>rapa</i>
Biennial turnip rape	<i>B. rapa</i> L. subsp. <i>rapa</i>
Turnip rape	<i>B. rapa</i> L. subsp. <i>silvestris</i> (Lam.) Janchen <i>oleifera</i> (DC.) Metzg.
Winter rape	<i>B. napus</i> L. var. <i>napus</i> subsp. <i>napus</i> f. <i>napus</i>
Redtop	<i>Agrostis gigantea</i> Roth
Rescuegrass	<i>Bromus catharticus</i> M. Vahl
Rhodesgrass	<i>Chloris gayana</i> Kunth
Rice	<i>Oryza sativa</i> L.
Ricegrass, Indian	<i>Achnatherum hymenoides</i> (Roem. & Schultes) Barkworth
Roughpea	<i>Lathyrus hirsutus</i> L.
Rye	<i>Secale cereale</i> L.
Ryegrass as follows:	
Annual ryegrass	<i>Lolium multiflorum</i> Lam.
Italian ryegrass: Annual ryegrass	
Intermediate ryegrass	<i>Lolium</i> × <i>hybridum</i> Hausskn.
Perennial ryegrass	<i>L. perenne</i> L.
Wimmera ryegrass	<i>L. rigidum</i> Gaud.
Safflower	<i>Carthamus tinctorius</i> L.
Sainfoin	<i>Onobrychis viciifolia</i> Scop.
Sesame	<i>Sesamum indicum</i> L.

Sesbania	<i>Sesbania exaltata</i> (Raf.) Rydb. ex A.W. Hill
Smilgrass	<i>Piptatherum miliaceum</i> (L.) Cossou <i>Oloptum miliaceum</i> (L.) Röser & Hamasha
Sorghum	<i>Sorghum bicolor</i> (L.) Moench
Sourclover	<i>Melilotus indicus</i> (L.) All.
Southernpea: Cowpea	
Soybean*	<i>Glycine max</i> (L.) Merr.
Stipa as follows:	
Nodding stipa	<i>Nassella cernua</i> (Stebbins & A. Löve) Barkworth
Purple stipa	<i>N. pulchra</i> (A. Hitchc.) Barkworth
Sudangrass	<i>Sorghum x drummondii</i> (Nees ex Steud.) Millsp. & Chase
Sulla	<i>Hedysarum coronarium</i> L.
Sunflower*	<i>Helianthus annuus</i> L.
Sweetclover as follows:	
White sweetclover	<i>Melilotus albus</i> Medik.
Yellow sweetclover	<i>M. officinalis</i> (L.) Lam.
Switchgrass	<i>Panicum virgatum</i> L.
Tangier-pea	<i>Lathyrus tingitanus</i> L.
Timothy	<i>Phleum pratense</i> L.
Tobacco	<i>Nicotiana tabacum</i> L.
Trefoil as follows:	
Big trefoil	<i>Lotus uliginosus</i> Schkuhr
Birdsfoot trefoil	<i>L. corniculatus</i> L.
Triticale	<i>x Triticosecale</i> Wittm. spp. (<i>Secale x Triticum</i>)
Vaseygrass	<i>Paspalum urvillei</i> Steud.
Veldtgrass	<i>Ehrharta calycina</i> J.E. Smith
<u>Velvetbean</u>	<i>Mucuna pruriens</i> (L.) DC. var. <i>utilis</i> (Wallich ex Wight) Baker ex Burck
Velvetgrass	<i>Holcus lanatus</i> L.
Vernalgrass as follows:	
Annual vernalgrass	<i>Anthoxanthum aristatum</i> Boiss.
Sweet vernalgrass	<i>A. odoratum</i> L.
Velvetbean	<i>Mucuna pruriens</i> (L.) DC. var. <i>utilis</i> (Wallich ex Wight) Baker ex Burck
Vetch as follows:	
Bard vetch	
Blackpod vetch: Narrowleaf vetch	
Calcarata vetch: Bard vetch	
Common vetch	<i>V. sativa</i> L. subsp. <i>sativa</i>
Hairy vetch	<i>V. villosa</i> Roth subsp. <i>villosa</i>
Hungarian vetch	<i>V. pannonica</i> Crantz
Monantha vetch	<i>V. articulata</i> Hornem.
Narrowleaf vetch	<i>V. sativa</i> L. subsp. <i>nigra</i> (L.) Ehrh.
Oneflower vetch: Monantha vetch	
Purple vetch	<i>V. benghalensis</i> L.
Single flower vetch: Monantha vetch	
Winter vetch	<i>V. villosa</i> Roth subsp. <i>varia</i> (Host) Corb.
Woollypod vetch: Winter vetch	

Wheat as follows:	
Common wheat	<i>Triticum aestivum</i> L.
Club wheat	<i>T. compactum</i> Host
Durum wheat	<i>T. durum</i> Desf.
Polish wheat	<i>T. polonicum</i> L.
Poulard wheat	<i>T. turgidum</i> L.
Wheat x Agrotriticum	<i>Triticum x Agrotriticum</i>
Wheatgrass as follows:	
Beardless wheatgrass	<i>Pseudoroegneria spicata</i> (Pursh) Á. Löve <u>A. Love</u>
Crested or fairway crested wheatgrass	<i>Agropyron cristatum</i> (L.) Gaertn.
Crested or standard crested wheatgrass	<i>A. desertorum</i> (Fischer ex Link) Schultes
Intermediate wheatgrass	<i>Thinopyrum intermedium</i> (Host) Barkw. & D.R. Dewey subsp. intermedia <u>intermedium</u>
Pubescent wheatgrass	<i>T. intermedium</i> (Host) Barkw. & D.R. Dewey subsp. intermedia <u>barbulatum</u> (Schur) Barkw. & D.R. Dewey
Siberian wheatgrass (Willd.) Meld.	<i>Agropyron fragile</i> (Roth) Candargy subsp. <i>sibiricum</i>
Slender wheatgrass	<i>Elymus trachycaulus</i> (Link) Gould ex Shinn. subsp. <i>trachycaulus</i>
Streambank wheatgrass	<i>E. lanceolatus</i> (Scribn. & J.G. Smith) Gould subsp. <i>lanceolatus</i>
Tall wheatgrass	<i>Thinopyrum ponticum</i> (Podp.) Z. W. Liu & R. C. Wang <u>Barkworth & D. R. Dewey</u>
Western wheatgrass	<i>Pascopyrum smithii</i> (Rydb.) A. Love <u>Barkworth & D. R. Dewey</u>
Wildrice, annual	<i>Zizania palustris</i> L.
Wildrye as follows:	
Canada wildrye	<i>Elymus canadensis</i> L.
Russian wildrye	<i>Psathyrostachys juncea</i> (Fischer) Nevski

** Industrial hemp” means a crop that is limited to types of the plant *Cannabis sativa* L., as defined in Section 81000 (d) of the Food and Agricultural Code and subject to the provisions of Division 24 of the Food and Agricultural Code and Title 3, subdivision 4, chapter 8 of the California Code of Regulations.