

Amend the following Title 3 of the California Code of Regulations Section:

§ 3406. Mediterranean Fruit Fly Interior Quarantine

(c) Commodities Covered.

(1) All fruit (including nuts and berries), vegetables (other than leafy types grown above ground), and the fruiting bodies of the plants listed herein in CCR 3591.5 (b) Mediterranean Fruit Fly Eradication Area. All these items that are infested or are exposed to infestation by Mediterranean fruit fly are declared a public nuisance. Unless proven otherwise, all cultivars, varieties, and hybrids of the plant species listed herein are considered suitable hosts of *Ceratitis capitata*.

<i>Scientific Name</i>	<i>Common Name</i>
<i>Acea sellowiana</i> (O. Berg) Burret	Pineapple guava
<i>Aeokanthera oppositifolia</i> (Lam.) Codd	Bushman's poison
<i>Aeokanthera schimperi</i> (A. DC.) Benth. & Hook. f. ex Schweinf.	Arrow poison tree
<i>Actinidia chinensis</i> Planch	Golden kiwifruit
<i>Actinidia deliciosa</i> (A. Chev.) C. F. Liang & A. R. Ferguson	Kiwifruit
<i>Anacardium occidentale</i> L.	Cashew
<i>Annona cherimola</i> Mill.	Cherimoya
<i>Annona muricata</i> L.	Soursop
<i>Annona reticulata</i> L.	Custard apple
<i>Annona senegalensis</i> Pers.	Wild custard apple
<i>Antiaris toxicaria</i> (Pers.) Lesch.	Sackingtree
<i>Antidesma venosum</i> E. Mey. ex Tul.	Tassel berry
<i>Arbutus unedo</i> L.	Strawberry tree
<i>Arenga pinnata</i> (Wurmb) Merr.	Sugar palm
<i>Argania spinosa</i> (L.) Skeels	Argantree
<i>Artabotrys monteiroae</i> Oliv.	N/A
<i>Artocarpus altilis</i> (Parkinson) Fosberg	Breadfruit
<i>Averrhoa bilimbi</i> L.	Bilimbi
<i>Averrhoa carambola</i> L.	Starfruit
<i>Azima tetracantha</i> Lam.	N/A
<i>Berberis holstii</i> Engl.	N/A
<i>Blighia sapida</i> K. D. Koenig	Akee
<i>Bourreria petiolaris</i> (Lam.) Thulin	N/A
<i>Brucea antidysenterica</i> J. F. Mill	N/A
<i>Butia capitata</i> (Mart.) Becc.	Jelly palm, coco palm
<i>Byrsonima crassifolia</i> (L.) Kunth	Golden spoon
<i>Calophyllum inophyllum</i> L.	Alexandrian laurel
<i>Calophyllum tacamahaca</i> Willd.	N/A

<i>Calotropis procera</i> (Aiton) W. T. Aiton	Sodom's apple milkweed
<i>Cananga odorata</i> (Lam.) Hook. f. & Thomson	Ylang-ylang
<i>Capparis cordis-crotonoides</i> (Kunth) Iltis & Cornejo	N/A
<i>Capparis sandwichiana</i> DC.	Puapilo
<i>Capparis sepiaria</i> L.	N/A
<i>Capparis spinosa</i> L.	Caperbush
<i>Capsicum annuum</i> L.	Sweet pepper
<i>Capsicum baccatum</i> L.	Barpeppar
<i>Capsicum chinense</i> Jacq.	Bonnet pepper
<i>Capsicum frutescens</i> L.	Bird pepper
<i>Capsicum pubescens</i> Ruiz & Pav.	Apple chile
<i>Carica papaya</i> L.	Papaya
<i>Carissa bispinosa</i> (L.) Desf. Ex Brenan	Hedgethorn
<i>Carissa carandas</i> L.	Bengal currants
<i>Carissa macrocarpa</i> (Eckl.) A. DC.	Natal plum
<i>Carissa spinarum</i> L.	Carandas plum
<i>Carissa tetramera</i> Stapf	N/A
<i>Carya illinoensis</i> (Wangenh.) K. Koch	Pecan
<i>Casimiroa edulis</i> La Llave & Lex.	White sapote
<i>Celtis tala</i> Gillies ex Planch.	Tala
<i>Cestrum nocturnum</i> L.	Lady of the night
<i>Chrysobalanus icaco</i> L.	Coco plum
<i>Chrysophyllum cainito</i> L.	Star apple
<i>Chrysophyllum gonocarpum</i> (Mart. & Eichler) Engl.	N/A
<i>Chrysophyllum oliviforme</i> L.	Wild star apple
<i>Chrysophyllum viridifolium</i> J. M. Wood & Franks	N/A
<i>Citharexylum myrianthum</i> Cham.	N/A
<i>Citrofortunella microcarpa</i> (Bunge) Wijnands	Calamondin
<i>Citrus aurantiifolia</i> (Christm.) Swingle	Sour lime
<i>Citrus aurantium</i> L.	Sour orange
<i>Citrus deliciosa</i> Ten.	Mediterranean mandarin
<i>Citrus jambhiri</i> Lush.	Rough lemon
<i>Citrus latifolia</i> (Yu. Tanaka) Tanaka	Persian lime
<i>Citrus limetta</i> Risso	Sweet lemon
<i>Citrus limettioides</i> Tanaka	Palestine sweet lemon
<i>Citrus limon</i> (L.) Burm. f.	Lemon

<i>Citrus limonia</i> Osbeck	Canton lemon
<i>Citrus maxima</i> (Burm.) Merr.	Pummelo
<i>Citrus medica</i> L.	Citron
<i>Citrus meyeri</i> Yu. Tanaka	Meyer lemon
<i>Citrus myrtifolia</i> Raf.	Myrtle-leaf orange
<i>Citrus nobilis</i> Lour.	King orange
<i>Citrus paradisi</i> Macfad.	Grapefruit
<i>Citrus reshni</i> hort. ex Tanaka	Cleopatra mandarin
<i>Citrus reticulata</i> Blanco	Mandarin
<i>Citrus sinensis</i> (L.) Osbeck	Orange
<i>Citrus x tangelo</i> J. W. Ingram & H. E. Moore	Tangelo
<i>Citrus unshiu</i> Marcow.	Satsuma mandarin
<i>Clausena anisata</i> (Willd.) Hook. f.	Horsewood
<i>Clausena lansium</i> (Lour.) Skeels	Wampi
<i>Coccinia grandis</i> (L.) Voigt	Ivy gourd
<i>Coccinia microphylla</i> Gilg	N/A
<i>Coccoloba uvifera</i> (L.) L.	Sea grape
<i>Coffea arabica</i> L.	Arabian coffee
<i>Coffea canephora</i> Pierre ex A. Froehner	Robusta coffee
<i>Coffea liberica</i> W. Bull ex Hiern	Liberian coffee
<i>Cola natalensis</i> Oliv.	N/A
<i>Corallocarpus ellipticus</i> Chiov.	N/A
<i>Cordia</i> sp.	N/A
<i>Corynocarpus laevigatus</i> J. R. Forst. & G. Forst.	Karakatrad
<i>Crataegus azarolus</i> L.	Azarole
<i>Crataegus gracilior</i> J. B. Phipps	N/A
<i>Cucumis dipsaceus</i> Ehrenb. ex Spach	Hedgehog cucumber
<i>Cucurbitella asperata</i> (Gillies ex Hook. & Arn.) Walp.	N/A
<i>Cyclanthera pedata</i> (L.) Schrad.	Lady's slipper
<i>Cydonia oblonga</i> Mill.	Quince
<i>Dimocarpus longan</i> Lour.	Longan
<i>Diospyros abyssinica</i> (Hiern) F. White	N/A
<i>Diospyros decandra</i> Lour.	Chan in
<i>Diospyros ebenum</i> J. Koenig	Ceylon ebony
<i>Diospyros kaki</i> Thunb.	Japanese persimmon
<i>Diospyros mespiliformis</i> Hochst. ex A. DC.	N/A
<i>Diospyros pallens</i> (Thunb.) F. White	N/A

<i>Diospyros pubescens</i> Pers.	N/A
<i>Diospyros virginiana</i> L.	American persimmon
<i>Dovyalis caffra</i> (Hook. f. & Harv.) Sim.	Kei apple
<i>Dovyalis hebecarpa</i> (Gardner) Warb.	Ceylon gooseberry
<i>Drypetes floribunda</i> (Müll. Arg.) Hutch.	N/A
<i>Drypetes gerrardii</i> Hutch.	N/A
<i>Drypetes natalensis</i> (Harv.) Hutch.	N/A
<i>Ehretia cymosa</i> Thonn.	N/A
<i>Ekebergia capensis</i> Sparrm.	Cape ash
<i>Elaeodendron schweinfurthianum</i> (Loes.) Loes	N/A
<i>Englerophytum magalismontanum</i> (Sond.) T. D. Penn.	N/A
<i>Eriobotrya japonica</i> (Thunb.) Lindl.	Loquat
<i>Euclea divinorum</i> Hiern	N/A
<i>Eugenia brasiliensis</i> Lam.	Brazil cherry
<i>Eugenia involucrata</i> DC.	Cherry of the Rio Grande
<i>Eugenia pyriformis</i> Cambess.	Uvaia
<i>Eugenia uniflora</i> L.	Surinam cherry
<i>Ficus carica</i> L.	Fig
<i>Filicium decipiens</i> (Wight & Arn.) Thwaites ex Hook. f.	N/A
<i>Flacourtia indica</i> (Burm. f.) Merr.	Governor's plum
<i>Flagellaria guineensis</i> Schumach.	N/A
<i>Flueggea virosa</i> (Roxb. ex Willd.) Royle	N/A
<i>Fortunella japonica</i> (Thunb.) Swingle	Round kumquat
<i>Fortunella margarita</i> (Lour.) Swingle	Oval kumquat
<i>Frangula californica</i> (Eschsch.) A. Gray	California buckthorn
<i>Garcinia brasiliensis</i> Mart.	N/A
<i>Garcinia livingstonei</i> T. Anderson	African mangosteen
<i>Garcinia mangostana</i> L.	Mangosteen
<i>Garcinia xanthochymus</i> Hook. f.	Sour mangosteen
<i>Geoffroea decorticans</i> (Gillies ex Hook. & Arn.) Burkart	Chañar
<i>Grewia trichocarpa</i> Hochst. ex A. Rich.	N/A
<i>Guettarda speciosa</i> L.	Sea randa
<i>Hancornia speciosa</i> Gomes	Mangaba
<i>Harpephyllum caffrum</i> Bernh. ex C. Krauss	Kaffir date
<i>Harrisonia abyssinica</i> Oliv.	N/A

<i>Hexaehlmys edulis</i> (O. Berg) Kausel & D. Legrand	Cereja do Rio Grande
<i>Inga feuilleei</i> DC.	Pacae
<i>Inga laurina</i> (Sw.) Willd.	N/A
<i>Inga sellowiana</i> Benth.	N/A
<i>Juglans australis</i> Griseb.	Argentine walnut
<i>Juglans hindsii</i> (Jeps.) R. E. Sm.	Hind's black walnut
<i>Juglans neotropica</i> Diels	Andean walnut
<i>Juglans nigra</i> L.	Black walnut
<i>Juglans regia</i> L.	English walnut
<i>Lagenaria siceraria</i> (Molina) Standl.	Bottle gourd
<i>Lamprothamnus zanguebaricus</i> Hiern	N/A
<i>Latania loddigesii</i> Mart.	Blue latan
<i>Licania tomentosa</i> (Benth.) Fritsch	Oiti
<i>Litchi chinensis</i> Sonn.	Litchi
<i>Ludia mauritiana</i> J. F. Gmel.	N/A
<i>Lycium europaeum</i> L.	Boxthorn
<i>Lycium ferocissimum</i> Miers	African boxthorn
<i>Lycium subglubosum</i> L.	N/A
<i>Malpighia emarginata</i> DC.	Barbados cherry
<i>Malpighia glabra</i> L.	Acerola
<i>Malus floribunda</i> Siebold ex Van Houtte	Japanese crab apple
<i>Malus pumila</i> Mill.	Paradise apple
<i>Malus sylvestris</i> (L.) Mill.	Crab apple
<i>Mangifera indica</i> L.	Mango
<i>Manilkara butugi</i> Chiov.	N/A
<i>Manilkara jaimiqui</i> (C. Wright) Dubard	Wild sapodilla
<i>Manilkara sansibarensis</i> (Engl.) Dubard	N/A
<i>Manilkara sulcata</i> (Engl.) Dubard	N/A
<i>Manilkara zapota</i> (L.) P. Royen	Sapote
<i>Matisia cordata</i> Humb. & Bonpl.	South American sapote
<i>Mespilus germanica</i> L.	Medlar
<i>Mimusops bagshawei</i> S. Moore	N/A
<i>Mimusops caffra</i> E. Mey. ex A. DC.	Coastal red milkwood
<i>Mimusops elengi</i> L.	Medlar
<i>Mimusops kirkii</i> Baker	N/A
<i>Mimusops kummel</i> Bruce ex A. DC.	N/A
<i>Mimusops obtusifolia</i> Lam.	N/A
<i>Mimusops zeyheri</i> Sond.	Transvaal red milkwood
<i>Momordica charantia</i> L.	Balsam apple
<i>Monodora grandidieri</i> Baill.	N/A

<i>Morus alba</i> L.	White mulberry
<i>Morus nigra</i> L.	Black mulberry
<i>Morus rubra</i> L.	Red mulberry
<i>Mouriri elliptica</i> Mart.	N/A
<i>Muntingia calabura</i> L.	Calabur tree
<i>Murraya exotica</i> L.	Chinese boxwood
<i>Murraya paniculata</i> (L.) Jack	Mock orange
<i>Musa acuminata</i> Colla	Banana
<i>Musa x paradisiaca</i> L.	French plantain
<i>Myrcianthes pungens</i> (O. Berg) D. Legrand	Guabiju
<i>Myrianthus arboreus</i> P. Beauv.	N/A
<i>Noronhia emarginata</i> (Lam.) Thouars	Chinese plum
<i>Oehrosia elliptica</i> Labill.	Scarlet wedge apple
<i>Olea europaea</i> L.	Wild olive
<i>Olea woodiana</i> Knobl.	N/A
<i>Opilia amentacea</i> Roxb.	N/A
<i>Opuntia</i> spp.	Tuna, prickly-pear
<i>Oxyanthus zanguebaricus</i> (Hiern) Bridson	N/A
<i>Parmentiera aculeata</i> (Kunth) Seem.	Candletree
<i>Passiflora alata</i> Curtis	Wingstem passionflower
<i>Passiflora caerulea</i> L.	Blue passionflower
<i>Passiflora edulis</i> Sims	Common passionflower
<i>Passiflora foetida</i> L.	Love-in-a-mist passionflower
<i>Passiflora ligularis</i> Juss.	Sweet granadilla
<i>Passiflora suberosa</i> L.	Cork passionflower
<i>Passiflora tripartita</i> (Juss.) Poir.	Banana passionflower
<i>Pentarrhopalopilium umbellulata</i> (Baill.) Hiepko	N/A
<i>Peponium mackeenii</i> (Naudin) Engl.	N/A
<i>Pereskia aculeata</i> Mill.	Barbados gooseberry
<i>Persea americana</i> Mill.	Avocado
<i>Phoenix dactylifera</i> L.	Date
<i>Phyllanthus acidus</i> (L.) Skeels	Gooseberry tree
<i>Physalis peruviana</i> L.	Cape gooseberry
<i>Pithecellobium dulce</i> (Roxb.) Benth.	Blackbead
<i>Plinia cauliflora</i> (Mart.) Kausel	Jaboticaba
<i>Podocarpus elongatus</i> (Aiton) L'Her. ex Pers.	Breede River yellowwood
<i>Polysphaeria parvifolia</i> Hiern	N/A
<i>Poncirus trifoliata</i> (L.) Raf.	Hardy orange

<i>Pouteria caimito</i> (Ruiz & Pav.) Radlk.	Caimito
<i>Pouteria campechiana</i> (Kunth) Baehni	Canistel
<i>Pouteria lucuma</i> (Ruiz & Pav.) Kuntze	Lucmo
<i>Pouteria ramiflora</i> (Mart.) Radlk.	N/A
<i>Pouteria sapota</i> (Jacq.) H. E. Moore & Stearn	Mammee-sapote
<i>Pouteria viridis</i> (Pittier) Cronquist	Injerto
<i>Prunus africana</i> (Hook. f.) Kalkman	African cherry
<i>Prunus americana</i> Marshall	American plum
<i>Prunus armeniaca</i> L.	Apricot
<i>Prunus avium</i> (L.) L.	Sweet cherry
<i>Prunus cerasifera</i> Ehrh.	Cherry plum
<i>Prunus cerasus</i> L.	Dwarf cherry
<i>Prunus domestica</i> L.	Wild plum
<i>Prunus dulcis</i> (Mill.) D. A. Webb	Almond
<i>Prunus ilicifolia</i> (Nutt. ex Hook. & Arn.) D. Dietr.	Hollyleaf cherry
<i>Prunus mume</i> Siebold & Zucc.	Japanese apricot
<i>Prunus persica</i> (L.) Batsch	Peach, nectarine
<i>Prunus salicina</i> Lindl.	Plum
<i>Prunus serotina</i> Ehrh.	Black cherry
<i>Psidium cattleianum</i> Sabine	Cattley guava, strawberry guava
<i>Psidium friedrichsthalianum</i> (O. Berg) Nied.	Costa Rican guava
<i>Psidium guajava</i> L.	Guava
<i>Psidium guineense</i> Sw.	Brazilian guava
<i>Punica granatum</i> L.	Pomegranate
<i>Pyrus communis</i> L.	Pear
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai	Sandparon
<i>Rubus idaeus</i> L.	Raspberry
<i>Rubus lucidus</i> Rydb.	N/A
<i>Rubus sanctus</i> Schreb.	Blackberry
<i>Salacia elegans</i> Welw. ex Oliv.	N/A
<i>Salpichroa origanifolia</i> (Lam.) Thell.	Cock's eggs
<i>Sandoricum koetjape</i> (Burm. f.) Merr.	Red santol
<i>Santalum album</i> L.	Sandalwood
<i>Santalum ellipticum</i> Gaudich.	Yellow sandalwood
<i>Scaevola plumieri</i> (L.) Vahl	Beechberry
<i>Scaevola taccada</i> (Gaertn.) Roxb.	Beach naupaka
<i>Sideroxylon foetidissimum</i> Jacq.	False mastie

<i>Sideroxylon inerme</i> L.	N/A
<i>Sideroxylon polynesianum</i> (Hillebr.) Smedmark & Anderb	N/A
<i>Simmondsia chinensis</i> (Link) C. K. Schneid.	Jojoba
<i>Solanum aethiopicum</i> L.	Chinese scarlet eggplant*
<i>Solanum betaceum</i> Cav.	Tree tomato
<i>Solanum elaeagnifolium</i> Cav.	Bull nettle
<i>Solanum glaucophyllum</i> Desf.	N/A
<i>Solanum incanum</i> L.	Palestine nightshade
<i>Solanum linnaeanum</i> Hepper & P. M. L. Jaeger	Apple of Sodom
<i>Solanum lycopersicum</i> L.	Tomato
<i>Solanum macrocarpon</i> L.	African eggplant*
<i>Solanum mauritianum</i> Scop.	Bugtree
<i>Solanum muricatum</i> Aiton	Melon pear
<i>Solanum nigrum</i> L.	Black nightshade
<i>Solanum pimpinellifolium</i> L.	Currant tomato
<i>Solanum pseudocapsicum</i> L.	Jerusalem cherry
<i>Solanum scabrum</i> Mill.	Garden huckleberry
<i>Solanum seaforthianum</i> Andrews	Climbing nightshade
<i>Solanum sessiliflorum</i> Dunal	Cocona
<i>Solanum sisymbriifolium</i> Lam.	Dense thorn bitter apple
<i>Solanum torvum</i> Sw.	Turkey berry
<i>Spondias dulcis</i> Sol. ex Parkinson	Golden apple
<i>Spondias mombin</i> L.	Hog plum
<i>Spondias purpurea</i> L.	Red mombin
<i>Spondias tuberosa</i> Arruda ex Kost.	Imbu
<i>Spondias venulosa</i> (Engl.) Mart. ex Engl.	N/A
<i>Sterculia apetala</i> (Jacq.) H. Karst.	Panama tree
<i>Strychnos decussata</i> (Pappe) Gilg	N/A
<i>Strychnos henningsii</i> Gilg	N/A
<i>Strychnos potatorum</i> L. f.	Clearing nut tree
<i>Strychnos pungens</i> Soler.	N/A
<i>Syngonium podophyllum</i> Schott	American evergreen
<i>Synsepalum dulcificum</i> (Schumach.) Daniell	Miracle fruit
<i>Syzygium cumini</i> (L.) Skeels	Jambolan
<i>Syzygium jambos</i> (L.) Alston	Malabar plum
<i>Syzygium malaccense</i> (L.) Merr. & L. M. Perry	Malay apple

<i>Syzygium paniculatum</i> Gaertn.	Magenta lilly pilly
<i>Syzygium samarangense</i> (Blume) Merr. & L. M. Perry	Java apple
<i>Terminalia catappa</i> L.	Tropical almond
<i>Terminalia chebula</i> Retz.	Black myrobalan
<i>Theobroma cacao</i> L.	Cacao
<i>Thevetia peruviana</i> (Pers.) K. Schum.	Lucky nut
<i>Triphasia</i> sp.	N/A
<i>Vaccinium ashei</i> J. M. Reade	Rabbit-eye blueberry
<i>Vaccinium angustifolium</i> Aiton	Lowbush blueberry
<i>Vaccinium corymbosum</i> L.	Highbush blueberry
<i>Vaccinium virgatum</i> Aiton	Rabbit-eye blueberry
<i>Vangueria infausta</i> Burch.	African medlar
<i>Vaseoncellea quercifolia</i> A. St. Hil.	Calasaacha
<i>Vepris lanceolata</i> (Lam.) G. Don	White ironwood
<i>Vepris nobilis</i> (Delile) Mziray	N/A
<i>Vepris simplicifolia</i> (Engl.) Mziray	N/A
<i>Vepris trichocarpa</i> (Engl.) Mziray	N/A
<i>Vitis</i> spp.	Grapes
<i>Wikstroemia phillyreifolia</i> A. Gray	N/A
<i>Ximenia americana</i> L.	False sandalwood
<i>Ximenia caffra</i> Sond.	N/A
<i>Ziziphus jujuba</i> Mill.	Chinese jujube
<i>Ziziphus lotus</i> (L.) Lam.	Lotus jujube
<i>Ziziphus mauritiana</i> Lam.	Chinese apple
<i>Ziziphus spina-christi</i> (L.) Desf.	Christ's thorn

* ~~Commercially produced eggplants are not regulated articles.~~

....

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 5301, 5302 and 5322, Food and Agricultural Code.

Amend the following Title 3 of the California Code of Regulations Section:

3424. *Bactrocera zonata* Interior Quarantine.

(c) Articles and Commodities Covered. The following are declared to be hosts and possible carriers of peach fruit fly.

(1) All fruit, vegetables or berries of the following: listed in CCR 3591.12 (b) Peach Fruit Fly Eradication Area.

<i>Scientific Name</i>	<i>Common Name</i>
<i>Aegle marmelos</i>	Bael tree
<i>Azizelia xylocarpa</i>	Doussie
<i>Annona reticulata</i>	Custard apple
<i>Annona squamosa</i>	Sugar apple
<i>Careya arborea</i>	Patana oak
<i>Carica papaya</i>	Papaya
<i>Casimiroa edulis</i>	White sapote
<i>Citrullus lanatus</i>	Watermelon
<i>Citrus aurantium</i>	Sour orange
<i>Citrus limon</i>	Lemon
<i>Citrus nobilis x Citrus deliciosa</i>	Kinnow
<i>Citrus paradisi</i>	Grapefruit
<i>Citrus reticulata</i>	Mandarin orange
<i>Citrus sinensis</i>	Orange
<i>Coccinia grandis</i>	Ivy gourd
<i>Cucumis sativus</i>	Cucumber
<i>Cydonia oblonga</i>	Quince
<i>Elaeocarpus hygrophilus</i>	Ma-kok-nam
<i>Eriobotrya japonica</i>	Loquat
<i>Ficus carica</i>	Fig
<i>Grewia asiatica</i>	Phalsa
<i>Lagenaria siceraria</i>	Bottle gourd
<i>Luffa acutangula</i>	Angled loofah
<i>Luffa spp.</i>	Tori
<i>Malpighia emarginata</i>	Barbados cherry
<i>Malus pumila</i>	Apple
<i>Malus sylvestris</i>	Crab apple
<i>Mangifera indica</i>	Mango
<i>Manilkara zapota</i>	Sapodilla
<i>Mimusops elengi</i>	Spanish cherry
<i>Momordica charantia</i>	Bitter melon
<i>Olea europaea</i>	Olive

<i>Persea americana</i>	Avocado
<i>Phoenix dactylifera</i>	Date palm
<i>Prunus armeniaca</i>	Apricot
<i>Prunus avium</i>	Sweet cherry
<i>Prunus domestica</i>	Plum
<i>Prunus persica</i>	Peach
<i>Prunus</i> sp.	N/A
<i>Psidium cattleianum</i>	Strawberry guava
<i>Psidium guajava</i>	Guava
<i>Punica granatum</i>	Pomegranate
<i>Putranjiva roxburghii</i>	Wild olive
<i>Pyrus communis</i>	Pear
<i>Pyrus ussuriensis</i>	Manchurian pear
<i>Solanum lycopersicum</i>	Tomato
<i>Solanum melongena</i>	Eggplant
<i>Syzygium jambos</i>	Rose apple
<i>Syzygium samarangense</i>	Java apple
<i>Terminalia catappa</i>	L. Tropical almond
<i>Ziziphus jujuba</i>	Jujube
<i>Ziziphus mauritiana</i>	Chinese date

....

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code.

Amend the following Title 3 of the California Code of Regulations Section:

3425. Melon Fruit Fly Interior Quarantine.

(c) Commodities Covered.

(1) All fruit, vegetables or berries of the following agricultural, wild, or ornamental plants: listed in CCR 3591.15 (b)(1) Melon Fruit Fly Eradication Area.

<i>Common Name</i>	<i>Scientific Name</i>
Apple	<i>Malus sylvestris</i>
Apple, Custard	<i>Annona reticulata</i>
Avocado	<i>Persea americana</i>
Bean, hyacinth	<i>Lablab purpureus</i> subsp. <i>purpureus</i>
	[<i>Dolichos lablab</i>]
Bean, lima	<i>Phaseolus lunatus</i> [<i>Phaseolus limensis</i>]
Bean, mung	<i>Phaseolus radiatus</i>
Bean, string	<i>Phaseolus vulgaris</i>
Cantaloupe	<i>Cucumis melo</i>
	<i>Cucumis melo</i> var. <i>cantalupensis</i>
Cauliflower	<i>Brassica oleracea</i> var. <i>botrytis</i>
Chayote	<i>Sechium edule</i>
Colocynth	<i>Citrullus colocynthis</i>
Cowpea	<i>Vigna unguiculata</i>
Cucumber	<i>Cucumis sativus</i>
Cucumber, bur	<i>Sicyos</i> sp.
Cueurbit	<i>Cucumis pubescens</i>
	<i>Cucumis trigonus</i>
Date palm	<i>Phoenix dactylifera</i>
Eggplant	<i>Solanum melongena</i>
Fig, common	<i>Ficus carica</i>
Gourds	<i>Coccinia</i> spp.
	<i>Crescentia</i> spp.
	<i>Lagenaria</i> spp.
	<i>Luffa</i> spp.
	<i>Momordica</i> spp.
	<i>Trichosanthes</i> spp.
Guava	<i>Psidium guajava</i>
Guava, cattley	<i>Psidium cattleianum</i>
Mango	<i>Mangifera indica</i>
Melon	<i>Citrullus</i> sp.
Melon, Chinese	<i>Benineasa hispida</i>
Melon, Oriental pickling	<i>Cucumis melo</i> var. <i>conomon</i>

Mustard, leaf	<i>Brassica juncea</i>
Okra	<i>Abiscus esculentus</i>
Orange, king	<i>Citrus nobilis</i>
Orange, mandarin	<i>Citrus reticulata</i>
Orange, sweet	<i>Citrus sinensis</i>
Papaya, common	<i>Carica papaya</i>
Passion fruit	<i>Passiflora edulis</i>
Peach	<i>Prunus persica</i>
Pear	<i>Pyrus communis</i>
Pepper	<i>Capsicum annum</i>
Pepper, chili	<i>Capsicum annum</i>
Pepper, tabasco	<i>Capsicum frutescens</i>
Pumpkin	<i>Cucurbita pepo</i>
Pumpkin, Canada	<i>Cucurbita mosehata</i>
Scarlet wisteria tree	<i>Sesbania grandiflora</i>
Soursop	<i>Annona muricata</i>
Squash	<i>Cucurbita maxima</i>
Threeleaf cayratia	<i>Cayratia trifolia</i>
Tomato	<i>Lycopersicon esculentum</i> (pink to red ripe)
Tomato, tree	<i>Cyphomandra betaceae</i>
Water lemon	<i>Passiflora laurifolia</i>
Watermelon	<i>Citrullus lanatus</i> [<i>Citrullus vulgaris</i>]

(2) Soil within the drip area of plants producing, or which have produced fruit, vegetables, or berries as listed in (c)(1) above.

(3) Plants of the following listed species in the Cucurbitaceae: listed in CCR 3591.15 (b)(2) Melon Fruit Fly Eradication Area.

<i>Common Name</i>	<i>Scientific Name</i>
Cantaloupe	<i>Cucumis melo</i>
Chayote	<i>Sechium edule</i>
Colocynth	<i>Citrullus colocynthis</i>
Cucumber	<i>Cucumis sativus</i>
Cucumber, bur	<i>Sicyos</i> sp.
Cucurbit, wild	<i>Cucumis pubescens</i>
	<i>Cucumis trigonus</i>
Gherkin, West Indian	<i>Cucumis angaria</i>
Gourds	<i>Coccinia</i> spp.
	<i>Crescentia</i> spp.
	<i>Lagenaria</i> spp.
	<i>Luffa</i> spp.

	<i>Momordica</i> spp.
	<i>Trichosanthes</i> spp.
Gourd, angled luffa	<i>Luffa acutangula</i>
Gourd, balsam-apple	<i>Momordica balsamina</i>
Gourd, balsam-pear	<i>Momordica dioica</i>
Gourd, ivy	<i>Coccinia grandis</i>
Gourd, kakari	<i>Momordica cochinchiensis</i>
Gourd, pointed	<i>Trichosanthes dioica</i>
Gourd, serpent cucumber	<i>Trichosanthes anguina</i>
Gourd, snake	<i>Trichosanthes cucumeroides</i>
Gourd, sponge	<i>Luffa aegyptiaca</i>
Gourd, white-flowered	<i>Lagenaria siceraria</i>
Melon, Chinese	<i>Benincasa hispida</i>
Melon, long	<i>Cucumis utlissimus</i>
Pumpkin	<i>Cucurbita pepo</i>
Pumpkin, Canada	<i>Cucurbita moschata</i>
Squash	<i>Cucurbita maxima</i>
Watermelon	<i>Citrullus lanatus</i> [<i>Citrullus vulgaris</i>]

...

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 5301, 5302 and 5322, Food and Agricultural Code.

Amend the following Title 3 of the California Code of Regulations Section:

3429. Sweetpotato Weevil Interior Quarantine.

(c) Articles and Commodities Covered.

(1) Hosts: ~~Sweet potato plants and all plant parts except seed and including vines, draws, and slips, and sweet potato roots, also called yams, camote, batatas, boniatos, buniatos, and meniato (*Ipomoea batatas*), and morning glory plants (*Ipomoea* spp., *Calystegia* spp., and *Convolvulus* spp.).~~ All plants listed in CCR 3581 (b) Sweetpotato Weevil Control Area.

....

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 5301, 5302 and 5322, Food and Agricultural Code.

Amend the following Title 3 of the California Code of Regulations Section:

3441. *Bactrocera correcta* Interior Quarantine.

(c) Articles and Commodities Covered. The following are declared to be hosts and possible carriers of guava fruit fly.

(1) All fruit, vegetables or berries of the following: listed in CCR 3591.13 (b)(1) Guava Fruit Fly Eradication Area.

<i>Scientific Name</i>	<i>Common Name</i>
<i>Anacardium occidentale</i>	cashew
<i>Areca catechu</i>	areca palm
<i>Artocarpus chama</i>	chaplasha
<i>Artocarpus integer</i>	chempedak
<i>Averrhoa carambola</i>	carambola, star fruit
<i>Baccaurea racemosa</i>	kapundung, menteng
<i>Benincasa hispida</i>	winter melon
<i>Bouea macrophylla</i>	gandaria, ma prang
<i>Bouea oppositifolia</i>	marian tree, plum-mango
<i>Capparis sepiaria</i>	
<i>Capparis thorelii</i>	cáp thorel
<i>Careya arborea</i>	slow match tree, kumbhi
<i>Careya sphaerica</i>	kra doon
<i>Carica papaya</i>	papaya
<i>Carissa carandas</i>	Bengal currants, karanda
<i>Citrus maxima</i>	pummele
<i>Citrus reticulata</i>	mandarin (tangerine)
<i>Clausena lansium</i>	wampi
<i>Coccinia grandis</i>	ivy gourd
<i>Coffea canephora</i>	robusta coffee
<i>Cucumis melo</i>	cantaloupe, honeydew melon
<i>Dimocarpus longan</i>	longan
<i>Dipterocarpus obtusifolius</i>	kok sat, keruing, mai sat
<i>Elaeocarpus hygrophilus</i> (synonym: <i>madopetalus</i>)	ma kok nam, Spanish plum
<i>Flacourtia indica</i>	governor's plum, Indian plum
<i>Flacourtia jangomas</i>	greater krekup, Indian plum
<i>Flueggea virosa</i>	Chinese waterberry, common bushweed
<i>Garcinia dulcis</i>	Claude mangosteen, egg tree
<i>Garcinia xanthochymus</i>	sour mangosteen
<i>Heynea trijuga</i>	buah pasat, kalibaian

<i>Irvingia malayana</i> (Synonym: <i>oliveri</i>)	bok, pau kinjang
<i>Knema angustifolia</i>	horse blood
<i>Lepisanthes fruticosa</i>	
<i>Luffa aegyptiaca</i>	smooth loofah, sponge gourd
<i>Madhuca longifolia</i>	mahua, mowra-buttertree
<i>Maerua siamensis</i>	
<i>Malpighia emarginata</i>	Barbados or West Indian cherry
<i>Malpighia glabra</i>	aceerola
<i>Mangifera indica</i>	mango
<i>Manilkara zapota</i>	sapodilla
<i>Mimusops elengi</i>	medlar, Spanish-cherry
<i>Muntingia calabura</i>	calabur-tree
	strawberry-tree
<i>Musa x paradisiaca</i>	banana, plantain
<i>Olax seadens</i>	namehai-Khrai
<i>Opuntia monacantha</i>	drooping-prickly-pear
<i>Phyllanthus acidus</i>	gooseberry-tree
<i>Polyalthia longifolia</i>	cemetery or mast tree
<i>Prunus avium</i>	sweet-cherry
<i>Prunus cerasus</i>	sour-cherry
<i>Prunus persica</i>	peach
<i>Prunus persica</i> var. <i>nectarine</i>	nectarine
<i>Prunus salicina</i>	Japanese-plum
<i>Psidium guajava</i>	guava
<i>Sandoricum koetjape</i>	red-sentol, sentol
<i>Schoepfia fragrans</i>	xiang-fu-mu
<i>Spondias dulcis</i>	golden-apple, makopa
<i>Spondias pinnata</i>	hog-plum
<i>Strychnos potatorum</i>	clearing-nut-tree
<i>Syzygium aqueum</i>	water-apple, watery-rose-apple
<i>Syzygium borneense</i>	kelat, kerian
<i>Syzygium cumini</i>	Java-plum, jambolana
<i>Syzygium jambos</i>	jambos, rose-apple
<i>Syzygium malaccense</i>	Malay or mountain-apple
<i>Syzygium nervosum</i>	Daly River-satin-ash
<i>Syzygium samarangense</i>	Java-apple, water-apple
<i>Terminalia bellirica</i>	myrobalan
<i>Terminalia catappa</i>	tropical or Indian-almond
<i>Trichosanthes costata</i>	ribbed-orange-gourd
<i>Trichosanthes cucumerina</i>	annual or club-gourd

<i>Vitis vinifera</i>	European grape
<i>Ziziphus jujuba</i>	Chinese date, jujube
<i>Ziziphus mauritiana</i>	Chinese date, jujube
<i>Ziziphus nummularia</i>	jujube
<i>Ziziphus oenophia</i>	jackal jujube

....

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code.

Amend the following Title 3 of the California Code of Regulations Section:

3442. Malaysian Fruit Fly Interior Quarantine.

(c) Articles and Commodities Covered. The following are declared to be hosts and possible carriers of Malaysian fruit fly.

(1) All fruit, vegetables, pericarp of nuts, seeds or berries of the following: listed in CCR 3591.26 (b)(1) Malaysian Fruit Fly Eradication Area.

<i>Scientific Name</i>	<i>Common Name</i>
<i>Baccaurea motleyana</i> (Mull. Arg.) Mull. Arg.	Rambai
<i>Benincasa hispida</i> (Thunb.) Cogn.	Ash gourd
<i>Capsicum annuum</i> L.	Chili Pepper
<i>Capsicum annuum</i> L. var <i>annuum</i>	Bell Pepper
<i>Capsicum baccatum</i>	Barpeppar
<i>Capsicum chinense</i> Jacq.	Bonnet Pepper
<i>Capsicum frutescens</i> L.	Bird Pepper
<i>Capsicum</i> spp.	Pepper
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	Watermelon
<i>Coccoloba grandis</i> (L.) Voigt	Ivy gourd
<i>Coffea arabica</i> L.	Arabian coffee
<i>Cucumis dipsaceus</i> Ehrenb. Ex Spach	Hedgehog cucumber
<i>Cucumis melo</i> L. subsp <i>agrestis</i> (Naudin) Pangalo var <i>conomon</i> (Thunb.) Makino	Oriental pickling melon
<i>Cucumis sativus</i> L.	Cucumber
<i>Diplocyclus palmatus</i> (L.) C. Jeffrey	Lollipop climber
<i>Gmelina philippensis</i> Cham.	
<i>Lagenaria siceraria</i> (Molina) Standl.	Bottle gourd
<i>Lagerstroemia indica</i> L.	Crape myrtle
<i>Linociera parkinsoni</i> <i>Linociera xanthocarpum</i> <i>Lycianthes biflora</i> (Lour.) Bitter	Da chi hong si xian
<i>Momordica trifoliolata</i> Hook.f.	
<i>Murraya paniculata</i> (L.) Jack	Chinese boxwood
<i>Passiflora foetida</i> L.	Wild passionfruit
<i>Physalis peruviana</i> L.	Cape gooseberry
<i>Psidium guajava</i> L.	Guava
<i>Punica granatum</i> L.	Pomegranate
<i>Sapindus rarak</i> DC.	
<i>Solanum aculeatissimum</i> Jacq.	Dutch eggplant

<i>Solanum aethiopicum</i> L.	Chinese scarlet eggplant
<i>Solanum americanum</i> Mill.	American nightshade
<i>Solanum anguivi</i> Lam.	
<i>Solanum donianum</i> Walp.	
<i>Solanum granulosoleprosum</i> Dunal	
<i>Solanum incanum</i> L.	Bitter apple
<i>Solanum lanceifolium</i> Jacq.	
<i>Solanum lasiocarpum</i> Dunal	Indian nightshade
<i>Solanum linnaeanum</i> Hepper & P. M.L. Jaeger	apple-of-Sodom
<i>Solanum lycopersicum</i> L. var. <i>cerasiforme</i> (Alef.) Fosberg	Cherry tomato
<i>Solanum lycopersicum</i> L. var. <i>lycopersicum</i>	Tomato
<i>Solanum macrocarpon</i> L.	African eggplant
<i>Solanum mammosum</i> L.	Macawbush
<i>Solanum melongena</i> L.	Eggplant
<i>Solanum nigrescens</i> M. Martens & Galeotti	Divine nightshade
<i>Solanum nigrum</i> L.	Black nightshade
<i>Solanum pimpinellifolium</i> L.	Currant tomato
<i>Solanum pseudocapsicum</i> L.	Jerusalem cherry
<i>Solanum scabrum</i>	Mill. Garden huckleberry
<i>Solanum</i> spp.	
<i>Solanum sisymbriifolium</i> Lam.	Sticky nightshade
<i>Solanum stramonifolium</i> Jacq.	
<i>Solanum torvum</i> Sw.	Devil's fig
<i>Solanum trilobatum</i> L.	Purple-fruited pea eggplant
<i>Solanum viarum</i> Dunal	Tropical soda apple
<i>Solanum violaceum</i> Ortega	Ci-tian-qie
<i>Terminalia catappa</i> L.	Indian almond
<i>Ziziphus jujuba</i> Mill.	Common jujube
<i>Ziziphus nummularia</i> (Burm.f.) Wight & Arn.	

NOTE: Authority cited: Sections 407, 5301, 5302 and 5322, Food and Agricultural Code. Reference: Sections 401.5, 407, 5301, 5302 and 5322, Food and Agricultural Code.