

Amend the following to read:

§ 3588. Mexican Fruit Fly Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. All of the Counties of Los Angeles, Riverside, Sacramento, San Bernardino, San Diego and Yolo, State of California, within which the Mexican fruit fly, (*Anastrepha ludens*), is known to exist, are hereby proclaimed to be an eradication area with respect to said pest. As such, it is amenable to the provisions of article 4 (sections 5761-5764) of chapter 8, part 1, division 4 of the Food and Agricultural Code of California.

(b) Hosts:

The following are declared to be hosts and possible carriers of Mexican fruit fly

(1) All fruit of the following plants:

<i>Anacardium occidentale</i> L.	Cashew nut
<i>Annona cherimola</i> Mill.	Cherimoya, custard-apple
<i>Annona cherimola</i> Mill. x <i>Annona reticulata</i> L.	Atemoya
<i>Annona liebmanniana</i> Bailt.	Hardshell custard-apple
<i>Annona reticulata</i> L.	Custard-apple
<i>Annona squamosa</i> L.	Sugar apple
<i>Carica papaya</i> L.	Papaya
<i>Casimiroa edulis</i> La Llave & Lex.	Mexican-apple, white sapote
<i>Casimiroa greggii</i> (S. Watson) F. Chiang	Yellow chapote
<i>Casimiroa sapota</i> Oerst.	Matasano
<i>Citrus</i> spp.	Orangequat, procimequat
<i>Citrus xaurantiifolia</i> (Christm.) Swingle	Lime, Key lime, Mexican lime, sour lime, lima
<i>Citrus xaurantium</i> L.	Bitter orange, clementine, sour orange, tangelo
<i>Citrus xaurantium</i> L. var. <i>sinensis</i> L.	Blood orange, common orange, naval orange, sweet orange, orange, Valencia orange
<i>Citrus deliciosa</i> Ten.	Mandarina, Italian tangerine
<i>Citrus xlimon</i> (L.) Osbeck	Dwarf lemon, Canton lemon, Chinese dwarf lemon, Sweet lemon or lime, Red lemon, Meyer lemon
<i>Citrus maxima</i> (Burm.) Merr.	Pomelo
<i>Citrus medica</i> L.	Buddha's-Hand, citron, finger citron

<i>Citrus xnobilis</i> Lour.	King orange, Mandarin, tangor
<i>Citrus xparadisi</i> Macfad.	Grapefruit, pomelo, toronja
<i>Citrus reshni</i> hort. ex Tan	Cleopatra mandarin, mandarina, spice mandarin
<i>Citrus reticulata</i> Blanco	Mandarin, Swatow orange, tangerine
<i>Citrus unshiu</i> Marcow	Mandarin, Satsuma orange
<i>Coffea arabica</i> L.	Coffee, Arabian coffee
<i>Gydonia oblonga</i> Mill.	Quince, membrillo
<i>Diospyros kaki</i> Thunb.	Oriental persimmon, Caqui, kaki
<i>Inga jinicuil</i> Schlttd. & Cham. ex G. Don	Ice cream bean, Algodoncillo, Chatahuite
<i>Inga micheliana</i> Harms	Chatum
<i>Malus domestica</i> (Suckow) Borkh.	Apple, Manzana
<i>Malus pumila</i> Mill.	Paradise apple
<i>Mammea americana</i> L.	Mamey, mamee-apple, tropical-apricot
<i>Mangifera indica</i> L.	Mango
<i>Melicoccus oliviformis</i> Kunth	Guaya
<i>Passiflora edulis</i> Sims	Passionfruit, titikoi, parcha, purple granadilla
<i>Persea americana</i> Mill.	Avocado [†]
<i>Prunus persica</i> (L.) Batsch	Durazno, peach
<i>Psidium cattleianum</i> Sabine var. <i>littorale</i> (Raddi) Fosberg	Strawberry guava, yellow guava
<i>Psidium guajava</i> L.	Guava
<i>Punica granatum</i> L.	Pomegranate
<i>Pyrus communis</i> L.	Pear
<i>Sideroxylon capiri</i> (A. DC.) Pittier subsp. <i>tempisque</i> (Pittier) T. D. Penn.	Danto amarillo, tempisque
<i>Spondias purpurea</i> L.	Red and purple mombin, ovo, Spanish-plum, jocote
<i>Syzygium jambos</i> (L.) Alston	Jambos, rose-apple, yambo
<i>Terminalia catappa</i> L.	Tropical almond

[†] Fresh, mature green variety 'Hass' avocados are not regulated

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray (including soil spray treatments), dust, bait, or in any other form as often as necessary to effect control or eradication:

(2) The removal and destruction of hosts and of the fruit of such hosts if such action is the only practical way of eliminating the infestation:

(3) The search for all stages of Mexican fruit fly by visual inspection, the use of traps, or any other means:

(4) The removal and destruction of abandoned or unwanted plants bearing or capable of bearing hosts:

(5) The importation, rearing, or liberation of sterile forms of the Mexican fruit fly:

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761-5764, Food and Agricultural Code.

3591.2. Oriental Fruit Fly Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. That portion of the State of California described as follows, within which there is a high risk of introduction of the Oriental fruit fly, *Dactrocyba dorsalis*, is hereby proclaimed to be an eradication area with respect to said pest, and as such it is amenable to the provisions of Article 4 (Sections 5761, 5762, 5763, and 5764) of Chapter 8, Part 1, Division 4, of the Food and Agricultural Code of California: The entire counties of Alameda, Butte, Colusa, Contra Costa, El Dorado, Fresno, Humboldt, Imperial, Kern, Los Angeles, Marin, Merced, Monterey, Napa, Nevada, Orange, Placer, Riverside, Sacramento, San Bernardino, San Diego, San Francisco, San Joaquin, San Mateo, Santa Barbara, Santa Clara, Santa Cruz, Shasta, Solano, Sonoma, Stanislaus, Sutter, Ventura, Yolo and Yuba:

(b) Hosts. The berries, fruit, nuts and vegetables of the following plant species are considered host articles for the oriental fruit fly. All cultivars, varieties, and hybrids of the plant species listed herein are considered suitable hosts of oriental fruit fly. All these items that are infested or are exposed to infestation by the oriental fruit fly are declared a public nuisance:

Scientific Name	Common Name
<i>Acca sellowiana</i> (O. Berg)	Burret Guavasteen, pineapple-guava
<i>Adenanthera pavonina</i> L.	Red sandalwood
<i>Adenia cissampetoides</i> (Planch. ex Hook.) Harms	N/A
<i>Adonidia merrillii</i> (Becc.)	Becc. Manila palm
<i>Aegle marmelos</i> (L.)	Gorrêa Baeltree
<i>Afzelia xylocarpa</i> (Kurz)	Graib Doussie
<i>Atangium chinense</i> (Lour.) Harms	Begonia-leaf atangium
<i>Atangium salviifolium</i> (L. f.) Wangerin	Sage-leaf atangium

<i>Alpinia mutica</i> Roxb.	Small shell-ginger
<i>Anacardium occidentale</i> L.	Cashew nut
<i>Ananas comosus</i> (L.) Merr.	Pineapple [±]
<i>Annona</i> * <i>atemosya</i> Mabb.	Atemoya
<i>Annona cherimola</i> Mill.	Cherimoya
<i>Annona glabra</i> L.	Pond-apple
<i>Annona macrophyllata</i> Donn. Sm.	Llama
<i>Annona montana</i> Macfad.	Mountain soursop
<i>Annona mucosa</i> Jacq.	Wild sweetsop
<i>Annona muricata</i> L.	Soursop
<i>Annona reticulata</i> L.	Gustard-apple
<i>Annona senegalensis</i> Pers.	Wild custard-apple
<i>Annona squamosa</i> L.	Gustard apple, sugar apple
<i>Antidesma ghaesembilla</i> Gaertn.	Black-currant tree
<i>Aporosa villosa</i> (Lindl.) Baitl.	Ye-mein
<i>Ardisia crenata</i> Sims	Hen's eye, coralberry
<i>Areca catechu</i> L.	Areca palm, betel nut
<i>Arenga engleri</i> Becc.	Formosan sugar palm
<i>Arenga pinnata</i> (Wurmb) Merr.	Sugar palm
<i>Arenga westerhoutii</i> Griff.	N/A
<i>Artabotrys monteiroae</i> Oliv.	N/A
<i>Artabotrys siamensis</i> Miq.	N/A
<i>Artocarpus altilis</i> (Parkinson) Fosberg	Breadfruit
<i>Artocarpus dadah</i> Miq.	N/A
<i>Artocarpus elasticus</i> Reinw. ex Blume	Terap
<i>Artocarpus heterophyllus</i> Lam.	Jack fruit
<i>Artocarpus integer</i> (Thunb.) Merr.	Chempedak
<i>Artocarpus lacucha</i> Buch.-Ham.	Monkeyfruit

<i>Artocarpus lanceifolius</i> Roxb.	Ketedang
<i>Artocarpus lanceolatus</i> Trécut	N/A
<i>Artocarpus odoratissimus</i> Blanco	Marang
<i>Artocarpus rigidus</i> Blume	Monkey-jack
<i>Artocarpus sericicarpus</i> F. M. Jarrett	N/A
<i>Averrhoa bilimbi</i> L.	Bitimbi
<i>Averrhoa carambola</i> L.	Garambola, starfruit
<i>Azadirachta excelsa</i> (Jack) M. Jacobs	N/A
<i>Baccaurea angulata</i> Merr.	Red-angled tampoi
<i>Baccaurea motleyana</i> Müll. Arg.	Rambai
<i>Baccaurea racemosa</i> Müll. Arg.	Menteng
<i>Baccaurea ramiflora</i> Lour.	Burmese-grape
<i>Bactris gasipaes</i> Kunth	Peach-palm
<i>Balakata baccata</i> (Roxb.) Esser	Jiang-guo-wu-jiu
<i>Barringtonia edulis</i> Seem.	Cutnut
<i>Benincasa hispida</i> (Thunb.) Cogn.	Ash-gourd, ash-pumpkin
<i>Bischofia javanica</i> Blume	Java-cedar, needtebark
<i>Blighia sapida</i> K. D. Koenig	Akee
<i>Borassus flabellifer</i> L.	Toddy-palm
<i>Bouea macrophylla</i> Griff.	Gandaria
<i>Bouea oppositifolia</i> (Roxb.) Meisn.	Plum-mango
<i>Breynia reclinata</i> (Roxb.) Hook. f.	N/A
<i>Bridelia stipularis</i> (L.) Blume	Lulalub
<i>Callicarpa longifolia</i> Lam.	Chukin
<i>Catophyllum inophyllum</i> L.	Alexandrian laurel, kamani
<i>Gananga odorata</i> (Lam.) Hook. f. & Thomson	Ytang-ytang
<i>Ganarium album</i> (Lour.) Raeusch	Chinese-olive
<i>Gapparis sepiaria</i> L.	Hedge-caper-bush

<i>Gapparis tomentosa</i> Lam.	African caper
<i>Capsicum annuum</i> L.	Bell pepper, chili, red pepper, sweet pepper
<i>Capsicum chinense</i> Jacq.	Bonnet pepper
<i>Capsicum frutescens</i> L.	Apple chile
<i>Capsicum pubescens</i> Ruiz & Pav.	Hairy pepper
<i>Gareya arborea</i> Roxb.	N/A
<i>Gareya sphaerica</i> Roxb.	Kra doon
<i>Carica papaya</i> L.	Papaya
<i>Carissa carandas</i> L.	Carandas-plum
<i>Carissa spinarum</i> L.	Currentbush
<i>Garyota mitis</i> Lour.	Burmese fishtail-palm
<i>Casimiroa edulis</i> La Llave & Lex.	White sapote
<i>Celtis tetrandra</i> Roxb.	Si rui po
<i>Chionanthus parkinsonii</i> (Hutch.) Bennet & Raizada	N/A
<i>Choerospondias axillaris</i> (Roxb.) B. L. Burtt & A. W. Hill	N/A
<i>Chrysobalanus icaco</i> L.	Coco-plum
<i>Chrysophyllum albidum</i> G. Don	White star apple
<i>Chrysophyllum cainito</i> L.	Gaimito, star apple
<i>Chrysophyllum roxburghii</i> G. Don	Athapata
<i>Chukrasia tabularis</i> A. Juss.	Burmese almondwood
<i>Cinnamomum yabunikkei</i> H. Ohba	Yabu-nikkei
<i>Cissus repens</i> Lam.	N/A
<i>Citrullus colocynthis</i> (L.) Schrad.	Bitter apple, wild-gourd
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	Watermelon
<i>Citrus aurantiifolia</i> (Christm. Swingle)	Sour lime, lime
<i>Citrus aurantium</i> L.	Sour orange
<i>Citrus clementina</i> Hort. ex Tanaka	Clementine
<i>Citrus deliciosa</i> Ten	Italian tangerine, willow-leaf mandarin

<i>Citrus depressa</i> Hayata	N/A
<i>Citrus hystrix</i> DC.	Kaffir lime
<i>Citrus jambhiri</i> Lush.	Rough lemon
<i>Citrus japonica</i> Thunb.	Chinese orange, kumquat
<i>Citrus</i> × <i>floridana</i> (J. W. Ingram & H. E. Moore) Mabb.	Limequat
<i>Citrus keraji</i> Hort. ex Tanaka	Kabuchi, keraji
<i>Citrus latifolia</i> (Yu. Tanaka) Tanaka	Persian lime
<i>Citrus limetta</i> Risso	Sweet lime
<i>Citrus limettioides</i> Tanaka	Indian sweet lime
<i>Citrus limon</i> (L.) Burm. f	Lemon
<i>Citrus limonia</i> Osbeck	Rangpur lime
<i>Citrus maxima</i> (Burm.) Merritt	Pummelo, shaddock
<i>Citrus</i> × <i>microcarpa</i> Bunge	Galamondin
<i>Citrus natsudaidai</i> Hayata	Japanese summer grapefruit, natsu-daidai
<i>Citrus nobilis</i> Lour.	King orange
<i>Citrus oto</i> Hort. ex Yu. Tanaka	N/A
<i>Citrus paradisi</i> Macfady	Grapefruit
<i>Citrus reticulata</i> Blanco	Mandarin orange, tangerine
<i>Citrus sinensis</i> (L.) Osbeck	Common, Kona, or sweet orange
<i>Citrus</i> × <i>tangelo</i> J. W. Ingram & H. E. Moore	Tangelo
<i>Citrus unshiu</i> Marcow.	Satsuma orange, unshū-mikan
<i>Glausena lansium</i> (Lour.) Skeels	Wampi
<i>Glusia rosea</i> Jacq.	Balsam apple
<i>Goccinia grandis</i> (L.) Voigt	Ivy gourd
<i>Gocotoba uvifera</i> (L.) L.	Sea grape
<i>Goffea arabica</i> L.	Arabian coffee
<i>Goffea canephora</i> Pierre ex A. Froehner	Robusta coffee
<i>Gordia dentata</i> Poir.	English clammy berry

<i>Gordyla pinnata</i> (A. Rich.) Milne-Redh.	N/A
<i>Grescentia cujete</i> L.	Galabash
<i>Grinum asiaticum</i> L.	Asiatic spider lily
<i>Gucumis ficifolius</i> A. Rich.	Gucumis
<i>Gucumis melo</i> L.	Cantaloupe, melon
<i>Gucumis sativus</i> L.	Cucumber
<i>Gucurbita argyrosperma</i> C. Huber	Cushaw
<i>Gucurbita maxima</i> Duchesne	Squash ²
<i>Gucurbita moschata</i> Duchesne	Butternut squash
<i>Gucurbita pepo</i> L.	Pumpkin, zucchini squash ²
<i>Desmos chinensis</i> Lour.	Jia-ying zhua
<i>Dillenia obovata</i> (Blume) Hoogland	Simpoh-padang
<i>Dimocarpus longan</i> Lour.	Longan
<i>Diospyros abyssinica</i> (Hiern) F. White	Abyssinin persimmon
<i>Diospyros areolata</i> King & Gamble	N/A
<i>Diospyros blancoi</i> A. DC.	Mabolo, velvet apple
<i>Diospyros castanea</i> (Craib) H. R. Fletcher	N/A
<i>Diospyros dasyphylla</i> Kurz	N/A
<i>Diospyros diepenhorstii</i> Miq.	Kaya matam
<i>Diospyros digyna</i> Jacq.	Black persimmon, black sapote
<i>Diospyros glandulosa</i> Lace	Mai-kua thoun
<i>Diospyros japonica</i> Siebold & Zucc.	Ryukyu-mamegaki
<i>Diospyros kaki</i> Thunb.	persimmon, kaki
<i>Diospyros malabarica</i> (Desr.) Kostel.	Indian persimmon
<i>Diospyros maritima</i> Blume	Sea ebony
<i>Diospyros mespiliformis</i> Hochst. Ex A. DC.	Jackalberry, African ebony
<i>Diospyros mollis</i> Griff.	Ma-ktuea
<i>Diospyros montana</i> Roxb.	Mountain persimmon

<i>Diospyros sandwicensis</i> (A. DC.) Fosberg	Etama, Hawaiian persimmon
<i>Diospyros virginiana</i> L.	American persimmon
<i>Diplocyclos palmatus</i> (L.) C. Jeffrey	Striped-cucumber
<i>Dovyalis hebecarpa</i> (Gardner) Warb.	Ceylon gooseberry, kitembilla
<i>Dracaena steudneri</i> Schweinf. ex Engl.	Northern large-leaf dragon tree
<i>Drypetes floribunda</i> (Muhl. Arg.) Hutch.	N/A
<i>Ehretia microphylla</i> Lam.	Philippine tea
<i>Elaeocarpus hygrophilus</i> Kurz	Ma-kok-nam
<i>Elaeocarpus serratus</i> L.	Ceylon olive
<i>Eriobotrya japonica</i> (Thunb.) Lindl.	Loquat
<i>Erycibe subspicata</i> Walt. ex G. Don	Zhui-xu-ding-gong-teng
<i>Eugenia brasiliensis</i> Lam.	Brazil cherry, Brazilian plum
<i>Eugenia megacarpa</i> Craib	Giant lau-lau
<i>Eugenia patumbis</i> Merr.	Chamorro
<i>Eugenia uniflora</i> L.	Surinam cherry
<i>Excoecaria agallocha</i> L.	Blind-your-eye mangrove
<i>Fagraea berteriana</i> A. Gray ex Benth.	Pua-kenikeni
<i>Fagraea ceilanica</i> Thunb.	Hui-ti
<i>Fibraurea tinctoria</i> Lour.	Sekunyit
<i>Ficus auriculata</i> Lour.	Roxburgh fig
<i>Ficus benjamina</i> L.	Weeping fig
<i>Ficus carica</i> L.	Fig
<i>Ficus chartacea</i> (Wall. ex Kurz) Walt. ex King	Zhi-ye-rong
<i>Ficus erecta</i> Thunb.	Ai-xiao-tian-xian-guo
<i>Ficus fistulosa</i> Reinw. ex Blume	Yellow-stem fig
<i>Ficus hirta</i> Vahl	Gu-ye-rong
<i>Ficus hispida</i> L. f.	Hairy fig
<i>Ficus lepicarpa</i> Blume	Leprous fig

<i>Ficus microcarpa</i> L. f.	Chinese banyan
<i>Ficus obpyramidata</i> King	N/A
<i>Ficus ottoniifolia</i> Miq.	N/A
<i>Ficus pumila</i> L.	Bi li, creeping fig
<i>Ficus racemosa</i> L.	Cluster fig
<i>Ficus religiosa</i> L.	Sacred fig
<i>Ficus septica</i> Burm. f.	Septic fig
<i>Ficus sycomorus</i> L.	Sycamore fig, mulberry fig,
<i>Ficus virgata</i> Reinw. ex Blume	Dao rong
<i>Flacourtia indica</i> (Burman f.) Merritt	Ramontehi, rukam
<i>Flacourtia rukam</i> Zott. & Moritzi	Prunier café
<i>Flueggea virosa</i> (Roxb. ex Willd) Royle	Common bushweed
<i>Fortunella japonica</i> (Thunb.) Swingle	Calamondin orange, Chinese orange, kumquat
<i>Fortunella margarita</i> (Lour.) Swingle	Nagami kumquat
<i>Fortunella polyandra</i> (Ridlt.) Tanaka	Malayan kumquat
<i>Garcinia atroviridis</i> Griff. ex T. Anderson	Gelugor
<i>Garcinia speciosa</i> Walt.	Ma pong
<i>Garcinia costata</i> Hemsl. ex King	N/A
<i>Garcinia cowa</i> Roxb. ex DC.	Cowa
<i>Garcinia dulcis</i> (Roxb.) Kurz	Egg tree
<i>Garcinia griffithii</i> T. Anderson	N/A
<i>Garcinia hombroniana</i> Pierre	N/A
<i>Garcinia intermedia</i> (Pittier) Hammel	N/A
<i>Garcinia mangostana</i> L.	Mangosteen
<i>Garcinia mannii</i> Oliv.	Kar
<i>Garcinia parvifolia</i> Miq.	Kandis
<i>Garcinia prainiana</i> King	Button mangosteen
<i>Garcinia subelliptica</i> Merr.	N/A

<i>Garcinia venulosa</i> (Blanco) Choisy	N/A
<i>Garcinia xanthochymus</i> Hook. f.	Gourka, gamboge tree
<i>Garuga floribunda</i> Decne.	Garuga, nemismis
<i>Glochidion littorale</i> Blume	Saka saka
<i>Glycosmis pentaphylla</i> (Retz.) DC.	Shan-xiao-ju
<i>Gmelina elliptica</i> Sm.	Badhara bush
<i>Gmelina philippensis</i> Cham.	N/A
<i>Gymnopetalum scabrum</i> (Lour.) W. J. de Wilde & Duyfjes	Feng gua
<i>Gynochthodes umbellata</i> (L.) Razafim. & B. Bremer	Indian mulberry
<i>Haematostaphis barberi</i> Hook. f.	N/A
<i>Hanguana malayana</i> (Jack) Merr.	N/A
<i>Hexalobus monopetalus</i> (A. Rich.) Engl. & Diels	N/A
<i>Heynea trijuga</i> Roxb. ex Sims	N/A
<i>Hotigarna kurzii</i> King	N/A
<i>Horsfieldia subglobosa</i> Warb.	Penarahan
<i>Hylocereus undatus</i> (Haw.) Britton & Rose	Dragon fruit
<i>Icacina oliviformis</i> (Poir.) J. Raynat	False yam
<i>Inocarpus fagiferus</i> (Parkinson) Fosberg	Marrup, Tahitian chestnut
<i>Irvingia gabonensis</i> (Aubry-Lecomte ex O'Rorke) Baill.	Dikanut
<i>Irvingia malayana</i> Oliv. ex A. W. Benn.	Kabok
<i>Ixora javanica</i> (Blume) DC.	N/A
<i>Ixora macrothyrsa</i> (Teijsm. & Binn.) R. Br.	Santan-puta
<i>Juglans hindsii</i> (Jeps.) R. E. Sm.	California walnut, Hinds's walnut
<i>Juglans nigra</i> L.	Black walnut
<i>Juglans regia</i> L.	English walnut
<i>Kedrostis letoja</i> (Forssk.) C. Jeffrey	N/A
<i>Knema globularia</i> (Lam.) Warb.	Xiao ye hong guang shu
<i>Lagenaria siceraria</i> (Molina) Standl.	Bottle gourd

<i>Lansium domesticum</i> Corrêa	Langsat, lanzones
<i>Lansium parasiticum</i> (Osbeck) K. C. Sahni & Bennet	N/A
<i>Lepisanthes alata</i> (Blume) Leenh.	Sinpaju
<i>Lepisanthes fruticosa</i> (Roxb.) Leenh.	N/A
<i>Lepisanthes rubiginosa</i> (Roxb.) Leenh.	Kelatiayu
<i>Lepisanthes tetraphylla</i> (Vahl) Radlk.	N/A
<i>Litchi chinensis</i> Sonn.	Litchi, lychee
<i>Litsea glutinosa</i> (Lour.) C. B. Rob.	Bolly-beech
<i>Litsea salicifolia</i> (J. Roxb. ex Nees) Hook. f.	Hei mu jiang zi
<i>Luffa acutangula</i> (L.) Roxb.	Ribbed loofah
<i>Luffa aegyptiaca</i> Mill.	Loofah
<i>Lycianthes biflora</i> (Lour.) Bitter	Hong si xian
<i>Machilus thunbergii</i> Siebold & Zucc.	Tabu
<i>Mactura cochinchinensis</i> (Lour.) Corner	Cockspurthorn
<i>Maerua duchesnei</i> (De Wild.) F. White	N/A
<i>Matpighia emarginata</i> DC.	Barbados cherry, acerola
<i>Matpighia glabra</i> L.	Acerola, Barbados cherry
<i>Matus pumila</i> Mill.	Apple, domestic apple
<i>Matus sylvestris</i> (L.) Mill.	Apple, crab apple
<i>Mammea siamensis</i> T. Anderson	N/A
<i>Mangifera caesia</i> Jack	Wani
<i>Mangifera catoneura</i> Kurz	Mamuangpa
<i>Mangifera foetida</i> Lour.	Bachang mango
<i>Mangifera griffithii</i> Hook. f.	Rawa
<i>Mangifera indica</i> L.	Mango
<i>Mangifera laurina</i> Blume	Boa pow, mangga
<i>Mangifera longipetiolata</i> King	Asam damaran, asam kumbang
<i>Mangifera odorata</i> Griff.	Kuine, Saipan mango

<i>Mangifera pajang</i> Kosterm.	Bambangan
<i>Manilkara jaimiqui</i> (C. Wright) Dubard	Wild sapodilla
<i>Manilkara zapota</i> (L.) P. Royen	Sapote, chicle, chiku, sapodilla
<i>Merremia vitifolia</i> (Burm. f.) Hattier f.	Zhang ye yu huang cao
<i>Microcos tomentosa</i> Sm.	N/A
<i>Mimusops elengi</i> L.	Etengi, pogada, Spanish cherry
<i>Mitrephora maingayi</i> Hook. f. & Thomson	Thabut-net
<i>Momordica balsamina</i> L.	Balsam apple, bitter melon
<i>Momordica charantia</i> L.	Balsam pear, bitter melon
<i>Momordica cochinchinensis</i> (Lour.) Spreng.!	Balsam apple
<i>Morella rubra</i> Lour.	Chinese bayberry, Yumberry
<i>Morinda citrifolia</i> L.	Noni, Indian mulberry
<i>Morinda coreia</i> Buch.-Ham.	N/A
<i>Morus alba</i> L.	White mulberry
<i>Morus nigra</i> L.	Black mulberry
<i>Muntingia calabura</i> L.	Jamaica cherry
<i>Murraya exotica</i> L.	Chinese boxwood
<i>Murraya paniculata</i> (L.) Jack	Mock orange, orange jasmine
<i>Musa acuminata</i> Cotta	Chinese banana, dwarf banana
<i>Musa balbisiana</i> Cotta	Plantain
<i>Musa basjoo</i> Siebold & Zucc. ex Linuma	Japanese banana
<i>Musa^x paradisiaca</i> L.	Banana, common banana
<i>Musa troglodytarum</i> L.	Fe'i banana
<i>Myxopyrum smilacifolium</i> Blume	N/A
<i>Nauclea orientalis</i> L.	Ganary wood
<i>Neotamarckia cadamba</i> (Roxb.) Bosser	Burflower tree
<i>Neolitsea sericea</i> (Blume) Koidz.	Shirodamo
<i>Nephelium cuspidatum</i> Blume	Panungaian

<i>Nephelium lappaceum</i> L.	Rambutan
<i>Nestegis sandwicensis</i> (A. Gray) O. Deg., I. Deg. & L. A. S. Johnson	Otopua, Hawattan-otive
<i>Ochreinauclea maingayi</i> (Hook. f.) Ridsdale	N/A
<i>Ochrosia mariannensis</i> A. DC.	N/A
<i>Otax scandens</i> Roxb.	Dheniani
<i>Opilia amentacea</i> Roxb.	N/A
<i>Opuntia ficus-indica</i> (L.) Mill.	Cactus, prickly pear
<i>Palaquium maingayi</i> (C. B. Clarke) King & Gamble	Nyatoh
<i>Pandanus fragrans</i> Gaudich	Screw pine
<i>Pandanus odorifer</i> (Forssk.) Kuntze	Hata, pandanus, screw pine
<i>Parinari anamensis</i> Hance	N/A
<i>Parkia biglobosa</i> (Jacq.) R. Br. ex G. Don	African locust-bean
<i>Parkia speciosa</i> Hassk.	Petai
<i>Passiflora caerulea</i> L.	N/A
<i>Passiflora edulis</i> Sims	Passion fruit, purple granadilla, lilikoi
<i>Passiflora foetida</i> L.	Love-in-a-mist, pohapoha, stinking passion fruit
<i>Passiflora incarnata</i> L.	Maypop, wild passion fruit
<i>Passiflora taurifolia</i> L.	Bell apple, water lemon, yellow granadilla
<i>Passiflora ligularis</i> Juss.	Sweet granadilla
<i>Passiflora quadrangularis</i> L.	Giant granadilla
<i>Passiflora suberosa</i> L.	Gorky passion vine
<i>Passiflora tripartita</i> (Juss.) Poir.	Banana passion fruit, soft leaf passionflower
<i>Pereskia grandiflora</i> Pfeiff.	Rosa cactus
<i>Persea americana</i> Mitter	Avocado ^a
<i>Phoenix dactylifera</i> L.	Date palm
<i>Phyllanthus acidus</i> (L.) Skeels	Gooseberry tree
<i>Physalis minima</i> L.	Green gooseberry

<i>Physalis peruviana</i> L.	Ground cherry, poha
<i>Pimenta dioica</i> (L.) Merritt	Allspice
<i>Planchonella duclitan</i> (Blanco) Bakh. f.	N/A
<i>Polyalthia longifolia</i> (Sonn.) Thwaites	Gemetery tree, custard apple;
<i>Polyalthia simiarum</i> (Buch.-Ham. ex Hook. f. & Thomson) Benth. ex Hook. f. & Thomson	N/A
<i>Pometia pinnata</i> J. R. Forst. & G. Forst.	Fijian longan
<i>Poncirus trifoliata</i> (L.) Raf.	Flying dragon
<i>Pouteria atrifolia</i> (Baker) Roberty	N/A
<i>Pouteria caimito</i> (Ruiz & Pav.) Radlk.	Abitu
<i>Pouteria campechiana</i> (Kunth) Baehni	Canistel, egg fruit
<i>Pouteria sapota</i> (Jacq.) H. E. Moore & Stearn	Mamey sapote, marmatade fruit
<i>Pouteria viridis</i> (Pittier) Cronquist	Green sapote
<i>Premna serratifolia</i> L.	Coastal premna
<i>Prunus armeniaca</i> L.	Apricot
<i>Prunus avium</i> (L.) L.	Sweet cherry
<i>Prunus campanulata</i> Maxim.	Taiwan cherry
<i>Prunus cerasifera</i> Ehrh.	Cherry plum
<i>Prunus cerasoides</i> D. Don	Sour cherry, wild Himalayan cherry
<i>Prunus cerasus</i> L.	Sour cherry, maraschino cherry
<i>Prunus domestica</i> L.	Common plum, European plum
<i>Prunus ilicifolia</i> (Nutt. ex Hook. & Arn.) D. Dietr.	Catalina cherry, hollyleaf cherry
<i>Prunus mume</i> Siebold & Zucc.	Japanese apricot
<i>Prunus persica</i> (L.) Batsch.	Peach. Nectarine
<i>Prunus sativina</i> Lindl.	Japanese plum
<i>Prunus sativina</i> Lindl. x <i>Prunus cerasifera</i> Ehrh.	Methley plum
<i>Psidium cattleianum</i>	Sabine Strawberry guava
<i>Psidium guajava</i> L.	Guava

<i>Punica granatum</i> L.	Pomegranate ⁴
<i>Pyrus communis</i> L.	Pear
<i>Pyrus pashia</i> Buch.-Ham. ex D. Don	Himalayan pear
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai	Sand pear
<i>Rhodomyrtus tomentosa</i> (Aiton) Hassk.	Downy rose myrtle, myrtle
<i>Saba comorensis</i> (Bojer ex A. DC.) Pichon	Bungo fruit
<i>Saba senegalensis</i> (A. DC.) Pichon	Liane saba, mad, made
<i>Satavia verrucosa</i> Wight	N/A
<i>Sambucus javanica</i> Reinw. ex Blume	Chinese elder
<i>Sandoricum koetjape</i> (Burm. f.) Merril	Santol
<i>Santalum paniculatum</i> Hook. & Arn.	Hawaiian sandalwood
<i>Sarcocephalus latifolius</i> (Sm.) Bruce	Country fig
<i>Sauropus androgynus</i> (L.) Merr.	Star gooseberry, katuk
<i>Schoepfia fragrans</i> Walt.	N/A
<i>Sclerocarya birrea</i> (A. Rich.) Hochst.	Maroola plum
<i>Shirakiopsis indica</i> (Wittl.) Esser	N/A
<i>Simarouba glauca</i> DC.	Paradise tree
<i>Siphonodon celastrineus</i> Griff.	N/A
<i>Solanum aculeatissimum</i> Jacq.	Dutch eggplant
<i>Solanum aethiopicum</i> L.	Kumba
<i>Solanum americanum</i> Mill.	American nightshade
<i>Solanum anguivi</i> Lam.	African eggplant
<i>Solanum betaceum</i> Cav.	Tree tomato
<i>Solanum capsicoides</i> All.	Cockroach berry
<i>Solanum donianum</i> Walp.	Mullein, nightshade
<i>Solanum erianthum</i> D. Don	Big eggplant
<i>Solanum granuloseprosum</i> Dunal	N/A
<i>Solanum incanum</i> L.	Bitter apple

<i>Solanum lasiocarpum</i> Dunal	Indian nightshade
<i>Solanum linnaeanum</i> Hepper & P.-M. L. Jaeger	Devil's apple
<i>Solanum lycopersicum</i> L.	Tomato
<i>Solanum macrocarpon</i> L.	Gboma eggplant
<i>Solanum mammosum</i> L.	Macawbush
<i>Solanum mauritianum</i> Scop.	Bugtree
<i>Solanum melongena</i> L.	Eggplant
<i>Solanum muricatum</i> Aiton	Meton pear, pepino
<i>Solanum nigrescens</i> M. Martens & Galeotti	Divine nightshade
<i>Solanum nigrum</i> L.	Black nightshade
<i>Solanum pimpinellifolium</i> L.	Gurrant tomato
<i>Solanum pseudocapsicum</i> L.	Jerusalem cherry
<i>Solanum quitoense</i> Lam.	Naranjilla
<i>Solanum seaforthianum</i> Andrews	Black nightshade
<i>Solanum sessiliflorum</i> Dunal	Cocona, peach tomato
<i>Solanum stramonifolium</i> Jacq.	Coconilla
<i>Solanum torvum</i> Sw.	Devil's fig, turkeyberry
<i>Solanum tritobatum</i> L.	Thoodhuvatai
<i>Sorindeia madagascariensis</i> DC.	Sondriry
<i>Spondias dulcis</i> Sol. ex Parkinson	Otaheite apple, wi apple
<i>Spondias mombin</i> L.	Jamaica plum, yellow mombin
<i>Spondias pinnata</i> L.	Common hog plum
<i>Spondias purpurea</i> L.	Purple mombin, Spanish plum
<i>Streblus asper</i> Lour.	N/A
<i>Strychnos mellodora</i> S. Moore	N/A
<i>Strychnos nux-vomica</i> L.	Strychnine tree
<i>Syzygium aqueum</i> (Burm. f.) Atston	Water apple, watery rose apple
<i>Syzygium aromaticum</i> (L.) Merr. & L. M. Perry	Glove

<i>Syzygium borneense</i> (Miq.) Miq.	N/A
<i>Syzygium cumini</i> (L.) Skeels	Malay apple, Java plum
<i>Syzygium formosanum</i> (Hayata) Mori.	Tai wan pu tao
<i>Syzygium grande</i> (Wight) Watp.	N/A
<i>Syzygium jambos</i> (L.) Atston	Rose apple
<i>Syzygium lineatum</i> (DC.) Merr. & L. M. Perry	N/A
<i>Syzygium malaccense</i> (L.) Merrill & L. M. Perry	Mountain apple, Malay apple
<i>Syzygium nervosum</i> DC.	Daly River, satin-ash
<i>Syzygium samarangense</i> (Blume) Merr. & L. M. Perry	Java apple, water guava
<i>Terminalia bellirica</i> (Gaertn.) Roxb.	Bellicic, beach almond
<i>Terminalia catappa</i> L.	False kamani, tropical almond
<i>Terminalia chebula</i> Retz.	Black myrobalan, chebula
<i>Terminalia citrina</i> (Gaertn.) Roxb. ex Fleming	Black chuglam
<i>Theobroma cacao</i> L.	Cocoa
<i>Thevetia peruviana</i> (Pers.) K. Schum.	Yellow oleander
<i>Toddalia asiatica</i> (L.) Lam.	N/A
<i>Trichosanthes costata</i> Blume	N/A
<i>Trichosanthes pilosa</i> Lour.	Snake gourd
<i>Triphasia trifolia</i> (Burm. f.) P. Wilson	Limeberry
<i>Turpinia ternata</i> Nakai	San ye shan xiang yuan
<i>Uvaria grandiflora</i> Roxb. ex Hornem.	N/A
<i>Uvaria littoralis</i> (Blume) Blume	N/A
<i>Vaccinium reticulatum</i> Sm.	Oheto
<i>Viburnum japonicum</i> (Thunb.) Spreng.	Hakusan-boku
<i>Vitellaria paradoxa</i> C. F. Gaertn.	Shea-butter tree
<i>Vitis</i> spp.	Grapes
<i>Wikstroemia phillyreifolia</i> A. Gray	Akia, false oheto
<i>Wikstroemia uva-ursi</i> A. Gray	Akia, false oheto

<i>Willughbeia cochinchinensis</i> (Pierre) K. Schum.	N/A
<i>Willughbeia coriacea</i> Wall.	Borneo rubber
<i>Xanthophyllum flavescens</i> Roxb.	N/A
<i>Ximenia americana</i> L.	Yellow plum
<i>Zehneria mucronata</i> (Blume) Miq.	N/A
<i>Zehneria waltichii</i> (C. B. Clarke) C. Jeffrey	N/A
<i>Ziziphus jujuba</i> Mill.	Jujube
<i>Ziziphus mauritiana</i> Lam.	Chinese date, Jujube
<i>Ziziphus mucronata</i> Willd.	N/A
<i>Ziziphus nummularia</i> (Burm. f.) Wight & Arn.	N/A
<i>Ziziphus oenoptia</i> (L.) Mill.	N/A

1 Smooth Cayenne pineapples and hybrids with 50% or more smooth Cayenne parentage are not regulated

2 Mature pumpkins that are fresh and undamaged are not regulated

3 Hass avocados are not a host

4 Movement of pomegranate arils is unrestricted

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray, dust, bait, or in any other manner as often as necessary to effect eradication:

(2) The removal and destruction of all plant parts known or suspected to harbor any stage of said pest:

(3) The search for all stages of oriental fruit fly by visual inspection, the use of traps, or any other means:

(4) The removal and destruction of abandoned or unwanted plants bearing or capable of bearing hosts:

(5) The importation, rearing, liberation, and fostering of parasites and predators which attack oriental fruit fly:

(6) The importation, rearing, or liberation of sterile forms of the oriental fruit fly:

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code:

3591.5. Mediterranean Fruit Fly Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. That portion of the State of California described as follows, within which the Mediterranean fruit fly, *Ceratitis capitata*, is known to exist, is hereby proclaimed to be an eradication area

with respect to said pest, and as such it is amenable to the provisions of Article 4 (commencing with Section 5761) of Chapter 8, Part 1, Division 4, of the Food and Agricultural Code of California:

The entire counties of Alameda, Imperial, Los Angeles, Orange, Riverside, San Bernardino, San Diego, San Mateo, Santa Clara, Solano, Tulare and Ventura:

(b) Hosts. All fruit (including nuts and berries), vegetables (other than leafy types grown above ground), and the fruiting bodies of the plants listed herein. All of these items (along with soil under or near plants bearing these items) that are infested or are exposed to infestation by Mediterranean fruit fly are declared a public nuisance. Unless proven otherwise, all cultivars, varieties, and hybrids of the plant species listed herein are considered suitable hosts of *Geratitits capitata*:

Scientific Name	Common Name
<i>Acca sellowiana</i> (O. Berg) Burret	Pineapple guava
<i>Acokanthera oppositifolia</i> (Lam.) Godd	Bushman's poison
<i>Acokanthera schimperi</i> (A. DC.) Benth. & Hook. f. ex Schweinf.	Arrow poison tree
<i>Actinidia chinensis</i> Planch	Golden kiwifruit
<i>Actinidia deliciosa</i> (A. Chev.) C. F. Liang & A. R. Ferguson	Kiwifruit
<i>Anacardium occidentale</i> L.	Cashew
<i>Annona cherimota</i> Mill.	Cherimoya
<i>Annona muricata</i> L.	Soursop
<i>Annona reticulata</i> L.	Custard apple
<i>Annona senegalensis</i> Pers.	Wild custard apple
<i>Antiaris toxicaria</i> (Pers.) Lesch.	Sacking tree
<i>Antidesma venosum</i> E. Mey. ex Tut.	Tassel berry
<i>Arbutus unedo</i> L.	Strawberry tree
<i>Arenga pinnata</i> (Wurmb) Merr.	Sugar palm
<i>Argania spinosa</i> (L.) Skeels	Argan tree
<i>Artabotrys monteiroae</i> Oliv.	N/A
<i>Artocarpus altilis</i> (Parkinson) Fosberg	Breadfruit
<i>Averrhoa bilimbi</i> L.	Bitimbi
<i>Averrhoa carambola</i> L.	Starfruit

<i>Azima tetracantha</i> Lam.	N/A
<i>Berberis holstii</i> Engl.	N/A
<i>Blighia sapida</i> K. D. Koenig	Akee
<i>Bouyeria petiolaris</i> (Lam.) Thutin	N/A
<i>Brucea antidysenterica</i> J. F. Mill	N/A
<i>Butia capitata</i> (Mart.) Becc.	Jelly palm, coco palm
<i>Byrsonima crassifolia</i> (L.) Kunth	Golden spoon
<i>Calophyllum inophyllum</i> L.	Alexandrian laurel
<i>Calophyllum tacamahaca</i> Willd.	N/A
<i>Calotropis procera</i> (Aiton) W. T. Aiton	Sodom's apple milkweed
<i>Cananga odorata</i> (Lam.) Hook. f. & Thomson	Ylang-ylang
<i>Capparis crotonoides</i> (Kunth) Ittis & Cornejo	N/A
<i>Capparis sandwichiana</i> DC.	Puapito
<i>Capparis sepiaria</i> L.	N/A
<i>Capparis spinosa</i> L.	Caperbush
<i>Capsicum annuum</i> L.	Sweet pepper
<i>Capsicum baccatum</i> L.	Barpepper
<i>Capsicum chinense</i> Jacq.	Bonnet pepper
<i>Capsicum frutescens</i> L.	Bird pepper
<i>Capsicum pubescens</i> Ruiz & Pav.	Appte chile
<i>Carica papaya</i> L.	Papaya
<i>Carissa bispinosa</i> (L.) Desf. Ex-Brenan	Hedgethorn
<i>Carissa carandas</i> L.	Bengal currants
<i>Carissa macrocarpa</i> (Eckl.) A. DC.	Natal plum
<i>Carissa spinarum</i> L.	Garandas plum
<i>Carissa tetramera</i> Stapf	N/A
<i>Carya illinoensis</i> (Wangenh.) K. Koch	Pecan
<i>Casimiroa edulis</i> La Llave & Lex.	White sapote

<i>Celtis tala</i> Gillies ex Planch.	Tata
<i>Cestrum nocturnum</i> L.	Lady of the night
<i>Chrysobatanus icaco</i> L.	Coco plum
<i>Chrysophyllum cainito</i> L.	Star apple
<i>Chrysophyllum gonocarpum</i> (Mart. & Eichler) Englt.	N/A
<i>Chrysophyllum oliviforme</i> L.	Wild star apple
<i>Chrysophyllum viridifolium</i> J. M. Wood & Franks	N/A
<i>Githarexylum myrianthum</i> Cham.	N/A
<i>Citrofortunella microcarpa</i> (Bunge) Wijnands	Galamondin
<i>Citrus aurantiifolia</i> (Christm.) Swingle	Sour lime
<i>Citrus aurantium</i> L.	Sour orange
<i>Citrus deliciosa</i> Ten.	Mediterranean mandarin
<i>Citrus jambhiri</i> Lush.	Rough lemon
<i>Citrus latifolia</i> (Yu. Tanaka) Tanaka	Persian lime
<i>Citrus limetta</i> Risso	Sweet lemon
<i>Citrus limettioides</i> Tanaka	Palestine sweet lemon
<i>Citrus limon</i> (L.) Burm. f.	Lemon
<i>Citrus limonia</i> Osbeck	Canton lemon
<i>Citrus maxima</i> (Burm.) Merr.	Pummelo
<i>Citrus medica</i> L.	Citron
<i>Citrus meyeri</i> Yu. Tanaka	Meyer lemon
<i>Citrus myrtifolia</i> Raf.	Myrtle-leaf orange
<i>Citrus nobilis</i> Lour.	King orange
<i>Citrus paradisi</i> Macfad.	Grapefruit
<i>Citrus reshni</i> hort. ex Tanaka	Gleopatra mandarin
<i>Citrus reticulata</i> Blanco	Mandarin
<i>Citrus sinensis</i> (L.) Osbeck	Orange

<i>Citrus x tangelo</i> J. W. Ingram & H. E. Moore	Tangelo
<i>Citrus unshiu</i> Marcow:	Satsuma mandarin
<i>Glausena anisata</i> (Willd.) Hook. f.	Horsewood
<i>Glausena lansium</i> (Lour.) Skeels	Wampi
<i>Goccinia grandis</i> (L.) Voigt	Ivy gourd
<i>Goccinia microphylla</i> Gilg	N/A
<i>Coccoloba uvifera</i> (L.) L.	Sea grape
<i>Coffea arabica</i> L.	Arabian coffee
<i>Coffea canephora</i> Pierre ex A. Froehner	Robusta coffee
<i>Coffea liberica</i> W. Bull ex Hiern	Liberian coffee
<i>Cola natalensis</i> Oliv.	N/A
<i>Corallocarpus ellipticus</i> Chiov.	N/A
<i>Cordia</i> sp.	N/A
<i>Gorynocarpus laevigatus</i> J. R. Forst. & G. Forst.	Karakatrad
<i>Grataegus azarotus</i> L.	Azarote
<i>Grataegus gracilior</i> J. B. Phipps	N/A
<i>Cucumis dipsaceus</i> Ehrenb. ex Spach	Hedgehog cucumber
<i>Cucurbitella asperata</i> (Gillies ex Hook. & Arn.) Walp.	N/A
<i>Cyclanthera pedata</i> (L.) Schrad.	Lady's slipper
<i>Cydonia oblonga</i> Mill.	Quince
<i>Dimocarpus longan</i> Lour.	Longan
<i>Diospyros abyssinica</i> (Hiern) F. White	N/A
<i>Diospyros decandra</i> Lour.	Chan in
<i>Diospyros ebenum</i> J. Koenig	Ceylon ebony
<i>Diospyros kaki</i> Thunb.	Japanese persimmon
<i>Diospyros mespiliformis</i> Hochst. ex A. DC.	N/A
<i>Diospyros pallens</i> (Thunb.) F. White	N/A

<i>Diospyros pubescens</i> Pers.	N/A
<i>Diospyros virginiana</i> L.	American persimmon
<i>Dovyalis caffra</i> (Hook. f. & Harv.) Sim.	Kei apple
<i>Dovyalis hebecarpa</i> (Gardner) Warb.	Ceylon gooseberry
<i>Drypetes floribunda</i> (Müll. Arg.) Hutch.	N/A
<i>Drypetes gerrardii</i> Hutch.	N/A
<i>Drypetes natalensis</i> (Harv.) Hutch.	N/A
<i>Ehretia cymosa</i> Thonn.	N/A
<i>Ekebergia capensis</i> Sparrm.	Cape ash
<i>Etaeodendron schweinfurthianum</i> (Loes.) Loes	N/A
<i>Englerophytum magalimontanum</i> (Sond.) T. D. Penn.	N/A
<i>Eriobotrya japonica</i> (Thunb.) Lindl.	Loquat
<i>Euclea divinorum</i> Hiern	N/A
<i>Eugenia brasiliensis</i> Lam.	Brazil cherry
<i>Eugenia involucrata</i> DC.	Cherry of the Rio Grande
<i>Eugenia pyriformis</i> Cambess.	Uvaia
<i>Eugenia uniflora</i> L.	Surinam cherry
<i>Ficus carica</i> L.	Fig
<i>Filicium decipiens</i> (Wight & Arn.) Thwaites ex Hook. f.	N/A
<i>Flacourtia indica</i> (Burm. f.) Merr.	Governor's plum
<i>Flagellaria guineensis</i> Schumach.	N/A
<i>Flueggea virosa</i> (Roxb. ex Willd.) Royle	N/A
<i>Fortunella japonica</i> (Thunb.) Swingle	Round kumquat
<i>Fortunella margarita</i> (Lour.) Swingle	Oval kumquat
<i>Frangula californica</i> (Eschsch.) A. Gray	California buckthorn
<i>Garcinia brasiliensis</i> Mart.	N/A
<i>Garcinia livingstonei</i> T. Anderson	African mangosteen

<i>Garcinia mangostana</i> L.	Mangosteen
<i>Garcinia xanthochymus</i> Hook. f.	Sour mangosteen
<i>Geoffroea decorticans</i> (Gillies ex Hook. & Arn.) Burkart	Chañar
<i>Grewia trichocarpa</i> Hochst. ex A. Rich.	N/A
<i>Guettarda speciosa</i> L.	Sea-randa
<i>Hancornia speciosa</i> Gomes	Mangaba
<i>Harpephyllum caffrum</i> Bernh. ex C. Krauss	Kaffir date
<i>Harrisonia abyssinica</i> Oliv.	N/A
<i>Hexachlamys edulis</i> (O. Berg) Kausel & D. Legrand	Gereja do Rio Grande
<i>Inga feuilleei</i> DC.	Pacae
<i>Inga taurina</i> (Sw.) Willd.	N/A
<i>Inga sellowiana</i> Benth.	N/A
<i>Juglans australis</i> Griseb.	Argentine walnut
<i>Juglans hindsii</i> (Jeps.) R. E. Sm.	Hind's black-walnut
<i>Juglans neotropica</i> Diels	Andean walnut
<i>Juglans nigra</i> L.	Black walnut
<i>Juglans regia</i> L.	English walnut
<i>Lagenaria siceraria</i> (Molina) Standl.	Bottle gourd
<i>Lamprothamnus zanguebaricus</i> Hiern	N/A
<i>Latania loddigesii</i> Mart.	Blue-latan
<i>Licania tomentosa</i> (Benth.) Fritsch	Oiti
<i>Litchi chinensis</i> Sonn.	Litchi
<i>Ludia mauritiana</i> J. F. Gmel.	N/A
<i>Lycium europaeum</i> L.	Boxthorn
<i>Lycium ferocissimum</i> Miers	African boxthorn
<i>Lycium subglabosum</i> L.	N/A
<i>Malpighia emarginata</i> DC.	Barbados cherry

<i>Malpighia glabra</i> L.	Acerota
<i>Malus floribunda</i> Siebold ex Van Houtte	Japanese crab apple
<i>Malus pumila</i> Mill.	Paradise apple
<i>Malus sylvestris</i> (L.) Mill.	Crab apple
<i>Mangifera indica</i> L.	Mango
<i>Manilkara butugi</i> Chiov.	N/A
<i>Manilkara jaimiqui</i> (C. Wright) Dubard	Wild sapodilla
<i>Manilkara sansibarensis</i> (Engl.) Dubard	N/A
<i>Manilkara sulcata</i> (Engl.) Dubard	N/A
<i>Manilkara zapota</i> (L.) P. Royen	Sapote
<i>Matisia cordata</i> Humb. & Bonpl.	South American sapote
<i>Mespilus germanica</i> L.	Medlar
<i>Mimusops bagshawei</i> S. Moore	N/A
<i>Mimusops caffra</i> E. Mey. ex A. DC.	Coastal red milkwood
<i>Mimusops elengi</i> L.	Medlar
<i>Mimusops kirkii</i> Baker	N/A
<i>Mimusops kummel</i> Bruce ex A. DC.	N/A
<i>Mimusops obtusifolia</i> Lam.	N/A
<i>Mimusops zeyheri</i> Sond.	Transvaal red milkwood
<i>Momordica charantia</i> L.	Balsam apple
<i>Monodora grandidieri</i> Baill.	N/A
<i>Morus alba</i> L.	White mulberry
<i>Morus nigra</i> L.	Black mulberry
<i>Morus rubra</i> L.	Red mulberry
<i>Mouriri elliptica</i> Mart.	N/A
<i>Muntingia calabura</i> L.	Calabur tree
<i>Murraya exotica</i> L.	Chinese boxwood
<i>Murraya paniculata</i> (L.) Jack	Mock orange

<i>Musa acuminata</i> Colla	Banana
<i>Musa x paradisiaca</i> L.	French plantain
<i>Myrcianthes pungens</i> (O. Berg) D. Legrand	Guabiju
<i>Myrianthus arboreus</i> P. Beauv.	N/A
<i>Noronhia emarginata</i> (Lam.) Thouars	Chinese plum
<i>Ochrosia elliptica</i> Labill.	Scarlet wedge-apple
<i>Olea europaea</i> L.	Wild olive
<i>Olea woodiana</i> Knobt.	N/A
<i>Opitia amentacea</i> Roxb.	N/A
<i>Opuntia</i> spp.	Tuna, prickly-pear
<i>Oxyanthus zanguebaricus</i> (Hiern) Bridson	N/A
<i>Parmentiera aculeata</i> (Kunth) Seem.	Gandletree
<i>Passiflora alata</i> Curtis	Wingstem passionflower
<i>Passiflora caerulea</i> L.	Blue passionflower
<i>Passiflora edulis</i> Sims	Common passionflower
<i>Passiflora foetida</i> L.	Love-in-a-mist passionflower
<i>Passiflora ligularis</i> Juss.	Sweet granadilla
<i>Passiflora suberosa</i> L.	Gork passionflower
<i>Passiflora tripartita</i> (Juss.) Poir.	Banana passionflower
<i>Pentarrhopalopilium umbellulata</i> (Baill.) Hiepko	N/A
<i>Peponium mackenzii</i> (Naudin) Engl.	N/A
<i>Pereskia aculeata</i> Mill.	Barbados gooseberry
<i>Persea americana</i> Mill.	Avocado
<i>Phoenix dactylifera</i> L.	Date
<i>Phyllanthus acidus</i> (L.) Skeels	Gooseberry tree
<i>Physalis peruviana</i> L.	Cape gooseberry
<i>Pithecellobium dulce</i> (Roxb.) Benth.	Blackbead
<i>Plinia cauliflora</i> (Mart.) Kausel	Jaboticaba

<i>Podocarpus elongatus</i> (Aiton) L'Her. ex Pers.	Breede River yellowwood
<i>Potysphaeria parvifolia</i> Hiern	N/A
<i>Poncirus trifoliata</i> (L.) Raf.	Hardy orange
<i>Pouteria caimito</i> (Ruiz & Pav.) Radlk.	Gaimito
<i>Pouteria campechiana</i> (Kunth) Baehni	Canistel
<i>Pouteria lucuma</i> (Ruiz & Pav.) Kuntze	Lucmo
<i>Pouteria ramiflora</i> (Mart.) Radlk.	N/A
<i>Pouteria sapota</i> (Jacq.) H. E. Moore & Stearn	Mammee sapote
<i>Pouteria viridis</i> (Pittier) Cronquist	Injerto
<i>Prunus africana</i> (Hook. f.) Kalkman	African cherry
<i>Prunus americana</i> Marshall	American plum
<i>Prunus armeniaca</i> L.	Apricot
<i>Prunus avium</i> (L.) L.	Sweet cherry
<i>Prunus cerasifera</i> Ehrh.	Cherry plum
<i>Prunus cerasus</i> L.	Dwarf cherry
<i>Prunus domestica</i> L.	Wild plum
<i>Prunus dulcis</i> (Mill.) D. A. Webb	Almond
<i>Prunus ilicifolia</i> (Nutt. ex Hook. & Arn.) D. Dietr.	Hollyleaf cherry
<i>Prunus mume</i> Siebold & Zucc.	Japanese apricot
<i>Prunus persica</i> (L.) Batsch	Peach, nectarine
<i>Prunus salicina</i> Lindl.	Plum
<i>Prunus serotina</i> Ehrh.	Black cherry
<i>Psidium cattleianum</i> Sabine	Gattley guava, strawberry guava
<i>Psidium friedrichsthalianum</i> (O. Berg) Nied.	Costa Rican guava
<i>Psidium guajava</i> L.	Guava
<i>Psidium guineense</i> Sw.	Brazilian guava
<i>Punica granatum</i> L.	Pomegranate
<i>Pyrus communis</i> L.	Pear

<i>Pyrus pyrifolia</i> (Burm. f.) Nakai	Sandparon
<i>Rubus idaeus</i> L.	Raspberry
<i>Rubus lucidus</i> Rydb.	N/A
<i>Rubus sanctus</i> Schreb.	Blackberry
<i>Satacia elegans</i> Wetw. ex Oliv.	N/A
<i>Salpichroa organifolia</i> (Lam.) Thell.	Cock's eggs
<i>Sandoricum koetjape</i> (Burm. f.) Merr.	Red santol
<i>Santalum album</i> L.	Sandatwood
<i>Santalum ellipticum</i> Gaudich.	Yellow sandatwood
<i>Scaevola ptunieri</i> (L.) Vahl	Beechberry
<i>Scaevola taccada</i> (Gaertn.) Roxb.	Beach naupaka
<i>Sideroxylon foetidissimum</i> Jacq.	False mastic
<i>Sideroxylon inerme</i> L.	N/A
<i>Sideroxylon polynesianum</i> (Hillebr.) & Anderb	N/A
<i>Simmondsia chinensis</i> (Link) C. K. Schneid.	Jajoba
<i>Solanum aethiopicum</i> L.	Chinese scarlet eggplant [±]
<i>Solanum betaceum</i> Cav.	Tree tomato
<i>Solanum elaeagnifolium</i> Cav.	Bull nettle
<i>Solanum glaucophyllum</i> Desf.	N/A
<i>Solanum incanum</i> L.	Palestine nightshade
<i>Solanum linnaeanum</i> Hepper & P.-M. L. Jaeger	Appte of Sodom
<i>Solanum lycopersicum</i> L.	Tomato
<i>Solanum macrocarpon</i> L.	African eggplant [±]
<i>Solanum mauritianum</i> Scop.	Bugtree
<i>Solanum muricatum</i> Aiton	Melon pear
<i>Solanum nigrum</i> L.	Black nightshade
<i>Solanum pimpinellifolium</i> L.	Currant tomato
<i>Solanum pseudocapsicum</i> L.	Jerusalem-cherry

<i>Solanum scabrum</i> Mill.	Garden huckleberry
<i>Solanum seaforthianum</i> Andrews	Climbing nightshade
<i>Solanum sessiliflorum</i> Dunal	Gocona
<i>Solanum sisymbriifolium</i> Lam.	Dense thorn bitter apple
<i>Solanum torvum</i> Sw.	Turkey berry
<i>Spondias dulcis</i> Sol. ex Parkinson	Golden apple
<i>Spondias mombin</i> L.	Hog plum
<i>Spondias purpurea</i> L.	Red mombin
<i>Spondias tuberosa</i> Arruda ex Kost.	Imbu
<i>Spondias venulosa</i> (Engl.) Mart. ex Engl.	N/A
<i>Sterculia apetala</i> (Jacq.) H. Karst.	Panama tree
<i>Strychnos decussata</i> (Pappe) Gilg	N/A
<i>Strychnos henningsii</i> Gilg	N/A
<i>Strychnos potatorum</i> L. f.	Clearing nut tree
<i>Strychnos pungens</i> Soter.	N/A
<i>Syngonium podophyllum</i> Schott	American evergreen
<i>Synsepatum dulcificum</i> (Schumach.) Daniell	Miracle fruit
<i>Syzygium cumini</i> (L.) Skeels	Jambolan
<i>Syzygium jambos</i> (L.) Alston	Matabar plum
<i>Syzygium malaccense</i> (L.) Merr. & L. M. Perry	Matay apple
<i>Syzygium paniculatum</i> Gaertn.	Magenta titty-pitty
<i>Syzygium samarangense</i> (Blume) Merr. & L. M. Perry	Java apple
<i>Terminalia catappa</i> L.	Tropical almond
<i>Terminalia chebula</i> Retz.	Black-myrobatan
<i>Theobroma cacao</i> L.	Cacao
<i>Thevetia peruviana</i> (Pers.) K. Schum.	Lucky nut
<i>Triphasia</i> sp.	N/A

<i>Vaccinium ashei</i> J. M. Reade	Rabbit-eye blueberry
<i>Vaccinium angustifolium</i> Aiton	Lowbush blueberry
<i>Vaccinium corymbosum</i> L.	Highbush blueberry
<i>Vaccinium virgatum</i> Aiton	Rabbit-eye blueberry
<i>Vangueria infausta</i> Burch.	African medlar
<i>Vasconcellea quercifolia</i> A. St.-Hil.	Galasacha
<i>Vepris lanceolata</i> (Lam.) G. Don	White ironwood
<i>Vepris nobilis</i> (Detile) Mziray	N/A
<i>Vepris simplicifolia</i> (Engl.) Mziray	N/A
<i>Vepris trichocarpa</i> (Engl.) Mziray	N/A
<i>Vitis</i> spp.	Grapes
<i>Wikstroemia phillyreifolia</i> A. Gray	N/A
<i>Ximenia americana</i> L.	False sandatwood
<i>Ximenia caffra</i> Sond.	N/A
<i>Ziziphus jujuba</i> Mill.	Chinese jujube
<i>Ziziphus lotus</i> (L.) Lam.	Lotus jujube
<i>Ziziphus mauritiana</i> Lam.	Chinese apple
<i>Ziziphus spina-christi</i> (L.) Desf.	Christ's thorn

* Commercially produced eggplants are not regulated articles.

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray, dust, bait or in any other manner as often as necessary to effect control:

(2) The removal and destruction of all plant parts known or suspected to harbor any stage of said pest:

(3) The searching for all stages of Mediterranean fruit fly by visual inspection, the use of traps, or any other means:

(4) The removal and destruction of abandoned or unwanted plants bearing or capable of bearing hosts:

(5) The importation, rearing, liberation, and fostering of parasites and predators which attack Mediterranean fruit fly:

(6) The importation, rearing, or liberation of sterile forms of the Mediterranean fruit fly:

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.

3591.11. Caribbean Fruit Fly Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. All of the Counties of Los Angeles, Orange, Santa Clara, and Ventura in the State of California within which the Caribbean fruit fly, (*Anastrepha suspensa*), has been detected, are hereby proclaimed eradication areas with respect to said pest. As such, it is amenable to the provisions of Article 4 (sections 5761, 5762, 5763 and 5764) of Chapter 8, Part 1, Division 4 of the Food and Agricultural Code of California:

(b) Hosts. Fruit and soil under the drip line, whether in the ground or in a container, of the canopy of the plants:

Scientific Name	Common Name
<i>Ananas comosus</i> (L.)	Pineapple
<i>Annona glabra</i> L.	Alligator-apple, corkwood, cow-apple, mangrove anona, monkey apple, pond-apple
<i>Annona squamosa</i> L.	Custard-apple, sugar-apple, sweetsop
<i>Atalantia citroides</i> Pierre ex Guillaumin	Gochin China, Atalantia
<i>Averrhoa carambola</i> L.	Carambola, five-corner, starfruit
<i>Blighia sapida</i> K. D. Koenig	Akee, akee-apple
<i>Canelia winterana</i> (L.) Gaertn.	Wild cinnamon
<i>Capsicum frutescens</i> L.	Bird pepper, hot pepper, red chili, spur pepper, Tabasco pepper
<i>Carica papaya</i> L.	Papaya, pawpaw
<i>Carissa macrocarpa</i> (Eckl.) A. DC.	Natal-plum
<i>Casimiroa edulis</i> La Llave & Lex.	Mexican-apple, white sapote
<i>Chrysobalanus icaco</i> L.	Coco-plum
<i>Chrysophyllum oliviforme</i> L.	Damson-plum, staintleaf, wild star-apple
<i>Citrus x aurantiifolia</i> (Christm.) Swingle	Egyptian lime, Indian lime, Key lime, lime, Mexican lime, sour lime, West Indian lime
<i>Citrus x aurantium</i> L.	Bitter orange, clementine, Seville orange, sour orange, tangelo

<i>Citrus x aurantium</i> L. var. <i>racemosa</i> (Risso) ined.	Grapefruit, pomelo
<i>Citrus x aurantium</i> L. var. <i>sinensis</i> L.	Blood-orange, navel, navel orange, orange, sweet orange, Valencia orange
<i>Citrus x floridana</i> (J. W. Ingram & H. E. Moore) Mabb.	Limequat
<i>Citrus japonica</i> Thunb.	Changshou kumquat, golden-bean kumquat, Hong Kong kumquat, marumi kumquat, meiwa kumquat, nagami kumquat, oval cumquat, oval kumquat, round cumquat, round kumquat
<i>Citrus x limon</i> (L.) Osbeck	Batotin bergamot, Canton lemon, chine lemon, Chinese dwarf lemon, cravo lemon, dwarf lemon, hime lemon, jaune orange, lemandarin, lemon, lumia of the Mediterranean, mandarin lime, marmalade lime, Meyer lemon, Otaheite orange, Rangpur lime, red lemon, sweet lemon, sweet lime
<i>Citrus x microcarpa</i> Bunge	Calamandarin, calamondin, China-orange, golden-time, musk-lime, Panama-orange, Philippine-lime
<i>Citrus x nobilis</i> Lour.	King of Siam, king orange, tangor
<i>Citrus nobilis x Fortunella</i> sp.	N/A
<i>Citrus reticulata</i> Blanco	Cleopatra mandarin, dancy tangerine, honey mandarin, Italian tangerine, jimikan mandarin, King of Siam, king orange, Mediterranean mandarin, Satsuma mandarin, Satsuma orange, sour mandarin, spice mandarin, sunki mandarin, tachibana orange, tangerine, tangor, temple orange, Tim kat mandarin, willow-leaf mandarin
<i>Elaeagnus laurifolia</i> (Lour.) Skeels	Chinese clausena, wampi
<i>Coccoloba uvifera</i> (L.) L.	Jamaican kino, platterleaf, sea-grape, shore sea-grape
<i>Coffea arabica</i> L.	Arabian coffee, arabica coffee, coffee, coffeetree
<i>Diospyros blancoi</i> A. DC.	Mabola tree, velvet persimmon, velvet-apple
<i>Diospyros kaki</i> Thunb.	Chinese persimmon, Japanese persimmon, kaki persimmon, Oriental persimmon
<i>Dovyalis caffra</i> (Hook. f. & Harv.) Warb.	Kei-apple
<i>Dovyalis hebecarpa</i> (Gardner) Warb.	Ceylon-gooseberry
<i>Drypetes lateriflora</i> (Sw.) Krug & Urb.	Milk bark tree, Guiana plum

<i>Eriobotrya japonica</i> (Thunb.) Lindl.	Japanese-medlar, loquat
<i>Eugenia brasiliensis</i> Lam.	Brazil-cherry
<i>Eugenia coronata</i> Schumacher	Spanish stopper, boxleaf stopper, red stopper, Surinam-cherry
<i>Eugenia involucrata</i> DC.	Cherry-of-the-Rio-Grande
<i>Eugenia ligustrina</i> (Sw.) Willd.	Birchberry, privet stopper
<i>Eugenia luschnathiana</i> (O. Berg) Klotzsch ex B. D. Jacks.	Pitomba
<i>Eugenia uniflora</i> L.	Brazil-cherry, Surinam-cherry
<i>Ficus altissima</i> Blume	Counciltree, false banyan, lofty fig
<i>Ficus carica</i> L.	Common fig, fig
<i>Flacourtia indica</i> (Burm. f.) Merr.	Batoko-ptum, governor's-ptum, Indian-ptum, Madagascar-ptum
<i>Garcinia aristata</i> (Griseb.) Borhidi	Cuban mangosteen
<i>Garcinia intermedia</i> (Pittier) Hammel	Lemon drop mangosteen, monkey fruit
<i>Garcinia livingstonei</i> T. Anderson	African mangosteen
<i>Garcinia xanthochymus</i> Hook. f.	Gambogetree, sour mangosteen
<i>Litchi chinensis</i> Sonn.	Lychee
<i>Matpighia emarginata</i> DC.	Acerola, Barbados-cherry, West Indian-cherry
<i>Matpighia glabra</i> L.	Escobitto
<i>Malus sylvestris</i> (L.) Mill.	Crab-apple, European-crab-apple
<i>Mangifera indica</i> L.	Common mango, Indian mango, mango
<i>Manilkara jaimiqui</i> (C. Wright) Dubard subsp. <i>emarginata</i> (L.) Cronquist	Wild dilly, wild sapodilla
<i>Manilkara roxburghiana</i> (Wight) Dubard	Bulletwood
<i>Manilkara zapota</i> (L.) P. Royen	Chicle, chico sapote, naseberry, sapodilla, sapote
<i>Momordica charantia</i> L.	Balsam-apple, balsam-pear, bitter gourd, bitter-cucumber, bitter-melon, carilla gourd
<i>Muntingia calabura</i> L.	Catabur-tree, capulin, Jamaica-cherry, Panama-berry, strawberry-tree

<i>Murraya paniculata</i> (L.) Jack	Barktree, Burmese-boxwood, China-box, Chinese-box, Chinese-boxwood, Chinese-myrtle, cosmetic-bark-tree, Hawaiian-mock orange, jasmine-orange, mock orange, orange-jasmine, satinwood
<i>Myrcianthes fragrans</i> (Sw.) McVaugh	Twinberry
<i>Myrciaria glomerata</i> O. Berg	Red cabeludinha, red-haired jaboticaba
<i>Persea americana</i> Mill.	Avocado
<i>Phoenix dactylifera</i> L.	Date, date-palm
<i>Pimenta dioica</i> (L.) Merr.	Attspice, clover-pepper, Jamaica-pepper, pimento
<i>Plinia cauliflora</i> (Mart.) Kausel	Brazilian grapetree, jaboticaba
<i>Pouteria campechiana</i> (Kunth) Baehni	Canistel, eggfruit-tree, yellow sapote
<i>Prunus persica</i> (L.) Batsch var. <i>persica</i>	Peach, common peach
<i>Prunus persica</i> (L.) Batsch var. <i>nucipersica</i> (Suckow) G. K. Schneid.	Nectarine
<i>Pseudanmomis umbellulifera</i> (Kunth) Kausel	Monos plum
<i>Psidium cattleianum</i> Sabine	Cherry guava, strawberry guava
<i>Psidium cattleianum</i> Sabine var. <i>cattleianum</i>	Cattley guava, purple guava, purple-strawberry guava, red-strawberry guava, Strawberry guava
<i>Psidium friedrichsthatianum</i> (O. Berg) Nied.	Costa Rican guava
<i>Psidium guajava</i> L.	Common guava, guava, lemon guava, yellow guava
<i>Punica granatum</i> L.	Pomegranate
<i>Pyrus communis</i> L.	Pear
<i>Pyrus x lecontei</i> Rehder	Le Conte pear
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai	Asian pear
<i>Rubus</i> hybrid	Marionberry, Olattieberry, youngberry
<i>Rubus idaeus</i> L.	Raspberry, red raspberry
<i>Severinia buxifolia</i> (Poir.) Ten.	Chinese box-orange
<i>Solanum lycopersicum</i> L. var. <i>lycopersicum</i>	Tomato
<i>Spondias dulcis</i> Sol. ex Parkinson	Ambarella, golden-apple, June-plum, Otaheite-apple, Polynesian-plum, yellow-plum

<i>Spondias mombin</i> L.	Hog-plum, Jamaica-plum, mombin, yellow mombin
<i>Spondias purpurea</i> L.	Hog-plum, purple mombin, red mombin, Spanish-plum
<i>Swietenia mahagoni</i> (L.) Jacq.	Cuban mahogany, Spanish mahogany, West Indian mahogany
<i>Synsepalum dulcificum</i> (Schumach.) Daniell	Miracle-fruit, miraculous-berry
<i>Syzygium cumini</i> (L.) Skeels	Java-plum, Malabar-plum, Portuguese-plum, rose-apple
<i>Syzygium jambos</i> (L.) Atston	Malabar-plum, rose-apple, yambo
<i>Syzygium malaccense</i> (L.) Merr. & L. M. Perry	Malay-apple, mountain-apple, Otaheite-apple, pink satin-ash, rose-apple
<i>Syzygium samarangense</i> (Blume) Merr. & L. M. Perry	Java-apple, Semarang rose-apple, wax jambu
<i>Terminalia catappa</i> L.	Country-almond, Indian-almond, Malabar-almond, sea-almond, tropical-almond
<i>Terminalia muelleri</i> Benth.	Australian-almond
<i>Trevesia palmata</i> (Roxb. ex Lindl.) Vis.	Snowflakeplant, snowflaketree
<i>Triphasia trifolia</i> (Burm. f.) P. Wilson	Limeberry, trifoliolate limeberry, triphasia
<i>Ximenia americana</i> L.	False sandalwood, tallownut, tallowwood, yellow-plum

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray (including soil spray treatments), dust, bait, or in any other form as often as necessary to effect control or eradication.

(2) The removal and destruction of hosts and of the fruit of such hosts if such action is the only practical way of eliminating the infestation.

(3) The search for all stages of Caribbean fruit fly by visual inspection, the use of traps, or any other means.

(4) The removal and destruction of abandoned or unwanted plants bearing or capable of bearing hosts.

(5) The importation, rearing, liberation, and fostering of parasites and predators which attack the fly.

(6) The importation, rearing, or liberation of sterile forms of the Caribbean fruit fly.

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.

3591.12. Peach Fruit Fly Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. That portion of the State of California described as follows, within which peach fruit fly, *Bactrocera zonata*, is known to exist, is hereby proclaimed to be an eradication area with respect to said pest, and as such, it is amenable to the provisions of Article 4 (Sections 5761, 5762, 5763 and 5764) of Chapter 8, Part 1, Division 4, of the Food and Agricultural Code of California:

(1) The entire county of Alameda:

(2) The entire county of Contra Costa:

(3) The entire county of Fresno:

(4) The entire county of Los Angeles:

(5) The entire county of Madera:

(6) The entire county of Napa:

(7) The entire county of Orange:

(8) The entire county of Riverside:

(9) The entire county of Sacramento:

(10) The entire county of San Bernardino:

(11) The entire county of San Joaquin:

(12) The entire county of San Mateo:

(13) The entire county of Santa Clara:

(14) The entire county of Solano:

(15) The entire county of Ventura:

(b) Hosts:

(1) Fruit of the following plants:

Scientific Name	Common Name
<i>Aegle marmelos</i>	Baeltree
<i>Afzelia xylocarpa</i>	Doussie
<i>Annona reticulata</i>	Gustard apple
<i>Annona squamosa</i>	Sugar apple
<i>Careya arborea</i>	Patana oak
<i>Carica papaya</i>	Papaya
<i>Casimiroa edulis</i>	White sapote
<i>Citrullus lanatus</i>	Watermelon

<i>Citrus aurantium</i>	Sour orange
<i>Citrus limon</i>	Lemon
<i>Citrus nobilis</i> x <i>C. deliciosa</i>	Kinnow
<i>Citrus paradisi</i>	Grapefruit
<i>Citrus reticulata</i>	Mandarin orange
<i>Citrus sinensis</i>	Orange
<i>Coccinia grandis</i>	Ivy gourd
<i>Cucumis sativus</i>	Cucumber
<i>Cydonia obtonga</i>	Quince
<i>Elaeocarpus hygrophilus</i>	Ma-kok-nam
<i>Eriobotrya japonica</i>	Loquat
<i>Ficus carica</i>	Fig
<i>Grewia asiatica</i>	Phalsa
<i>Lagenaria siceraria</i>	Bottle gourd
<i>Luffa acutangula</i>	Angled loofah
<i>Luffa</i> spp.	Tori
<i>Matpighia emarginata</i>	Barbados cherry
<i>Malus pumila</i>	Apple
<i>Malus sylvestris</i>	Crab apple
<i>Mangifera indica</i>	Mango
<i>Manilkara zapota</i>	Sapodilla
<i>Mimusops elengi</i>	Spanish cherry
<i>Momordica charantia</i>	Bitter melon
<i>Olea europaea</i>	Olive
<i>Persea americana</i>	Avocado
<i>Phoenix dactylifera</i>	Date palm
<i>Prunus armeniaca</i>	Apricot
<i>Prunus avium</i>	Sweet cherry

<i>Prunus domestica</i>	Plum
<i>Prunus persica</i>	Peach
<i>Prunus</i> sp.	N/A
<i>Psidium cattleianum</i>	Strawberry guava
<i>Psidium guajava</i>	Guava
<i>Punica granatum</i>	Pomegranate
<i>Putranjiva roxburghii</i>	Wild olive
<i>Pyrus communis</i>	Pear
<i>Pyrus ussuriensis</i>	Manchurian pear
<i>Solanum lycopersicum</i>	Tomato
<i>Solanum melongena</i>	Eggplant
<i>Syzygium jambos</i>	Rose apple
<i>Syzygium samarangense</i>	Java apple
<i>Terminalia catappa</i>	Tropical almond
<i>Ziziphus jujuba</i>	Jujube
<i>Ziziphus mauritiana</i>	Chinese date

Any other plants determined by the director to produce fruit which is attacked by *Bactrocera zonata*.

(2) Soil or planting media within the drip area of plants producing, or which have produced, host fruit.

(c) Means and method. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray (including soil spray treatments), dust, bait, or in any other manner as often as necessary to effect control or eradication:

(2) The removal and destruction of hosts, including plants of hosts, if such is a practical way of eliminating the infestation.

(3) The searching for all stages of the fly by visual inspection, the use of traps, or any other means:

(4) The removal and destruction of abandoned or unwanted hosts or plants bearing or capable of bearing hosts:

(5) The importation, rearing, liberation, and fostering of parasites and predators which attack the fly:

(6) The importation, rearing, or liberation of sterile forms of the fly:

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.

3591.13. Guava Fruit Fly Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. That portion of the State of California described as follows, within which a certain pest, guava fruit fly (*Bactrocera correcta*), is known to exist, is hereby proclaimed to be an eradication area with respect to said pest:

The entire counties of Alameda, Contra Costa, El Dorado, Los Angeles, Marin, Napa, Orange, Placer, Riverside, Sacramento, San Bernardino, San Diego, San Francisco, San Joaquin, San Mateo, Santa Clara, Santa Cruz, Solano, Sonoma, Sutter, Ventura, and Yolo:

(b) Hosts:

(1) Fruit of the following plants:

Scientific Name	Common Name
<i>Anacardium occidentale</i>	cashew
<i>Areca catechu</i>	areca palm
<i>Artocarpus chama</i>	chaptasha
<i>Artocarpus integer</i>	chempedak
<i>Averrhoa carambola</i>	carambola, star fruit
<i>Baccaurea racemosa</i>	kapundung, menteng
<i>Benincasa hispida</i>	winter-melon
<i>Bouea macrophylla</i>	gandaria, ma prang
<i>Bouea oppositifolia</i>	marian tree, plum-mango
<i>Capparis sepiaria</i>	wild caper
<i>Capparis thorelii</i>	cap thoret
<i>Gareya arborea</i>	slow match tree, kumbhi
<i>Gareya sphaerica</i>	kra doon
<i>Carica papaya</i>	papaya
<i>Carissa carandas</i>	Bengal-currants, karanda
<i>Citrus maxima</i>	pomelo
<i>Citrus reticulata</i>	mandarin (tangerine)
<i>Glausena lansium</i>	wampi

<i>Goccinia grandis</i>	ivy-gourd
<i>Goffea canephora</i>	robusta-coffee
<i>Gucumis melo</i>	cantaloupe, honeydew melon
<i>Dimocarpus longan</i>	longan
<i>Dipterocarpus obtusifolius</i>	kok sat, keruing, mai sat
<i>Elaeocarpus hygrophilus (E. madopetalus)</i>	Spanish plum
<i>Flacourtia indica</i>	governor's plum, Indian-plum
<i>Flacourtia jangomas</i>	greater krekup, Indian-plum
<i>Flueggea virosa</i>	Chinese waterberry, common bushweed
<i>Garcinia dutcis</i>	Glaude mangosteen, eggtree
<i>Garcinia xanthochymus</i>	sour mangosteen
<i>Heynea trijuga</i>	buah pasat, katibaian
<i>Irvingia malayana (I. oliveri)</i>	bok, pau kinjang
<i>Knema angustifolia</i>	horse blood
<i>Lepisanthes fruticosa</i>	Ghamaliang
<i>Luffa aegyptiaca</i>	smooth loofah, sponge gourd
<i>Madhuca longifolia</i>	mahua, mowra-buttertree
<i>Maerua siamensis</i>	Thai bush-cherry
<i>Malpighia emarginata</i>	Barbados or West Indian cherry
<i>Malpighia glabra</i>	acerola
<i>Mangifera indica</i>	mango
<i>Manilkara zapota</i>	sapodilla
<i>Mimusops elengi</i>	Spanish-cherry
<i>Muntingia calabura</i>	catabur-tree
<i>Musa x paradisiacal</i>	banana, plantain
<i>Otax scadens</i>	namchai Khrai
<i>Opuntia monacantha</i>	drooping prickly-pear
<i>Phyllanthus acidus</i>	gooseberry-tree

<i>Polyalthia longifolia</i>	cemetery or mast tree
<i>Prunus avium</i>	sweet cherry
<i>Prunus cerasus</i>	sour cherry
<i>Prunus persica</i>	peach
<i>Prunus persica var. nectarine</i>	nectarine
<i>Prunus saticina</i>	Japanese plum
<i>Psidium guajava</i>	guava
<i>Sandoricum koetjape</i>	red sentot, sentot
<i>Schoepfia fragrans</i>	xiang-fu-mu
<i>Spondias dulcis</i>	golden-apple, makopa
<i>Spondias pinnata</i>	hog-plum
<i>Strychnos potatorum</i>	clearing-nut-tree
<i>Syzygium aqueum</i>	water-apple, watery rose-apple
<i>Syzygium borneense</i>	ketat, kerian
<i>Syzygium cumini</i>	Java-plum, jambotana
<i>Syzygium jambos</i>	jambos, rose-apple
<i>Syzygium malaccense</i>	Malay-or mountain-apple
<i>Syzygium nervosum</i>	Daly-River satin-ash
<i>Syzygium samarangense</i>	Java-apple, water-apple
<i>Terminalia bellirica</i>	myrobatan
<i>Terminalia catappa</i>	tropical or Indian almond
<i>Trichosanthes costata</i>	ribbed orange gourd
<i>Trichosanthes cucumerina</i>	annual or club gourd
<i>Vitis vinifera</i>	European grape
<i>Ziziphus jujuba</i>	Chinese-date, jujube
<i>Ziziphus mauritiana</i>	Chinese-date, jujube
<i>Ziziphus nummularia</i>	jujube
<i>Ziziphus oenoptia</i>	jackal-jujube

(2) Soil or planting media within the drip area of plants producing, or which have produced, host fruit.

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray, dust, bait, or in any other manner as often as necessary to effect eradication.

(2) The removal and destruction of all plant parts known or suspected to harbor any stage of said pest.

(3) The search of all stages of guava fruit fly by visual inspection, the use of traps, or any other means.

(4) The removal and destruction of abandoned or unwanted plants bearing or capable of bearing hosts.

(5) The importation, rearing, liberation, and fostering of parasites and predators which attack guava fruit fly.

(6) The importation, rearing, or liberation of sterile forms of guava fruit fly.

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.

3591.15. Melon Fruit Fly Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. That portion of the State of California described as follows, within which the melon fruit fly, *Bactrocera cucurbitae*, is known to exist, is hereby proclaimed to be an eradication area with respect to said pest, and as such it is amendable to the provisions of Article 4 (Sections 5761, 5762, 5763 and 5764) of Chapter 8, Part 1, Division 4 of the Food and Agricultural Code of California:

(1) The counties of Alameda, Fresno, Kern, Los Angeles, Riverside, and Santa Clara.

(b) Hosts:

(1) Fruit of the following plants:

Common Name	Scientific Name
Apple	<i>Malus sylvestris</i>
Apple, Custard	<i>Annona reticulata</i>
Avocado	<i>Persea americana</i>
Bean, hyacinth	<i>Lablab purpureus</i> subsp. <i>purpureus</i> [<i>Dolichos lablab</i>]
Bean, lima	<i>Phaseolus lunatus</i> [<i>Phaseolus limensis</i>]
Bean, mung	<i>Phaseolus radiatus</i>
Bean, string	<i>Phaseolus vulgaris</i>
Cantaloupe	<i>Cucumis melo</i>
	<i>Cucumis melo</i> var. <i>cantalupensis</i>
Gauliflower	<i>Brassica oleracea</i> var. <i>botrytis</i>

Chayote	<i>Sechium edule</i>
Colocynth	<i>Citrullus colocynthis</i>
Gowpea	<i>Vigna unguiculata</i>
Cucumber	<i>Cucumis sativus</i>
Cucumber, bur	<i>Sicyos</i> sp.
Gucurbit	<i>Cucumis pubescens</i>
	<i>Cucumis trigonus</i>
Date palm	<i>Phoenix dactylifera</i>
Eggplant	<i>Solanum melongena</i>
Fig, common	<i>Ficus carica</i>
Gourds	<i>Coccinia</i> spp.
	<i>Cresentia</i> spp.
	<i>Lagenaria</i> spp.
	<i>Luffa</i> spp.
	<i>Momordica</i> spp.
	<i>Trichosanthes</i> spp.
Guava	<i>Psidium guajava</i>
Guava, cattley	<i>Psidium cattleianum</i>
Mango	<i>Mangifera indica</i>
Meton	<i>Citrullus</i> sp.
Melon, Chinese	<i>Benincasa hispida</i>
Melon, Oriental pickling	<i>Cucumis melo</i> var. <i>conomon</i>
Mustard, leaf	<i>Brassica juncea</i>
Okra	<i>Hibiscus esculentus</i>
Orange, king	<i>Citrus nobilis</i>
Orange, mandarin	<i>Citrus reticulata</i>
Orange, sweet	<i>Citrus sinensis</i>
Papaya, common	<i>Carica papaya</i>

Passion fruit	<i>Passiflora edulis</i>
Peach	<i>Prunus persica</i>
Pear	<i>Pyrus communis</i>
Pepper	<i>Capsicum annum</i>
Pepper, chiti	<i>Capsicum annum</i>
Pepper, tabasco	<i>Capsicum frutescens</i>
Pumpkin	<i>Cucurbita pepo</i>
Pumpkin, Canada	<i>Cucurbita moschata</i>
Scarlet wisteria tree	<i>Sesbania grandiflora</i>
Soursop	<i>Annona muricata</i>
Squash	<i>Cucurbita maxima</i>
Threelaf cayratia	<i>Cayratia trifolia</i>
Tomato	<i>Lycopersicon esculentum</i> (pink to red ripe)
Tomato, tree	<i>Gyphomandra betaceae</i>
Water lemon	<i>Passiflora laurifolia</i>
Watermelon	<i>Citrullus lanatus</i> [<i>Citrullus vulgaris</i>]

(2) Plants of the following species in the Cucurbitaceae:

Common.Name	Scientific.Name
Cantaloupe	<i>Cucumis melo</i>
Chayote	<i>Sechium edule</i>
Colcynth	<i>Citrullus colocynthis</i>
Cucumber	<i>Cucumis sativus</i>
Cucumber, bur	<i>Sicyos</i> sp.
Cucurbit, wild	<i>Cucumis pubescens</i>
	<i>Cucumis trigonus</i>
Gherkin, West Indian	<i>Cucumis angaria</i>
Gourds	<i>Coccinia</i> spp.
	<i>Cresentia</i> spp.

	<i>Lagenaria</i> spp.
	<i>Luffa</i> spp.
	<i>Momordica</i> spp.
	<i>Trichosanthes</i> spp.
Gourd, angled luffa	<i>Luffa acutangula</i>
Gourd, balsam-apple	<i>Momordica balsamina</i>
Gourd, balsam-pear	<i>Momordica dioica</i>
Gourd, ivy	<i>Coccinia grandis</i>
Gourd, kakari	<i>Momordica cochinchiensis</i>
Gourd, pointed	<i>Trichosanthes dioica</i>
Gourd, serpent cucumber	<i>Trichosanthes anguina</i>
Gourd, snake	<i>Trichosanthes cucumeroides</i>
Gourd, sponge	<i>Luffa aegyptiaca</i>
Gourd, white-flowered	<i>Lagenaria siceraria</i>
Melon, Chinese	<i>Benincasa hispida</i>
Melon, long	<i>Cucumis uttissimus</i>
Pumpkin	<i>Cucurbita pepo</i>
Pumpkin, Canada	<i>Cucurbita moschata</i>
Squash	<i>Cucurbita maxima</i>
Watermelon	<i>Citrullus lanatus</i> [<i>Citrullus vulgaris</i>]

(3) Any other plants determined by the department based upon the best available science to produce fruit or plant parts which are attacked by melon fruit fly:

(4) Soil or planting media within the drip area of plants producing, or which have produced, host fruit:

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray (including soil spray treatments), dust, bait, or in any other manner as often as necessary to effect control or eradication:

(2) The removal and destruction of hosts, including plants of hosts, if such action is a practical way of eliminating the infestation:

(3) The searching for all stages of the fly by visual inspection, the use of traps, or any other means:

(4) The removal and destruction of abandoned or unwanted hosts or plants bearing or capable of bearing hosts:

(5) The importation, rearing, liberation, and fostering of parasites and predators which attack the fly:

(6) The importation, rearing, or liberation of sterile forms of the fly:

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.

3591.23. White Striped Fruit Fly Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. That portion of the State of California described as follows, within which the white striped fruit fly, *Bactrocera albistrigata*, is known to exist, is hereby proclaimed to be an eradication area with respect to said pest:

(1) The County of Los Angeles:

(b) Hosts:

(1) Fruit of the following plants:

Scientific.Name	Common.Name
<i>Aglaia argentea</i> Blume	N/A
<i>Artocarpus heterophyllus</i> Lam.	Jackfruit
<i>Averrhoa carambola</i> L.	Carambola, starfruit
<i>Galophyllum inophyllum</i> L.	Alexandrian-laurel, Indian-laurel
<i>Gmelina elliptica</i> Sm.	Badhara-bush
<i>Guettarda speciosa</i> L.	Sea randa, zebrawood
<i>Mangifera indica</i> L.	Mango
<i>Mimusops elengi</i> L.	Medlar, Spanish-cherry
<i>Ochrosia oppositifolia</i> (Lam.) K. Schum.	Mangga laut
<i>Polyalthia longifolia</i> (Sonn.) Thwaites	Gemetery-tree, mast-tree
<i>Psidium guajava</i> L.	Guava
<i>Scotopia spinosa</i> Warb.	N/A
<i>Syzygium aqueum</i> (Burm. F.) Alston	Watery rose-apple, water-apple
<i>Syzygium aromaticum</i> (L.) Merr. & L. M. Perry	Glove
<i>Syzygium malaccense</i> (L.) Merr. & L. M. Perry	Malay-apple, mountain-apple

<i>Syzygium samarangense</i> (Blume) Merr. & L. M. Perry	Java-apple, Semarang rose-apple, wax apple
<i>Terminalia catappa</i> L.	Tropical almond
<i>Terminalia procera</i> Roxb.	White bombway

and any other plants determined by the department to produce fruit which is attacked by the white-striped fruit fly:

(2) Soil or planting media within the drip area of plants producing, or which have produced, host fruit.

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray (including soil spray treatments), dust, bait, or in any other manner as often as necessary to effect control or eradication.

(2) The removal and destruction of hosts, including plants of hosts, if such action is a practical way of eliminating the infestation.

(3) The searching for all stages of the fly by visual inspection, the use of traps, or any other means:

(4) The removal and destruction of abandoned or unwanted hosts or plants bearing or capable of bearing hosts:

(5) The importation, rearing, liberation, and fostering of parasites and predators which attack the fly:

(6) The importation, rearing, or liberation of sterile forms of the fly:

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.

3591.25. *Anastrepha striata* Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. That portion of the State of California described as follows, within which the fruit fly, *Anastrepha striata*, is known to exist, is hereby proclaimed to be an eradication area with respect to said pest:

The County of San Diego:

(b) Hosts:

(1) Fruit of the following plants:

Scientific Name	Common Name
<i>Annona cherimola</i>	Cherimoya
<i>Annona muricata</i>	Soursop
<i>Annona</i> sp.	Annona
<i>Bellucia pentamera</i>	Bellucia pentamera

<i>Gampomanesia adamantium</i>	Guabiroba-branca
<i>Gampomanesia cambessedeana</i>	Gampomanesia-cambessedeana
<i>Gampomanesia lineatifolia</i>	Guabiroba
<i>Chrysophyllum cainito</i>	Star-apple
<i>Citrus aurantiifolia</i>	Lime
<i>Citrus sinensis</i>	Sweet orange
<i>Citrus</i> sp.	Citrus
<i>Coffea arabica</i>	Coffee, Arabica
<i>Coffea canephora</i>	Coffee, robusta
<i>Diospyros digyna</i>	Sapote, black
<i>Eugenia punicifolia</i>	Eugenia-punicifolia
<i>Eugenia stipitata</i>	Araza
<i>Eugenia uniflora</i>	Surinam-cherry
<i>Inga feuillei</i>	Pacae
<i>Inga</i> sp.	Inga
<i>Matpighia glabra</i>	Acerota
<i>Mammea americana</i>	Mamey
<i>Mangifera indica</i>	Mango
<i>Mangifera</i> sp.	Mango
<i>Manihot esculenta</i>	Cassava
<i>Manilkara zapota</i>	Sapodilla
<i>Myrcia popayanensis</i>	Myrcia-popayanensis
<i>Passiflora edulis</i>	Passionfruit
<i>Persea americana</i> [†]	Avocado [†]
<i>Pouteria viridis</i>	Sapote, green
<i>Prunus persica</i>	Peach
<i>Psidium acutangulum</i>	Guava, para
<i>Psidium australe</i>	Psidium-australe

<i>Psidium cattleianum</i>	Guava, Chinese
<i>Psidium cattleianum</i> var. <i>littorale</i>	Guava, strawberry
<i>Psidium friedrichsthalianum</i>	Guava, wild
<i>Psidium guajava</i>	Guava, common
<i>Psidium guineense</i>	Guava, Brazilian
<i>Psidium longipes</i>	Mangroveberry
<i>Psidium sartorianum</i>	Arrayan
<i>Psidium</i> sp.	Guava
<i>Sideroxylon obtusifolium</i> <i>buxifolium</i>	Jungleptum
<i>Solanum crinitum</i>	Solanum crinitum
<i>Spondias mombin</i> (= <i>S. lutea</i>)	Hog-ptum
<i>Spondias purpurea</i>	Mombin, red or purple
<i>Spondias</i> sp.	Mombin
<i>Syzygium jambos</i>	Rose-apple
<i>Syzygium malaccense</i>	Matay-apple
<i>Terminalia catappa</i>	Tropical almond

1 commercial grade, mature green 'Hass' avocado is not a host

and any other plants determined by the department to produce fruit which is attacked by *Anastrepha striata*.

(2) Soil or planting media within the drip area of plants producing, or which have produced, host fruit.

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray (including soil spray treatments), dust, bait, or in any other manner as often as necessary to effect control or eradication:

(2) The removal and destruction of hosts, including plants of hosts, if such action is a practical way of eliminating the infestation.

(3) The searching for all stages of the fly by visual inspection, the use of traps, or any other means:

(4) The removal and destruction of abandoned or unwanted hosts or plants bearing or capable of bearing hosts:

(5) The importation, rearing, liberation, and fostering of parasites and predators which attack the fly:

(6) The importation, rearing, or liberation of sterile forms of the fly:

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.

3591.26. Malaysian Fruit Fly Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. That portion of the State of California described as follows, within which a certain pest, Malaysian fruit fly (*Bactrocera latifrons*), is known to exist, is hereby proclaimed to be an eradication area with respect to said pest:

The entire county of Los Angeles:

(b) Hosts:

(1) All fruit, vegetables, pericarp of nuts, seeds or berries of the following:

<i>Baccaurea motleyana</i> (Mull. Arg.) Mull. Arg.	Rambai
<i>Benincasa hispida</i> (Thunb.) Cogn.	Ash gourd
<i>Capsicum annuum</i> L.	Chili Pepper
<i>Capsicum annuum</i> L. var <i>annuum</i>	Bell Pepper
<i>Capsicum baccatum</i>	Barpeppar
<i>Capsicum chinense</i> Jacq.	Bonnet Pepper
<i>Capsicum frutescens</i> L.	Bird Pepper
<i>Capsicum</i> spp.	Pepper
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	Watermelon
<i>Gocinia grandis</i> (L.) Voigt	Ivy gourd
<i>Coffea arabica</i> L.	Arabian coffee
<i>Cucumis dipsaceus</i> Ehrenb. Ex Spach	Hedgehog cucumber
<i>Cucumis melo</i> L. subsp <i>agrestis</i> (Naudin) Pangato var <i>conomon</i> (Thunb.) Makino	Oriental pickling melon
<i>Cucumis sativus</i> L.	Cucumber
<i>Diplocyclos palmatus</i> (L.) C. Jeffrey	Lollipop climber
<i>Gmelina philippensis</i>	Cham.
<i>Lagenaria siceraria</i> (Molina) Standt.	Bottle gourd
<i>Lagerstroemia indica</i> L.	Grape myrtle

<i>Linociera parkinsoni</i> <i>Linociera xanthocarpum</i> <i>Lycianthes biflora</i> (Lour.) Bitter	Da chi hong si xian
<i>Momordica trifoliolata</i> Hook.f. <i>Murraya paniculata</i> (L.) Jack	Chinese boxwood
<i>Passiflora foetida</i> L.:	Wild passionfruit
<i>Physalis peruviana</i> L.:	Gape-gooseberry
<i>Psidium guajava</i> L.:	Guava
<i>Punica granatum</i> L.:	Pomegranate
<i>Sapindus rarak</i> DC. <i>Solanum aculeatissimum</i> Jacq.:	Dutch eggplant Chinese scarlet
<i>Solanum aethiopicum</i> L.:	eggplant
<i>Solanum americanum</i> Mill.:	American nightshade
<i>Solanum anguivi</i> Lam. <i>Solanum donianum</i> Watp. <i>Solanum granulosoteprosium</i> Dunal <i>Solanum incanum</i> L.:	Bitter apple
<i>Solanum lanceifolium</i> Jacq. <i>Solanum lasiocarpum</i>	Dunal Indian nightshade
<i>Solanum linnaeanum</i> Hepper & P.-M.L. Jaeger	apple-of-Sodom
<i>Solanum lycopersicum</i> L. var. <i>cerasiforme</i> (Alef.) Fosberg	Cherry tomato
<i>Solanum lycopersicum</i> L. var. <i>lycopersicum</i>	Tomato
<i>Solanum macrocarpon</i> L.:	African eggplant
<i>Solanum mammosum</i> L.:	Macawbush
<i>Solanum metongena</i> L.:	Eggplant
<i>Solanum nigrescens</i> M. Martens & Galeotti	Divine nightshade
<i>Solanum nigrum</i> L.:	Black nightshade
<i>Solanum pimpinellifolium</i> L.:	Currant tomato
<i>Solanum pseudocapsicum</i> L.:	Jerusalem-cherry
<i>Solanum scabrum</i> Mill.:	Garden huckleberry
<i>Solanum</i> spp. <i>Solanum sisymbriifolium</i> Lam.:	Sticky nightshade
<i>Solanum stramonifolium</i> Jacq. <i>Solanum torvum</i> Sw.:	Devil's fig
	Purple-fruited pea

<i>Solanum trilobatum</i> L.	eggplant
<i>Solanum viarum</i> Dunal	Tropical soda apple
<i>Solanum violaceum</i> Ortega	Ci tian qie
<i>Terminalia catappa</i> L.	Indian almond
<i>Ziziphus jujuba</i> Mill.	Common jujube
<i>Ziziphus nummularia</i> (Burm.f.) Wight & Arn.	

(2) Soil or planting media within the drip area of plants producing, or which have produced, host fruit.

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray, dust, bait, or in any other manner as often as necessary to effect eradication.

(2) The removal and destruction of all plant parts known or suspected to harbor any stage of said pest.

(3) The search of all stages of Malaysian fruit fly by visual inspection, the use of traps, or any other means.

(4) The removal and destruction of abandoned or unwanted plants bearing or capable of bearing hosts.

(5) The importation, rearing, liberation, and fostering of parasites and predators which attack Malaysian fruit fly.

(6) The importation, rearing, or liberation of sterile forms of Malaysian fruit fly.

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.

3591.27. *Zeugodacus tau* Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. That portion of the State of California described as follows, within which a certain pest, *Zeugodacus tau* (formerly *Bactrocera tau*) is known to exist, is hereby proclaimed to be an eradication area with respect to said pest:

The entire counties of Los Angeles, Orange, Riverside, San Bernardino, San Diego, and Ventura:

(b) Hosts:

(1) All fruit, vegetables, pericarp of nuts, seeds, or berries of the following:

Scientific Name	Host Name
<i>Abelmoschus esculentus</i> (L.) Moench	Okra
<i>Adenia hondata</i> (Gaertn.) W. J. de Wilde	Hondata
<i>Annona muricata</i> L.	Soursop

<i>Annona squamosa</i> L.	Gustard apple
<i>Artocarpus heterophyllus</i> Lam.	Jackfruit
<i>Artocarpus integer</i> (Thunb.) Merr.	Chempedak
<i>Averrhoa carambola</i> L.	Star fruit, Carambola
<i>Baccaurea angulata</i> Merr.	Red angle tampoi
<i>Bambusa pallida</i> Munro	Bakhat, pate bamboo
<i>Benincasa hispida</i> (Thunb.) Cogn.	Ash gourd
<i>Benincasa</i> spp.	Gourd, melon
<i>Bidens biternata</i> (Lour.) Merr. & Sherff	Sendangusa
<i>Borassus flabellifer</i> L.	Palmyra palm, Doub palm
<i>Brassica oleracea</i> L.	Cabbage
<i>Capsicum annuum</i> L.	Chili pepper
<i>Capsicum frutescens</i> L.	Bird pepper
<i>Capsicum</i> spp.	Pepper
<i>Carica papaya</i> L.	Papaya
<i>Citrullus colocynthis</i> (L.) Schrad.	Bitter apple
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	Watermelon
<i>Citrus maxima</i> (Burm.) Merr.	Pummelo
<i>Citrus paradisi</i> Macfad.	Grapefruit
<i>Citrus reticulata</i> Blanco	Mandarin orange
<i>Citrus sinensis</i> (L.) Osbeck	Sweet orange
<i>Citrus</i> spp.	Citrus
<i>Citrus tangelo</i> J. W. Ingram & H. E. Moore	Tangelo
<i>Citrus unshiu</i> Marcow.	Satsuma mandarin
<i>Coccinia grandis</i> (L.) Voigt	Ivy gourd
<i>Cucumis anguria</i> L.	Bur cucumber
<i>Cucumis melo</i> L.	Melon
<i>Cucumis sativus</i> L.	Cucumber

<i>Gucumis</i> spp:	Melon, cucumber
<i>Gucurbita argyrosperma</i> G. Huber	Gushaw squash
<i>Gucurbita foetidissima</i>	Coyote gourd
<i>Gucurbita maxima</i> Duchesne	Giant Pumpkin
<i>Gucurbita moschata</i> Duchesne	Butternut squash
<i>Gucurbita pepo</i> L:	squash
<i>Gucurbita</i> spp:	Pumpkin, squash, gourd
<i>Dimocarpus longan</i> Lour:	Longan
<i>Diplocyclos palmatus</i> (L.) C. Jeffrey	Lollipop climber
<i>Dracontomelon dao</i> (Blanco) Merr. & Rolfe	Argus pheasant tree
<i>Eugenia</i> spp:	Eugenia
<i>Fagraea ceilanica</i> Thunb:	Hui ti
<i>Ficus racemosa</i> L:	Gluster fig
<i>Ficus tinctoria</i> G. Forst:	Dye fig
<i>Gomphogyne cissiformis</i> Griff:	N/A
<i>Gymnopetalum scabrum</i> (Lour.) W. J. de Wilde & Duyfjes	Feng gua
<i>Hodgsonia macrocarpa</i> (Blume) Cogn:	Chinese lardfruit
<i>Hydnocarpus anthelminticus</i> Pierre ex Laness:	Chaulmoogra tree
<i>Hydnocarpus</i> spp:	Chaulmoogra
<i>Hylocereus undatus</i> (Haw.) Britton & Rose	Dragon fruit, red pitaya
<i>Lagenaria siceraria</i> (Molina) Standl:	Bottle gourd
<i>Lagenaria</i> spp:	Gourd, calabash
<i>Luffa acutangula</i> (L.) Roxb:	Angled loofah
<i>Luffa aegyptiaca</i> Mill:	Loofah
<i>Luffa</i> spp:	Loofah
<i>Mangifera foetida</i> Lour:	Bachang mango
<i>Mangifera indica</i> L:	Mango

<i>Manilkara zapota</i> (L.) P. Royen	Sapodilla
<i>Melastoma malabathricum</i> L.	Indian rhododendron
<i>Momordica charantia</i> L.	Bitter melon
<i>Momordica cochinchinensis</i> (Lour.) Spreng	Balsam-pear
<i>Momordica dioica</i> Roxb. Ex Willd.	Spine-gourd
<i>Momordica</i> spp.	Balsam apple, balsam-pear
<i>Morinda citrifolia</i> L.	Noni Indian mulberry
<i>Morus</i> spp.	Mulberry
<i>Muntingia calabura</i> L.	Calabur tree
<i>Musa paradisiaca</i> L.	Banana
<i>Myxopyrum smitacifotium</i> (Watt.) Blume	Kuo-ye jiao-he-mu
<i>Passiflora edulis</i> Sims	Passion fruit
<i>Persea americana</i> Mill.	Avocado
<i>Phaseolus vulgaris</i> L.	Bean
<i>Pometia pinnata</i> J. R. Forst. & G. Forst	Fijian tongan
<i>Pouteria lucuma</i> (Ruiz & Pav.) Kuntze	Lucuma
<i>Prunus pseudocerasus</i> Lindl.	Chinese sour cherry
<i>Prunus saticina</i> Lindl.	Japanese plum
<i>Prunus</i> spp.	Peach, nectarine, cherry, almond
<i>Psidium guajava</i> L.	Guava
<i>Pyrus communis</i> L.	Pear
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai	Sand pear, Chinese pear
<i>Pyrus</i> spp.	Pear
<i>Sechium edule</i> (Jacq.) Sw.	Chayote
<i>Siphonodon celastrineus</i> Griff.	N/A
<i>Siphonodon</i> spp.	N/A
<i>Siraitia grosvenorii</i> (Swingle) A. M. Lu & Zhi Y. Zhang	Monkfruit

<i>Solanum lycopersicum</i> L.	Tomato
<i>Solanum melongena</i> L.	Eggplant
<i>Solanum muricatum</i> Aiton	Melon pear
<i>Strychnos ignatii</i> P. J. Bergius	Ignatius bean
<i>Strychnos nux-vomica</i> L.	Nux-vomica
<i>Strychnos rupicola</i> Pierre	N/A
<i>Strychnos</i> spp.	N/A
<i>Strychnos thorelii</i> Pierre ex Dop	N/A
<i>Syzygium aqueum</i> (Burm. f.) Alston	Watery rose apple
<i>Syzygium jambos</i> (L.) Alston	Rose apple
<i>Syzygium malaccense</i> (L.) Merr. & L. M. Perry	Malay apple
<i>Syzygium samarangense</i> (Blume) Merr. & L. M. Perry	Java apple
<i>Tetrastigma leucostaphyllum</i> (Dennst.) Alston ex Mabb.	Indian Chestnut Vine
<i>Trichosanthes celebica</i> Cogn.	N/A
<i>Trichosanthes cordata</i> Roxb.	N/A
<i>Trichosanthes costata</i> Blume	N/A
<i>Trichosanthes cucumerina</i> L.	Annual gourd
<i>Trichosanthes dioica</i> Roxb.	Pointed gourd
<i>Trichosanthes pilosa</i> Lour.	Snake gourd
<i>Trichosanthes rubriflos</i> Thorel ex Gayla	N/A
<i>Trichosanthes</i> spp.	Annual gourd, Snake gourd
<i>Trichosanthes tricuspidata</i> Lour.	N/A
<i>Trichosanthes wallichiana</i> (Ser.) Wight	N/A
<i>Vigna unguiculata</i> (L.) Walp.	Gowpea
<i>Zehneria wallichii</i> (C. B. Clarke) C. Jeffrey	N/A

(2) Soil or planting media within the drip area of plants producing, or which have produced, host fruit.

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

- (1) The use of insecticides, chemicals, or other materials as spray, dust, bait, or in any other manner as often as necessary to effect eradication.
- (2) The removal and destruction of all plant parts known or suspected to harbor any stage of said pest.
- (3) The search of all stages of *Zeugodacus tau* by visual inspection, the use of traps, or any other means.
- (4) The removal and destruction of abandoned or unwanted plants bearing or capable of bearing hosts.
- (5) The importation, rearing, liberation, and fostering of parasites and predators which attack *Zeugodacus tau*.
- (6) The importation, rearing, or liberation of sterile forms of *Zeugodacus tau*.

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.

3591.28. West Indian Fruit Fly Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. That portion of the State of California described as follows, within which a certain pest, West Indian fruit fly (*Anastrepha obliqua*), is known to exist, is hereby proclaimed to be an eradication area with respect to said pest:

The entire county of Los Angeles:

(b) Hosts:

(1) All berries, fruit, nuts and vegetables of the following:

Scientific Name	Common Name
<i>Alchornea latifolia</i> Sw.	Gargantilla
<i>Ampelocera hottlei</i> (Standl.) Standl.	N/A
<i>Anacardium occidentale</i> L.	Cashew [†]
<i>Annona hayesii</i> Saff. ex Standl.	N/A
<i>Averrhoa carambola</i> L.	Carambola, Starfruit
<i>Beltucia grossularioides</i> (L.) Triana	N/A
<i>Brosimum alicastrum</i> Sw.	Breadnut
<i>Campomanesia guazumifolia</i> (Cambess.) O. Berg.	Sete-capas
<i>Campomanesia sessiflora</i> (O. Berg.) Mattos	Guavira
<i>Campomanesia</i> spp.	N/A

<i>Chrysobalanus icaco</i> L.	Coco-plum
<i>Coffea arabica</i> L.	Arabian coffee
<i>Gouma guianensis</i> Aubl.	N/A
<i>Crataegus</i> spp.	N/A
<i>Diospyros digyna</i> Jacq.	Black persimmon
<i>Diospyros</i> spp.	Persimmon
<i>Dovyalis hebecarpa</i> (Gardner) Warb.	Ceylon gooseberry
<i>Eriobotrya japonica</i> (Thunb.) Lindl.	Loquat
<i>Eugenia brasiliensis</i> Lam.	Brazil cherry
<i>Eugenia dysinterica</i> DC.	Cagaita
<i>Eugenia lambertiana</i> DC.	N/A
<i>Eugenia nesiotica</i> Standl.	N/A
<i>Eugenia pyriformis</i> Cambess.	Uvatha
<i>Eugenia stipitata</i> McVaugh	Araca-boi
<i>Eugenia uniflora</i> L.	Brazil cherry
<i>Flacourtia indica</i> (Burm.f.) Merr.	Governor's plum
<i>Geissospermum argenteum</i> Woodson	N/A
<i>Inga jinicuil</i> G. Don	N/A
<i>Inga micheliana</i> Harms	N/A
<i>Inga</i> spp.	N/A
<i>Malpighia emarginata</i> DC.	Barbados cherry
<i>Malpighia glabra</i> L.	Acerola
<i>Malpighia</i> spp.	N/A
<i>Mangifera indica</i> L.	Mango
<i>Manilkara zapota</i> (L.) P. Royen	Sapote
<i>Mouriri</i> spp.	N/A
<i>Myrcia eximia</i> DC.	N/A
<i>Myrciaria dubia</i> (Kunth) McVaugh	Camu-camu

<i>Myrciaria floribunda</i> (H. West ex Willd.) O. Berg	N/A
<i>Plinia cauliflora</i> (Mart.) Kausel	Jabuticaba
<i>Passiflora edulis</i> Sims	Passionflower
<i>Passiflora quadrangularis</i> L.	Giant granadilla
<i>Passiflora</i> spp:	Passionflower
<i>Pouteria caimito</i> (Ruiz & Pav.) Radlk.	Gaimito
<i>Pouteria lucuma</i> (Ruiz & Pav.) Kuntze	Lucuma
<i>Pouteria viridis</i> (Pittier) Cronquist	N/A
<i>Prunus dulcis</i> (Mill.) D.A. Webb	Almond [†]
<i>Prunus persica</i> (L.) Batsch	Peach
<i>Prunus saticina</i> Lindl.	Japanese plum
<i>Prunus serotina</i> Ehrh	Capuli, Black Cherry
<i>Psidium acutangulum</i> DC.	N/A
<i>Psidium cattleianum</i> DC.	Strawberry guava
<i>Psidium friedrichsthanianum</i> (O. Berg) Nied.	Costa Rican guava
<i>Psidium guajava</i> L.	Guava
<i>Psidium guineense</i> Sw.	Brazil guava
<i>Psidium</i> spp:	N/A
<i>Pyrus communis</i> L.	Pear
<i>Spondias dulcis</i> Sol. ex Parkinson	Ambarella
<i>Spondias mombin</i> L.	Hog-plum
<i>Spondias purpurea</i> L.	Purple mombin
<i>Spondias radlkoferi</i> Donn. Sm.	N/A
<i>Spondias</i> spp:	N/A
<i>Spondias tuberosa</i> Arruda ex Kost.	Umbu
<i>Spondias venulosa</i> (Engl.) Mart. ex Engl.	N/A
<i>Syzygium jambos</i> (L.) Alston	Rose-apple
<i>Syzygium malaccense</i> (L.) Merr. & L.M. Perry	Malay apple

<i>Tapirira mexicana</i> Marchand	N/A
<i>Terminalia catappa</i> L.	Tropical almond
=====	

1 Nuts are not regulated, the fleshy fruit is the host material

(2) Soil or planting media within the drip area of plants producing, or which have produced, host fruit.

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray, bait, or in any other manner as often as necessary to effect eradication:

(2) The removal and destruction of all plant parts known or suspected to harbor any stage of said pest.

(3) The search of all stages of West Indian fruit fly by visual inspection, the use of traps, or any other means.

(4) The removal and destruction of abandoned or unwanted plants bearing or capable of bearing hosts.

(5) The importation, rearing, liberation, and fostering of parasites and predators which attack West Indian fruit fly.

(6) The importation, rearing, or liberation of sterile forms of West Indian fruit fly.

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.

3591.30. Queensland fruit fly Eradication Area. (Repealed)

(a) Proclamation of Eradication Area. That portion of the State of California described as follows, within which a certain pest, Queensland fruit fly (*Bactrocera tryoni*), is known to exist, is hereby proclaimed to be an eradication area with respect to said pest:

The entire county of Ventura:

(b) Hosts:

(1) All fruit, vegetables, pericarp of nuts, seeds, or berries of the following:

Scientific Name	Common Name
<i>Acca sellowiana</i> (O. Berg) Burret	pineapple guava
<i>Anacardium occidentale</i> L.	Cashew
<i>Annona muricata</i> L.	Soursop
<i>Annona reticulata</i> L.	buttock's heart

<i>Annona squamosa</i> L.	Custard-apple
<i>Artocarpus atilis</i> (Parkinson) Fosberg	Breadfruit
<i>Artocarpus heterophyllus</i> Lam.	Jackfruit
<i>Averrhoa carambola</i> L.	Carambola
<i>Barringtonia edulis</i>	pau nut
<i>Butia capitata</i> (Mart.) Becc.	Jelly palm, pindo palm
<i>Butia yatay</i> (Mart.) Becc.	Jelly palm, yatay palm
<i>Catophyllum inophyllum</i> L.	Atexandrian laurel
<i>Gananga odorata</i> (Lam.) Hook. f & Thomson	ylang ylang tree
<i>Ganarium insulare</i>	N/A
<i>Ganarium vulgare</i> Leenh.	Chinese olive
<i>Capsicum annuum</i> L.	chile/sweet pepper
<i>Carallia brachiata</i> (Lour.) Merr.	Billabong tree, carallawood, corkybark, freshwater mangrove
<i>Carica papaya</i> L.	Papaya
<i>Casimiroa edulis</i> LaLlave & Lex.	white sapote
<i>Chrysophyllum cainito</i> L.	star apple
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	Afghan-melon, bastard-melon, dessert watermelon, watermelon
<i>Citrus aurantiifolia</i> (Christm.) Swingle	keys lime
<i>Citrus x aurantium</i> L. (<i>Citrus</i> Sour Orange Group)	Bitter orange, Seville orange, sour orange
<i>Citrus x aurantium</i> L. var. <i>sinensis</i> L. (= <i>C. sinensis</i>)	Blood orange, navel, navel orange, orange, sweet orange, Valencia orange
<i>Citrus japonica</i> (Thunb.) Swingle	Kumquat
<i>Citrus latifolia</i> (Yu. Tanaka) Tanaka	Persian lime
<i>Citrus limon</i> (L.) Burm. f	Lemon
<i>Citrus maxima</i> (Burm.) Merr	Pomelo
<i>Citrus x nobilis</i> Lour. (<i>Citrus</i> Tangor Group) [†]	King of Siam, king orange, tangor
<i>Citrus x paradisi</i> Macfad.	Grapefruit

<i>Citrus reticulata</i> Blanco	Mandarin
<i>Citrus</i> spp.	Orangequat, procimequat
<i>Clivia miniata</i> (Lindl.) Reget	Natal-lily, bush-lily
<i>Cryptocarya rigida</i> Meisn.	Brown-beech, forest-maple, pigeonberry-ash, rose-maple, rose-walnut
<i>Cucurbita pepo</i> L.	acorn squash
<i>Gydonia obtonga</i> Mill.	Quince
<i>Davidsonia pruriens</i> F. Muett	Davidsonia-plum, Davidson's plum
<i>Diospyros kaki</i> Thunb.	Japanese persimmon
<i>Diospyros mespiliformis</i> Hochst. Ex A. DC.	Jackalberry
<i>Drypetes deplanchei</i> (Brongn. & Gris) Merr. incl. (<i>D. australasica</i>)	Yellow tulip-tree
<i>Endiandra</i> spp.	Walnut-laurel
<i>Eriobotrya japonica</i> (Thunb. Lindl.)	Loquat
<i>Eugenia uniflora</i> L.	Surinam-cherry
<i>Fagraea berteriana</i> var. <i>sair</i> (Gilg & Benedict) Fosberg	Pua keni keni, perfume flower tree
<i>Ficus carica</i> L.	common fig
<i>Ficus coronata</i> Spin	Creek fig, creek sandpaper fig, sandpaper fig
<i>Ficus macrophylla</i> Pers.	Australian banyan, black fig, Moreton Bay fig
<i>Ficus pancheriana</i> Bureau	Pancher's fig
<i>Fragaria x ananassa</i> Duchesne ex Rozier	garden strawberry
<i>Fragaria vesca</i> L.	European strawberry
<i>Gossypium hirsutum</i> L.	American cotton, American upland cotton, cotton, upland cotton
<i>Hernandia cordigera</i> Vieill.	Bois bleu
<i>Inocarpus fagiferus</i> (Parkinson) Fosberg	Tahiti chestnut
<i>Juglans regia</i> L.	English walnut, Madeira walnut, Persian walnut, walnut
<i>Litchi chinensis</i> Sonn.	Litchi

<i>Maclura cochinchinensis</i> (Lour.) Corner	Cockspurthorn
<i>Maclura pomifera</i> (Raf.) C.	Bow-wood, hedge-apple, osage-orange
<i>Matpighia glabra</i> L.	Acerola
<i>Matus domestica</i> Borkh.	Appte
<i>Mangifera indica</i> L.	Mango
<i>Morinda citrifolia</i> L.	canary wood
<i>Morus alba</i> L.	Russian mulberry
<i>Morus nigra</i> L.	Black mulberry
<i>Musa x paradisiaca</i> L.	edible banana
<i>Musa</i> sp.	Banana
<i>Musa troglodytarum</i> L.	fe'i banana
<i>Nephelium lappaceum</i> L.	Rambutan
<i>Opuntia</i> spp.	prickly-pear
<i>Passiflora edulis</i> Sims	Passionfruit
<i>Passiflora foetida</i> L.	Love-in-a-mist passionflower, mossy passionflower, running pop, stinking granadilla, stinking passionflower, stinking passionfruit, wild passionfruit
<i>Passiflora taurifolia</i> L.	yellow granadilla
<i>Passiflora quadrangularis</i> L.	giant granadilla
<i>Passiflora subpeltata</i> Ortega	Granadina, white passionflower, white passionfruit, wild passionfruit, wild passionvine
<i>Persea americana</i> Mill.	Avocado
<i>Phoenix dactylifera</i> L.	date palm
<i>Planchonella sphaerocarpa</i> (Baill.) Dubard	
<i>Pometia pinnata</i> J.R. Forst. & G. Forst.	Pacific lychee
<i>Pouteria caimito</i> (Ruiz & Pav.) Radtk.	Caimito
<i>Prunus armeniaca</i> L.	Apricot
<i>Prunus avium</i> (L.) L.	sweet cherry

<i>Prunus cerasifera</i> Ehrh.	Cherry plum, myrobatan plum
<i>Prunus x dasycarpa</i> Ehrh.	Purple apricot
<i>Prunus x domestica</i> L.	European plum
<i>Prunus domestica</i> (L.) sub spp. <i>domestica</i>	European plum, garden plum, plum, prune plum;
<i>Prunus persica</i> (L.) Batsch	Peach, Nectarine
<i>Prunus x persicoides</i> (Ser.) M. Vilm. & Bois	Almond-peach
<i>Prunus saticina</i> Lindl.	Japanese plum, Chinese plum
<i>Prunus simonii</i> Carriere	apricot plum
<i>Psidium acutangulum</i> DC.	
<i>Psidium cattleyanum</i> Sabine	cattley guava
<i>Psidium cattleyanum</i> Sabine var. <i>littorale</i> (Raddi) Fosberg	strawberry guava
<i>Psidium guajava</i> L.	Guava
<i>Punica granatum</i> L.	pomegranate
<i>Pyrus communis</i> L.	Pear
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai	Asian pear, Chinese pear, Chinese sand pear, Japanese pear, nashi, nashi-pear, Oriental pear, sand pear
<i>Rauwenhoffia teichhardtii</i> Diels	N/A
<i>Rosa</i> spp.	Rose
<i>Rubus fruticosus</i> auct. Aggr.	European blackberry
<i>Solanum betaceum</i> Cav.	tree tomato
<i>Solanum lycopersicum</i> L.	Tomato
<i>Solanum mauritianum</i> Scop.	Bugtree
<i>Solanum melongena</i> L.	Eggplant
<i>Solanum seaforthianum</i> Andrews	Black nightshade, Brazilian nightshade, climbing nightshade, Italian-jasmine, potato-creeper, St. Vincent-lilac
<i>Spondias dulcis</i> Sol. Ex Parkinson	Juneplum
<i>Syzygium cumini</i> (L.) Skeels	jambolana

<i>Syzygium jambos</i> (L.) Alston	Rose-apple
<i>Syzygium malaccense</i> (L.) Merr. & L.M. Perry	Malay-apple
<i>Syzygium paniculatum</i> Gaertn.	Magenta lilly-pilly
<i>Syzygium smithii</i> (Poir.) Nied.	Lilly-pilly, monkey-apple
<i>Terminalia catappa</i> L.	tropical almond
<i>Terminalia muelleri</i> Benth.	Australian-almond
<i>Thevetia peruviana</i> (Pers.) K. Schum	yellow oleander
<i>Vaccinium</i> spp.	Blueberry
<i>Vitis vinifera</i> L.	Common grape
<i>Ximenesia americana</i> L.	false sandalwood
<i>Ziziphus mauritiana</i> Lam.	Chinese-apple

(2) Soil or planting media within the drip area of plants producing, or which have produced, host fruit.

(c) Means and Methods. The following means and methods may be used in the eradication and control of said pest in said area:

(1) The use of insecticides, chemicals, or other materials as spray, dust, bait, or in any other manner as often as necessary to effect eradication.

(2) The removal and destruction of all plant parts known or suspected to harbor any stage of said pest.

(3) The search of all stages of Queensland fruit fly by visual inspection, the use of traps, or any other means.

(4) The removal and destruction of abandoned or unwanted plants bearing or capable of bearing hosts.

(5) The importation, rearing, liberation, and fostering of parasites and predators which attack Queensland fruit fly.

(6) The importation, rearing, or liberation of sterile forms of Queensland fruit fly.

Note: Authority cited: Sections 407 and 5322, Food and Agricultural Code. Reference: Sections 5761, 5762, 5763 and 5764, Food and Agricultural Code.