

Malaysian Fruit Fly Host List

Hosts.

All fruit, vegetables, pericarp of nuts, seeds or berries of the following:

<i>Baccaurea motleyana</i> (Mull. Arg.) Mull. Arg.	Rambai
<i>Benincasa hispida</i> (Thunb.) Cogn.	Ash gourd
<i>Capsicum annuum</i> L.	Chili Pepper
<i>Capsicum annuum</i> L. var <i>annuum</i>	Bell Pepper
<i>Capsicum baccatum</i>	Barpeppar
<i>Capsicum chinense</i> Jacq.	Bonnet Pepper
<i>Capsicum frutescens</i> L.	Bird Pepper
<i>Capsicum</i> spp.	Pepper
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	Watermelon
<i>Coccinia grandis</i> (L.) Voigt	Ivy gourd
<i>Coffea arabica</i> L.	Arabian coffee
<i>Cucumis dipsaceus</i> Ehrenb. Ex Spach	Hedgehog cucumber
<i>Cucumis melo</i> L. subsp <i>agrestis</i> (Naudin) Pangalo var <i>conomon</i> (Thunb.) Makino	Oriental pickling melon
<i>Cucumis sativus</i> L.	Cucumber
<i>Diplocyclos palmatus</i> (L.) C. Jeffrey	Lollipop-climber
<i>Gmelina philippensis</i>	Cham.
<i>Lagenaria siceraria</i> (Molina) Standl.	Bottle gourd
<i>Lagerstroemia indica</i> L.	Crape myrtle
<i>Linociera parkinsoni</i> <i>Linociera xanthocarpum</i> <i>Lycianthes biflora</i> (Lour.) Bitter	Da chi hong si xian
<i>Momordica trifoliolata</i> Hook.f. <i>Murraya paniculata</i> (L.) Jack	Chinese boxwood
<i>Passiflora foetida</i> L.	Wild passionfruit
<i>Physalis peruviana</i> L.	Cape-gooseberry
<i>Psidium guajava</i> L.	Guava

<i>Punica granatum</i> L.	Pomegranate
<i>Sapindus rarak</i> DC. <i>Solanum aculeatissimum</i> Jacq.	Dutch eggplant Chinese scarlet
<i>Solanum aethiopicum</i> L.	eggplant
<i>Solanum americanum</i> Mill.	American nightshade
<i>Solanum anguivi</i> Lam. <i>Solanum donianum</i> Walp. <i>Solanum granuloseprosum</i> Dunal <i>Solanum incanum</i> L.	Bitter apple
<i>Solanum lanceifolium</i> Jacq. <i>Solanum lasiocarpum</i>	Dunal Indian nightshade
<i>Solanum linnaeanum</i> Hepper & P.-M.L. Jaeger	apple-of-Sodom
<i>Solanum lycopersicum</i> L. var. <i>cerasiforme</i> (Alef.) Fosberg	Cherry tomato
<i>Solanum lycopersicum</i> L. var. <i>lycopersicum</i>	Tomato
<i>Solanum macrocarpon</i> L.	African eggplant
<i>Solanum mammosum</i> L.	Macawbush
<i>Solanum melongena</i> L.	Eggplant
<i>Solanum nigrescens</i> M. Martens & Galeotti	Divine nightshade
<i>Solanum nigrum</i> L.	Black nightshade
<i>Solanum pimpinellifolium</i> L.	Currant tomato
<i>Solanum pseudocapsicum</i> L.	Jerusalem-cherry
<i>Solanum scabrum</i> Mill.	Garden huckleberry
<i>Solanum</i> spp. <i>Solanum sisymbriifolium</i> Lam.	Sticky nightshade
<i>Solanum stramonifolium</i> Jacq. <i>Solanum torvum</i> Sw.	Devil's fig
	Purple-fruited pea
<i>Solanum trilobatum</i> L.	eggplant
<i>Solanum viarum</i> Dunal	Tropical soda apple
<i>Solanum violaceum</i> Ortega	Ci tian qie
<i>Terminalia catappa</i> L.	Indian almond
<i>Ziziphus jujuba</i> Mill.	Common jujube
<i>Ziziphus nummularia</i> (Burm.f.) Wight & Arn.	

(2) Soil or planting media within the drip area of plants producing, or which have produced, host fruit.

