COUNTY OF LOS ANGELES
DEPARTMENT OF AGRICULTURAL COMMISSIONER/WEIGHTS AND MEASURES

Blue Gum Gall Wasp *(Selitrichodes globulus)*

Distribution: USA: California. Although this wasp has not yet been found in Australia, it is certainly Australian in origin. Described as a new species from specimens found in Monrovia, California.
Hosts and Damage: Attacks Blue gum eucalyptus *(Eucalyptus globulus)* inducing galls on branches and twigs. Galls may also be present on some leaves. Infested eucalyptus trees display heavy, hanging branches and twigs that usually become dry and often develop 10-20 mm cracks along galls.
Field ID: Adults (0.85-1.5 mm long) have generally dark brown to black body with relatively lighter colored antennae, legs, and abdomen. Eyes are red. **Larvae** are light yellow, legless and can be located (often together with pupae) within the galls. During heavy infestations, galls (consisted of multiple chambers) occur almost continually along branches and may contain as many as 20 specimens per 5 mm of branch.

Adult female

Gall damage on eucalyptus

Larva within dissected gall



Larvae & pupae in dissected twig

Adult emergence holes

Prepared by Dr. Gevork Arakelian, Senior Biologist, Los Angeles County Department of Agricultural Commissioner/Weights & Measures
- June, 2009 -